# Ironmongery collection

The Nicholls & Clarke Group is a business dedicated to the manufacture and supply of the finest building materials. Founded in 1875 in London, we have grown from servicing the capitals' building trades to becoming the largest privately owned national manufacturer and distributor of fine quality building products.

Quality manufacturing is at the core of our business and comes as standard. We own state of the art manufacturing facilities based across the UK and Central Europe. This gives us the broadest manufacturing capability available, allowing us to offer an extensive portfolio of product, more specialised than that of any of our competitors.

Our distribution network is supported with our private fleet of over 110 commercial vehicles. This gives us full logistical control from the point of manufacture through to delivery to site. We offer a nationwide delivery service, be that to site, home or commercial address. The vast majority of our deliveries are made on a next day basis.

# **Complete Ironmongery Specialists**

At Nicholls & Clarke, we offer a fully comprehensive collection of architectural ironmongery and builders hardware ideal for commercial or domestic use. Established in 1875, Ironmongery continues to be a core part of the business which has led to our proud heritage, loyal customer base and invaluable industry expertise.

Our comprehensive portfolio of the latest architectural ironmongery products are a vital element for consideration during the design stage of any building, whether a refurbishment or new build. As a result we have made it imperative that the products we offer are of high quality, fit the application purpose, comply with the relevant BS/EN Standards and are competitive. As long term members of the Guild of Architectural Ironmongers, we have a fully qualified team with full technical knowledge and the ability to prepare detailed schedules from architect drawings.



#### Experience

Established in 1875, Nicholls & Clarke has pedigree that has been developed over many years. Through great heritage, we have gained a depth of knowledge and invaluable experience in the manufacturing and supplying of ironmongery products to the construction industry. We have experience across many industries with a huge portfolio of products suited to most project environments.

#### **Total Solution Providers**

Part of the Nicholls & Clarke Group, we have the ability to offer a comprehensive range of products from iironmongery, sanitaryware, heavyside products to wall and floor tiles, tiling solutions and independent living solutions. We offer the complete package so that you can benefit from dealing with one source, making it easier to co-ordinate project supplies.

#### **Technical Specification Service**

This document will make the process of selecting the correct products for the required environment much simpler through information on client needs as well as llegislation. If in doubt, our expert team are on hand to guide you in the right direction on specific project queries.

#### Environment

As an ISO14001 company, sustainability is a core part of our company agenda. As well as various carbon offsetting programmes in place, we invest a great deal in manufacturing and developing solutions that help reduce our carbon footprint.

#### **Inventors & Innovators**

Nicholls & Clarke continue to be at the forefront of innovation, embracing new technology within the industry and better defining our portfolio with products that perform, but where style and quality are at its peak. As inventors, we continue to engage in research and development and understand industry and customer requirements in order to present solutions that overcome day to day problems.

#### 24 Hour Nationwide Delivery

Nicholls & Clarke are unique in being able to offer nationwide, next day delivery, even when you order up to 5pm the day before\* and there is no minimum order requirement. We operate out of 16 branches nationwide so can offer localised delivery, and with over 60,000 product lines you also have the option, in most cases, to collect.

#### **Research & Development**

Prior to going to market, we undergo rigorous testing of all our products to ensure that performance is to a high standard. All products are tested to meet the relevant standards and regulations.

#### **Customer Care**

We aim to provide you with an outstanding level of customer service that will help to further enhance the service you offer to your clients. We monitor our performance levels and strive to achieve 100% client satisfaction. We believe that open channels of communication with our customers, coupled with their feedback are a sure way of further impoving our customers buying experience.

### Product Features Key



**Commercial Use** Products suitable for use in commercial applications



Domestic Use Products suitable for use in the home/private property



Disabled Use Products and solutions suitable for people with

different levels of abilities



 Secure by Design
 Secure by Design endorsed by the UK Police



Education Designed to be suitable for use within educational establishments



Fire rated for 30min - 60 mins and 120mins



Guarantee Products that come with the associated manufacturers quarantee



Guarantee Products that come with the associated manufacturers guarantee



CE Complies with European health, safety and environmental legislation

**British Standards** 

Products that comply with



*Certifire* 

British Standards

#### Certifire

The international certification mark of fire safety



#### **Commercial Partners**

We have worked in partnership with an extensive list of customers throughout the U.K and worldwide on some of the most demanding projects imaginable. Our first UK and export project was completed over 55 years ago, yet our products continue to perform today and will continue to do so for the life of the building or project.

This pedigree has created ultimate confidence in the Nicholls & Clarke range of products. Today we have N&C products specified by many recognised UK and international brands and are also working with many of the UK's premier contractors who in turn work in partnership with these brands.

#### **N&C** Ironmongery

#### Storage

It is essential that all ironmongery received on to site is stored in good clean, dry conditions prior to fixing. All items are carefully packed before delivery to avoid damage and are supplied complete with fixings. Where necessary, fixing instructions are included with each item. During construction, ironmongery must be protected after fitting. Care should be taken to avoid fitting any ironmongery whilst "wet" trades are still in progress. Fittings must be stored away from abrasives, acids and other corrosive materials.

#### Fixings

Each item of ironmongery should be fitted in accordance with the appropriate fitting instructions, using the fixings supplied. No substitution of fixings should be undertaken without reference to Nicholls & Clarke. Such substitution may invalidate any performance statement given or implied in product literature or fixing instructions.

#### Installation

All ironmongery supplied by Nicholls & Clarke has been carefully selected to provide optimum performance for the individual project. Considerations include fitness for purpose to suit the necessary level of performance, fire/safety requirements according to appropriate standards and regulations, co-ordination and compatibility for purpose, backed by a full technical service.

The correct installation of all items of ironmongery is essential to achieve the performance levels stated

#### Contents

Door Furniture	6 - 40
Locks, Latches & Security	/ 41-58
Hinges	59 - 66
Door Controls	67 - 78
Fire Control	79 - 85
Signage	87 - 104
Sliding Door Gear	105 - 112
Cabinet Fittings and Shelving Systems	113 - 124
Window Fittings	125 - 136
Bolts, Stops and Accessories	137 - 146
Anti Ligature Fittings	149 - 152
General Hardware	153 - 166

Our history & heritage 1875, the journey begins...

Founded in 1875, Nicholls & Clarke have grown from strength to strength with over 135 years of experience and expertise in the manufacture and distribution of high quality building products. The journey saw huge developments into new areas of trade through diversifying and ongoing product development to meet the needs of different markets.



The Nicholls & Clarke building in Shoreditch, London, in one of its many guises through the progression and development of the company since 1875


Nicholls & Clarke was first established in Shoreditch London in 1875 as a glass business. By 1880, it had expanded into Ironmongery, the beginning of a journey we continue today.

In years where the railway were in their infancy, slavery was still legal in southern states and around the world, where neither Germany or Italy where unified countries and the Great Duke of Wellington was still alive, Nicholls and Clarke were servicing the capital's trade from the heart of Shoreditch, London. During our history, Nicholls & Clarke has merged other ironmongery companies into its business by acquisition including GIFCO (General Iron Foundry Co.), Carter and Aynsley and Lips Locks which enabled the company to grow its specialist ironmongery division. We has been an influential member of the Guild of Archtectural Ironmongers, involved in various Guild Commitees over many years.



We have a history for supplying Ironmongery to some of the most iconic buildings in the UK. Nicholls & Clarke Ironmongery was soon being specified all over the Country. Many British hotels and other outstanding buildings were being fitted with master keyed suites of locks of exceptional quality. Nicholls & Clarke has supplied buildings such as the Old Bailey, the Dorchester Hotel and beautiful Royal buildings and premises such as the supply of railings for the Duke of York's riding school in Chelsea.

Archive: Old Bailey Ironmongery Schedule of Works



# Inventors of the RADAR lock

The company's proudest achievement was probably the creation of the RADAR lock . The worlds only universal key scheme which allows disabled users to safely find a toilet facility which can be exclusively used by those that need it most. This invention has been in operation for 40 years using the same key and lock types, which are still working in toilets built years ago or installed today. Each year, thousands of keys and locks are supplied to increase the access for facilities provided, subject to Building Standards - Document M.

The N&C Phlexicare Radar lock now forms part of the design of the BS8300 compliant Document M toilet facilities offered by Nicholls & Clarke to ensure specifiers and builders can choose with confidence products that will conform to standards, offer longevity, stylish design and ease of installation. Our dedication, to continually develop our ironmongery range incorporating the latest designs, whilst maintaining our heritage of quality and value is as strong today as was nearly 140 years ago.

Our collection of Nicholls & Clarke specialist ironmongery catalogues stretch back to the late 1800's, with our largest ever ironmongery catalogue issued in 1900 with over 550 pages devoted to these goods alone. Each catalogue shows a true reflection of the fittings of its time.







0

RADAR

KEY

SCHEME

NoC

# **Door Furniture**

Our comprehensive range of door furniture is ideal for commercial or domestic environments and is available in a range of materials and finishes. Includes door knobs or lever handles on rose and backplates, pull handles, push plates, escutcheons, door packs as well as a range of front door furniture.

Where appropriate, our products meet British and European Standard requirments and testing methods covering lever handles and knob furniture (BS EN 1906).




# **N&C Contractor Range**

A popular range of door furniture created for medium duty, medium traffic commercial environments.

Available in anodised aluminium with both polished & satin finishes.

N&C Contractor is also available in polished brass and polished chrome with a full range of matching accessories.







#### N&C Contractor Lever Handle

Safety lever handle on sprung concealed fix round rose
 Anodised aluminium

Code	Dia	Rose	Finish
H3900001	19mm	50mm	Polished Aluminium
H0642517	19mm	50mm	Satin Aluminium





#### N&C Contractor Lever Latch Handle Short

Dia

Code

Safety lever latch handle on concealed fix short backplate
Anodised aluminium

Backplate

H3901001 19mm 100x40mm Polished Aluminium

Finish



Code	Dia	Backplate	Finish
H3901101	19mm	152x40mm	Polished Aluminium
H0642513	19mm	170x40mm	Satin Aluminium



#### N&C Contractor Lever Standard Lock Handle

Code	Dia	Backplate	Finish
H3901201	19mm	152x40mm	Polished Aluminium
H0642512	19mm	170x40mm	Satin Aluminium



N&C Contractor Lever Euro Lock Handle

Safety lever latch handle on concealed fix long backplate
Anodised aluminium 

Pierced for euro profile cylinder

Code	Dia	Backplate	Finish
H3901301	19mm	152x40mm	Polished Aluminium
H0642515	19mm	170x40mm	Satin Aluminium



#### N&C Contractor Lever Oval Lock Handle

Safety lever latch handle on concealed fix long backplate
 Anodised aluminium 
 Pierced for oval profile cylinder

Code	Dia	Backplate	Finish
H3901501	19mm	152x40mm	Polished Aluminium
H0642516	19mm	170x40mm	Satin Aluminium



#### N&C Contractor Lever Bathroom Handle

 Safety lever latch handle on concealed fix long backplate with external indicator/release & internal thumbturn
 Anodised aluminium

Code	Dia	Backplate	Finish
H3901401	19mm	152x40mm	Polished Aluminium
H0642514	19mm	170x40mm	Satin Aluminium



#### N&C Contractor Bathroom Thumbturn

- Bathroom indicator/release on round rose
- Internal thumbturn
   Anodised aluminium

Code	Dia	Finish
H3904401	52mm	Polished Aluminium
H0642528	52mm	Satin Aluminium



#### N&C Contractor Bathroom Extended Thumbturn

- Bathroom indicator/release on round rose
   Internal thumbturn
   Anodised aluminium

Code	Dia	Finish
H3904601	52mm	Polished Aluminium
H0642529	52mm	Satin Aluminium



#### N&C Contractor Standard Keyway Escutcheon

- Concealed fix escutcheon
  Standard keyway
  Anodised aluminium

Code	Dia	Finish
H3904101	52mm	Polished Aluminium
H0642526	52mm	Satin Aluminium



#### N&C Contractor Euro Profile Escutcheon

- Concealed fix escutcheon
  Euro profile cylinder
  Anodised aluminium

Code	Dia	Finish
H3904201	52mm	Polished Aluminium
H0642525	52mm	Satin Aluminium



#### N&C Contractor Oval Profile Escutcheon

- Concealed fix escutcheon
  Oval profile cylinder
  Anodised aluminium

Code	Dia	Finish
H3904301	52mm	Polished Aluminium
H0642527	52mm	Satin Aluminium

(	
0	0

#### N&C Contractor Standard Keyway Escutcheon

• Stamped round escutcheon

<ul> <li>Standard keyway</li> <li>Ar</li> </ul>	nodised aluminium
---	-------------------

Code	Dia	Finish
H0332501	32mm	Satin Aluminium
<ul> <li>with Cover</li> </ul>	Plate	
H0331013	32mm	Satin Aluminium



#### N&C Contractor Pull Handle

• Straight pull handle with bolt through fiixings

<ul> <li>Anodised aluminium</li> </ul>			
	Code	Size	Finish
	H3906101	152x19mm	Polished Aluminium
	H3906201	225x19mm	Polished Aluminium
	H3906301	305x19mm	Polished Aluminium
	H0642518	152x19mm	Satin Aluminium
	H0642519	225x19mm	Satin Aluminium
	H0642520	300x19mm	Satin Aluminium
	H0642521	425x19mm	Satin Aluminium
	H0642522	600x19mm	Satin Aluminium



#### N&C Contractor Pull Handle

• Straight pull handle on concealed fix round roses Anodised aluminium

Code	Size	Finish
H3906401	152x19mm	Polished Aluminium
H3906501	225x19mm	Polished Aluminium
H3906601	305x19mm	Polished Aluminium



#### N&C Contractor Pull Handle

• Straight pull handle on backplate on plate • Screw fix Anodised aluminium

Code	Handle	Plate	Finish
H3906701	225x19mm	300x75mm	Polished Aluminium
H3906801	305x19mm	375x75mm	Polished Aluminium

N&C Contractor Flush Bolt Lever action flush bolt
 Anodised aluminium

Size

H3907001 150x25mm

H3907101 200x25mm

H3907201 305x25mm

H0642530 152x19mm

H0642531 203x19mm

Finish

Polished Aluminium

Polished Aluminium

Polished Aluminium

Satin Aluminium

Satin Aluminium



#### **N&C Contractor Finger Plate**

Plain finger plate with square corners
Drilled & countersunk
Anodised aluminium

Code	Size	Finish
H0380001	305x64x1.5mm	Polished Aluminium
H0380601	305x76x1.5mm	Polished Aluminium
H0380601	330x76x1.5mm	Polished Aluminium
Other sizes made to order		

#### **N&C Contractor Kicking Plate**

- Kicking Plate with Square Corners
  Drilled & Countersunk
  Anodised Aluminium

Code	Size	Finish	
H0385001	675x152x1.5mm	Satin Aluminium	
H0385011	750x152x1.5mm	Satin Aluminium	
H0385021	825x152x1.5mm	Satin Aluminium	
Other sizes made to order			



#### **N&C Contractor Finger Plate**

- Engraved finger plate "push" with square corners
   Drilled & countersunk
   Anodised aluminium

Code	Size	Finish
H0381001	305x76x1.5mm	Satin Aluminium



Code



#### N&C Contractor Wall Door Stop

• Wall mounted buffered door stop on round rose Anodised aluminium

	Code	Projection	Finish
	H0560001	65mm	Satin Aluminium
	H0560011	76mm	Satin Aluminium
N&C Contractor wall door stop not on rose			
	H0642533	76mm	Satin Aluminium



#### N&C Contractor Cylinder Pull

• Concealed fix cylinder pull for rim cylinder Anodised aluminium

Code	Finish
H0355501	Polished Aluminium



N&C Contractor Floor Door Stop

• Floor mounted shielded door stop for timber floor Anodised aluminium

Code	Dia	Finish
H0562001	32mm	Polished Aluminium



#### N&C Contractor Floor Door Stop

• Floor mounted oval door stop for timber floor Anodised aluminium

Code	Size	Finish
H0563501	44x51mm	Polished Aluminium
H0642532	44x51mm	Silver Aluminium





Strip pattern 
 Anodised aluminium

	Code
Hat & Coat	H0580001
Robe Hook	H0580502

Finish Satin Aluminium Satin Aluminium



#### N&C Contractor Cupboard Knob

• Dished pattern cupboard knob • bolt through fixing Anodised aluminium

Code	Dia	Finish
H0642501	35mm	SilvSatiner Aluminium
H0642511	40mm	Satin Aluminium



N&C Contractor Lever Handle

Dia

Code

Safety lever handle on sprung concealed fix round rose

Finish

Rose

H3900002 19mm 50mm Polished Brass



#### N&C Contractor Bathroom Indicator Bathroom indicator/release on round rose

Internal thumbturn

Code	Dia	Finish
H3904402	50mm	Polished Brass



#### N&C Contractor Pull Handle • Straight pull handle on concealed fix

round roses

/	Code	Size	Finish
	H3906502	225mm	Polished Brass
	H3906602	305mm	Polished Brass



#### N&C Contractor Standard Keyway Escutcheon

 Concealed Fix Escutcheon Standard Keyway

Code	Dia	Finish
H3904102	50mm	Polished Brass

4

#### N&C Contractor Euro Profile Escutcheon

 Concealed Fix Escutcheon Euro Profile Cylinder

Code	Dia	Finish
H3904202	50mm	Polished Brass



**N&C Contractor Finger Plate** 

Size

H0381002 305x76x1.5mm

Drilled & Countersunk

Code

Engraved Finger Plate "Push" with Square Corners



N&C Contractor Oval Profile Escutcheon

Finish

Polished Brass

Concealed Fix Escutcheon

Dia

Oval Profile Cylinder

H3904302 50mm

Code

#### N&C Contractor Flush Bolt

Lever Action Flush Bolt

Code	Size	Finish
H3907002	150x19mm	Polished Brass
H3907102	200x19mm	Polished Brass
H3907202	305x25mm	Polished Brass

H0386521 825x152x1.5mm

Size

H0386501 675x152x1.5mm

H0386511 750x152x1.5mm

**N&C Contractor Finger Plate** 

Plain Finger Plate with Square Corners
Drilled & Countersunk

**N&C Contractor Kicking Plate**  Kicking Plate with Square Corners Drilled & Countersunk

Finish

Finish

Polished Brass

Polished Brass

Polished Brass

Polished Brass

Size

H0380502 305x76x1.5mm

Other sizes made to order

Other sizes made to order

Finish

Polished Brass

Code


Code





#### N&C Contractor Lever Handle

Safety lever handle on sprung concealed fix round rose



#### N&C Contractor Bathroom Indicator Bathroom indicator/release on round rose Internal thumbturn

Code	Dia	Finish
H3904403	50mm	Polished Chrome





#### N&C Contractor Standard Keyway Escutcheon

Concealed Fix Escutcheon

Standard Keyway

Code	Dia	Finish
H3904103	50mm	Polished Chrome



#### N&C Contractor Euro Profile Escutcheon

 Concealed Fix Escutcheon • Euro Profile Cylinder

Code	Dia	Finish
H3904203	50mm	Polished Chrome



**N&C Contractor Finger Plate** 

Engraved finger plate "push" with square corners
Drilled & countersunk



H3906503 225mm

H3906603 305mm

Polished Chrome

Polished Chrome

#### N&C Contractor Oval Profile Escutcheon

Concealed Fix Escutcheon

Oval	Profile	Cylinder	

Code	Dia	Finish
H3904303	50mm	Polished Chrome



#### **N&C Contractor Finger Plate**

Plain finger plate with square corners
Drilled & countersunk

Code	Size	Finish	Code	Size	Finish
H0380502	305x76x1.5mm	Polished Stainless Steel	H0381003	305x76x1.5mm	Polished Stainless Steel
Other sizes m	ade to order				



N&C Contractor Flush Bolt

Lever action flush bolt

Code	Size	Finish
H0489101	150x19mm	Polished Chrome
H0489102	200x19mm	Polished Chrome
H0489103	305x25mm	Polished Chrome

#### **N&C Contractor Kicking Plate**

Kicking plate with square corners

•	Drill	led	&	coun	tersu	ınk

Code	Size	Finish			
H0387701	675x152x1.5mm	Polished Stainless Steel			
H0387711	750x152x1.5mm	Polished Stainless Steel			
H0387721	825x152x1.5mm	Polished Stainless Steel			
Other sizes made to order					

0	
0	



N&C Contractor Bathroom Oval Turn Knob & Release With Bolt

 Bathroom oval turn knob and release on round rose with mortice bolt

Code	Dia	Backset	Finish
H8001044	32mm	32mm	Polished Chrome



N&C Contractor Bathroom Oval Turn Knob • Bathroom oval turn knob on round rose splined spindle

Finish

Code

Dia



N&C Contractor Bathroom Oval Turn Knob and Release Without Bolt

Bathroom oval turn knob & release on round rose
 Emergency release
 5mm square spindled

H8001045 32mm Polished Chro	me



N&C Contractor Mortice Security Bolt

Mortice security boltt
 Splined follower

Code	Backset	Finish	
H8001046	32mm	Polished Chrome	



N&C Contractor Bathroom Indicator Bolt • Vacant/engaged indicator with emergency release

Code	Internal	External	Finish
H8001067	60x40mm	50x50mm	Polished Chrome



#### N&C Contractor Cabin Hook & Eye

• Silent pattern cabin hook & eye

Coc	le	Size	Finish
H80	01062	102mm	Polished Chrome
H80	01042	152mm	Polished Chrome



N&C Contractor Bell Pattern Barrel Bolt • Straight bell pattern barrel bolt

-		
Code	Size	Finish

0000	0.20	1 million
H8001054	100x32mm	Polished Chrome
H8001055	150x32mm	Polished Chrome



N&C Contractor Bell Pattern Barrel Bolt • Necked bell pattern barrel bolt

Code	Size	Finish
H8001056	100x32mm	Polished Chrome
H8001057	150x32mm	Polished Chrome



#### N&C Contractor Floor Door Stop

• Oval floor door stop with shield & rubber buffer

Code	Finish
H8001049	Polished Chrome



N&C Contractor Projection Door Stop

• Projection door stop on round rose with rubber buffer

Code	Size	Finish
H8001048	75mm	Polished Chrome



N&C Contractor Floor Door Stop

• Circular floor door stop with shield & rubber buffer

Code	Size	Finish	
H8001063	40x30mm	Polished Chrome	



#### N&C Contractor Spring Door Stop

• "Spring" projection door stop with rubber buffer

	Code	Size	Finish	
ome	H8001069	75mm	Polished Chrome	

# **N&C Specifier Range**

Our durable range of door furniture, manufactured in stainless steel. Perfect for commercial projects with busy pedestrian traffic areas such as corporate offices, corridors etc.

Available in polished and satin finishes with a range of matching accessories.











#### N&C Specifier Lever Handle

• Safety lever handle on sprung concealed fix round rose

Code	Dia	Rose	Finish
H3700004	19mm	50mm	Satin Stainless Steel
H3700003	19mm	50mm	Polished Stainless Steel

<ul> <li>Safety lever latch handle on concealed fix long backpla</li> </ul>	te

N&C Specifier Lever Latch Handle

Code	Dia	Backplate	Finish
H3701104	19mm	165x45mm	Satin Stainless Steel
H3701103	19mm	165x45mm	Polished Stainless Steel



Safety lever lock handle on concealed fix long backplate
Pierced for standard keyway

Code	Dia	Backplate	Finish
H3701204	19mm	165x45mm	Satin Stainless Steel
H3701203	19mm	165x45mm	Polished Stainless Steel



#### N&C Specifier Lever Lock Handle

Safety lever lock handle on concealed fix long backplate
Pierced for euro profile cylinder

Code	Dia	Backplate	Finish	Code	D
H3701304	19mm	165x45mm	Satin Stainless Steel	H3701504	-19
H3701303	19mm	165x45mm	Polished Stainless Steel	H3701503	19



#### N&C Specifier Lever Lock Handle

Safety lever lock handle on concealed fix long backplate
Pierced for oval profile cylinder

	Code	Dia	Backplate	Finish
teel	H3701504	19mm	165x45mm	Satin Stainless Steel
s Steel	H3701503	19mm	165x45mm	Polished Stainless Steel



#### N&C Specifier Lever Bathroom Handle

• Safety lever bathroom handle on concealed fix long backplate with external indicator/release & internal thumbturn

Code	Dia	Backplate	Finish
H3701404	19mm	165x45mm	Satin Stainless Steel
H3701403	19mm	165x45mm	Polished Stainless Steel



N&C Specifier Bathroom Indicator & Turn

Bathroom indicator/release on round rose

Internal thumbturn

Code	Dia	Finish
H3704404	50mm	Satin Stainless Steel
H3704403	50mm	Polished Stainless Steel



#### N&C Specifier Bathroom Indicator & Extended Turn

Bathroom indicator/release on round rose
Extended thumbturn

Code	Dia	Finish
H3704504	50mm	Satin Stainless Steel
H3704503	50mm	Polished Stainless Steel



Stainless Steel has hygienic properties. This means the cleanability of stainless steel makes it the first choice in hospitals, kitchens, pharmaceutical and food processing facilities.



N&C Contractor Standard Keyway Escutcheon

Finish

Satin Stainless Steel

Polished Stainless Steel

Concealed fix escutcheon
 Standard keyway

Dia

H3704104 50mm

H3704103 50mm

Code



#### N&C Specifier Euro Profile Escutcheon

Concealed fix escutcheon 
 Euro profile cylinder

Code	Dia	Finish
H3704204	50mm	Satin Stainless Steel
H3704203	50mm	Polished Stainless Steel



#### N&C Specifier Ovel Profile Escutcheon

• Concealed fix escutcheon • Oval profile cylinder

Code	Dia	Finish
H3704304	50mm	Satin Stainless Steel
H3704303	50mm	Polished Stainless Steel



#### N&C Specifier Pull Handle

• Straight pull handle with bolt through fiixings

	Code	Size	Finish
	H3706104	150x19mm	Satin Stainless Steel
	H3706103	150x19mm	Polished Stainless Steel
	H3706404	225x19mm	Satin Stainless Steel
1	H3706403	225x19mm	Polished Stainless Steel
	H3706704	305x19mm	Satin Stainless Steel
	H3706703	305x19mm	Polished Stainless Steel
	H3706714	400x19mm	Satin Stainless Steel
	H3706713	400x19mm	Polished Stainless Steel
	H3706724	400x22mm	Satin Stainless Steel
	H3706723	400x22mm	Polished Stainless Steel



#### N&C Specifier Pull Handle Rose

• Pair of roses to connvert bolt fix pull handle to surface fix

Code	Dia	Finish	Code	Handle	Plate	Finish
H3706804	50mm	Satin Stainless Steel	H3706204	225x19mm	300x75mm	Satin Stainless Steel
H3706803	50mm	Polished Stainless Steel	H3706203	225x19mm	300x75mm	Polished Stainless Steel

N&C Specifier Pull Handle

• Straight pull handle on backplate • Screw fix

www.nichollsandclarke.com

3

Finish

**N&C Specifier Flush Bolt** 

Size

• Lever action flush bolt

Code



#### N&C Specifier Finger Plate

Plain finger plate with radius corners

•	Drill	led	&	coun	tersun	k

Code	Size	Finish
H0380505	305x64x1.5mm	Satin Stainless Steel
H0380506	305x76x1.5mm	Polished Stainless Stee
H0380605	330x76x1.5mm	Satin Stainless Steel
H0380606	330x76x1.5mm	Polished Stainless Stee
0.1	a sha wa a sala s	

Other sizes made to order

#### N&C Specifier Kicking Plate

- Kicking plate with square corners
  Drilled & countersunk

	Code	Size	Finish		
	H0387001	675x152x1.5mm	Satin Stainless Steel		
	H0387701	675x152x1.5mm	Polished Stainless Steel		
	H0387011	750x152x1.5mm	Satin Stainless Steel		
	H0387711	750x152x1.5mm	Polished Stainless Steel		
	H0387021	825x152x1.5mm	Satin Stainless Steel		
	H0387721	825x152x1.5mm	Polished Stainless Steel		
	Other sizes made to order				

PUSH

#### N&C Specifier Finger Plate

Engraved finger plate "push" with radius cornersDrilled & countersunk

Code	Size	Finish	H0489201	150x19mm	Satin Stainless Steel
H0381012	305x76x1.5mm	Satin Stainless Steel	H0489202	200x19mm	Satin Stainless Steel
H0381006	305x76x1.5mm	Polished Stainless Steel			





#### N&C Specifier Wall Door Stop

• Wall mounted buffered door stop

Code	Projection	Finish
H3711904	75x16mm	Satin Stainless Steel
H3711903	75x16mm	Polished Stainless Steel



#### N&C Sprung Letter Plate

•	Sprung	letter	plate

Code	Size	Finish
H3709104	305x102mm	Satin Stainless Steel
H3709103	305x102mm	Polished Stainless Steel



#### N&C Specifier Wall Door Stop on Rose

• Concealed fix wall mounted door stop on round rose

Code	Size	Finish
H3711004	75x16mm	Satin Stainless Steel
H3711003	75x16mm	Polished Stainless Steel



#### N&C Specifier Buffered Hooks Strip pattern

P					
	Code	Finish			
Hat & Coat	H3714004	Satin Stainless Steel			
Robe Hook	H3714104	Satin Stainless Steel			
Hat & Coat	H3714003	Polished Stainless Steel			
Robe Hook	H3714103	Polished Stainless Steel			



#### N&C Specifier Floor Door Stop

• Concealed fix floor mounted door stop

Code	Dia	Finish
H3712104	30mm	Satin Stainless Steel
H3712103	30mm	Polished Stainless Steel



#### N&C Specifier Cylinder Pull

Cylinder pull euro profile cylinder 
 Screw fix

Code	Finish	
H3705004	Satin Stainless Steel	
H3705003	Polished Stainless Steel	

# N&C Duo Range

An attractive, stainless steel range combining satin and polished finishes. The satin finish is designed to feature in the 'grip area' of handles to avoid the need for constant cleaning.

A range that is ideal for domestic projects, as well as the hospitality industry in hotels, bars, nightclubs.

A full range of matching accessories are available to complete the unified look.





#### N&C Duo Slimline Pull Handle

<ul> <li>Straight pull handle with bolt through fixings</li> </ul>						
Code Size Finish						
H3812205	225mm	Duo Stainless Steel				
<ul> <li>Straight Pull Handle Back to Back Fix</li> </ul>						
Code Size Finish						
H3812305	225mm	Duo Stainless Steel				
<ul> <li>Straight Pull Ha Code</li> </ul>	ndle Back to E Size	Back Fix Finish				



#### N&C Duo Wave Pull Handle

<ul> <li>Shaped pull handle with bolt through fixings</li> </ul>						
Code Size Finish						
H3812005	225mm	Duo Stainless Steel				
<ul> <li>Shaped Pull Handle Back to Back Fix</li> </ul>						
Code Size Finish						
H3812105	225mm	Duo Stainless Steel				



N&C Duo Cressida Lever Handle

• Swept lever handle on concealed fix round rose

Code	Finish
H3800305	Duo Stainless Steel



#### N&C Duo Bathroom Indicator/Release Escutcheon

- Bathroom indicator/release
- Round rose with internal thumbturn





#### N&C Duo Montana Lever Handle

• Flat curved lever handle on concealed fix round rose

Code	Finish
H3800306	Duo Stainless Steel



#### N&C Duo Valeria Lever Handle

• Contemporary lever handle on concealed fix round rose

Code	Finish
H3800307	Duo Stainless Steel



N&C Duo Standard Keyway Escutcheon • Concealed fix escutcheon • Standard keyway




N&C Duo Euro Profile Escutcheon • Concealed fix escutcheon • Euro profile cylinder

Code	Finish	Code	Finish
H3804104	Duo Stainless Steel	H3804205	Duo Stainless Steel

## N&C Duo Bathroom Extended Turn & Indicator

- Bathroom indicator/release
- Round rose with internal thumbturn

Code H3804605 Finish Duo Stainless Steel



# **N&C Innovations Range**



A stylish range of door furniture manufactured in a variety of metals with various electro plated durable finishes. Matching accessories are available to complete a unified look. Ideal for residential and other domestic projects.



#### N&C Palomon Lever Handle

Swept lever handle on concealed fix round rose

Code	Finish
H8006002	Polished Chrome
H8006003	Satin Chrome
H8006001	Polished Brass



#### N&C Angelo Lever Handle

• Swept lever handle on concealed fix round rose

Code	Finish
H8003002	Polished Chrome
H8003003	Satin Chrome
H8003001	Polished Brass



#### N&C Bathroom Indicators

• Bathroom indicator/release on round rose

- Internal thumbturn
- To match Angelo, Camillo, Lucio & Palamon lever handles

Code	Finish
H8030302	Polished Chrome
H8030303	Satin Chrome
H8030301	Polished Brass



#### N&C Camillo Lever Handle

• Curved lever handle on concealed fix round rose

Code	Finish
H8004002	Polished Chrome
H8004003	Satin Chrome
H8004001	Polished Brass



#### N&C Lucio Lever Handle

• Straight tee lever handle on concealed fix round rose

Code	Finish
H8005002	Polished Chrome
H8005003	Satin Chrome
H8005001	Polished Brass



#### N&C Standard Keyway Escutcheons

- Concealed fix escutcheon
- Standard keyway
  To match Angelo, Camillo, Lucio and Palamon lever handles

Code	Finish
H8030002	Polished Chrome
H8030003	Satin Chrome
H8030001	Polished Brass



#### **N&C Euro Profile Escutcheons**

- Concealed fix escutcheon
- Euro profile cylinder
  To match Angelo, Camillo, Lucio and Palamon lever handles

Code	Finish
H8030102	Polished Chrome
H8030103	Satin Chrome
H8030102	Polished Brass



#### N&C Athena Lever Handle

Shaped lever handle on concealed fix square rose

Code	Finish
H8009033	Polished Chrome
H8009034	Satin Chrome



#### **N&C Peligia Lever Handle**

Shaped lever handle on concealed fix square rose

Code	Finish
H8009073	Polished Chrome
H8009074	Satin Chrome



Perfect for any commercial and domestic project.





#### N&C Bathroom Indicator/Release

- Bathroom indicator/release on square rose Internal thumbturn
- To match Athena & Peligia lever handles

Code	Finish
H8040953	Polished Chrome
H8040954	Satin Chrome



#### N&C Standard Keyway Escutcheons

- Concealed fix escutcheon
   Standard keyway
- To match Athena & Peligia lever handles

Code	Finish	С
H8040933	Polished Chrome	H
H8040934	Satin Chrome	Н



#### **N&C Euro Profile Escutcheons**

- Concealed fix escutcheon 
   Euro profile cylinder • To match Athena & Peligia lever handles

Code	
H8040943	
H8040944	





#### N&C Callia Lever Handle

Code

H8009054

H8009064

Shaped lever handle on concealed fix round rose



**N&C Neola Lever Handle** 

Code

H8009064

Shaped lever handle on concealed fix round rose



#### **N&C Voleta Lever Handle**

Shaped lever handle on concealed fix round rose

Finish	Code	Finish
Polished & Satin Chrome	H8009001	Polished & Satin Chrome



Finish

Polished Chrome

Satin Chrome

#### N&C Bathroom Indicator/Release

- Bathroom indicator/release on round rose
  Internal thumbturn
- To match Callia, Neola & Voleta lever handles

Code	Finish
H8041204	Polished & Satin Chrome



#### N&C Standard Keyway Escutcheons

- Concealed Fix Escutcheon
- Standard Keyway
  To match Callia, Neola & Voleta lever handles

Code	Finish
H8049004	Polished & Satin Chrome



#### **N&C Euro Profile Escutcheons**

- Concealed Fix Escutcheon
- Euro Profile Cylinder
- To match Callia, Neola & Voleta lever handles

Code	Finish
H8041004	Polished & Satin Chrome



# N&C Perdita Lever Handle

- Straight Tee lever handle on concealed fix round rose
- Ideal for domestic projects or luxury offices
- attractive, contemporary choice

Code	Finish
H3800204	Satin Stainless Steel
H3800203	Polished Stainless Steel





• Curved lever handle on concealed fix round rose

Code	Finish
H3800304	Satin Stainless Steel
H3800303	Polished Stainless Steel



#### N&C Cronus Lever Handle

• Mitred lever handle on concealed fix round rose

Code	Finish
H3800004	Satin Stainless Steel
H3800003	Polished Stainless Steel



#### **N&C Nessus Lever Handle**

• Straight Tee lever handle on concealed fix round rose

Code	Finish
H3800104	Satin Stainless Steel
H3800103	Polished Stainless Steel



#### N&C Bathroom Indicator/Release

Bathroom indicator/release on round rose
 Internal thumbturn

Code

H3704404

H3704403

• To match Perdita, Solianio, Cronos & Nessus Lever Handles



#### N&C Standard Keyway Escutcheons

- Concealed Fix Escutcheon
- Standard Keyway
  To match Perdita, Solianio, Cronos & Nessus Lever Handles



#### N&C Euro Profile Escutcheons

- Concealed Fix Escutcheon
- Euro Profile Cylinder
  To match Perdita, Solianio, Cronos & Nessus Lever Handles

Finish	Code	Finish	Code
Satin Stainless Steel	H3804104	Satin Stainless Steel	H3804204
Polished Stainless Steel	H3804103	Polished Stainless Steel	H3804203





# Ask the EXPERT

Our team of ironmongery specialists are on hand to help you with your project requirements.





#### N&C Carisbrooke Lever Handle

• Curved lever handle on concealed fix round rose

Code	Dia	Finish
H3806833	52mm	Polished Chrome
H3806834	52mm	Satin Chrome
H3806835	52mm	Polished & Satin Chrome



#### N&C Alnwick Lever Handle

• Contemporary lever handle on concealed fix round rose



#### N&C Hadleigh Lever Handle

• Straight tee lever handle on concealed fix round rose

Code	Dia	Finish	
H3806837	52mm	Polished Chrome	
H3806838	52mm	Satin Chrome	



#### N&C Warwick Lever Handle

• Contemporary lever handle on concealed fix round rose

Code	Dia	Finish
H3806848	52mm	Polished & Satin Chrome



N&C Richmond Lever Handle

• Flat curved lever handle on concealed fix round rose

Code	Dia	Finish	
H3806849	52mm	Polished & Satin Chrome	



#### N&C Portland Lever Handle

• Stepped lever handle on concealed fix round rose

Code	Dia	Finish
H3806850	52mm	Polished & Satin Chrome



#### N&C Bathroom Indicator/Release

- Bathroom indicator/release on round rose
- Internal thumbturn
  To match Carisbrooke, Alnwick, Hadleigh, Warwick, Richmond and Portland lever handles

Code	Dia	Finish
H3806842	52mm	Polished Chrome
H3806843	52mm	Satin Chrome
H3806844	52mm	Polished & Satin Chrome



#### N&C Standard Keyway Escutcheons

- Concealed fix escutcheon
- Standard keyway
   To match Carisbrooke, Alnwick, Hadleigh, Warwick, Richmond and Portland lever handles

Code	Dia	Finish
H3806845	52mm	Polished Chrome
H3806846	52mm	Satin Chrome
H3806847	52mm	Polished & Satin Chrome



#### N&C Euro Profile Escutcheons

- Concealed fix escutcheon
- Euro profile cylinder
   To match Carisbrooke, Alnwick, Hadleigh, Warwick, Richmond and Portland lever handles

Code	Dia	Finish
H3806839	52mm	Polished Chrome
H3806840	52mm	Satin Chrome
H3806841	52mm	Polished & Satin Chrome



#### N&C Cambridge Lever Handle

• Contemporary lever handle on concealed fix round rose

Code	Dia	Finish
H3806854	52mm	Polished Nickel - Gold Effect Grip
H3806855	52mm	Polished Nickel - Silver Effect Grip
H3806856	52mm	Polished Nickel - Black Effect Grip



#### **N&C Strand Lever Handle**

• Straight lever handle on concealed fix round rose

Code	Dia	Finish	Code	Dia	Finish	
H3806857	52mm	Polished Nickel	H3806	859 52mm	Polished Nickel	
H3806858	52mm	Satin Nickel				





#### N&C Oxford Lever Handle

Code

H3806862

• Curved lever handle on concealed fix round rose

Dia

52mm



#### N&C Serpentine Lever Handle

N&C Como Lever Handle

• Swept lever handle on concealed fix round rose

• Swept lever handle on concealed fix round rose

Code	Dia	Finish
H3806863	52mm	Ebony



**N&C Regent Lever Handle** 

N&C Belgravia Lever Handle

Dia

H3806861 52mm Ebony

Code

• Swept lever handle on concealed fix round rose

Finish

• Safety lever handle on concealed fix round rose

Code	Dia	Finish
H3806864	52mm	Ebony



Finish

Ebony

N&C Windsor Lever Handle • Safety lever handle on concealed fix round rose

Code	Dia	Finish	
H3806860	52mm	Satin Nickel	



#### N&C Bathroom Indicator/Release

- Bathroom Indicator/Release On Round Rose
- Internal Thumbturn
- To match Cambridge, Strand, Como, Belgravia, Oxford, Serpentine, Regent, and Windor lever handle

Code	Dia	Finish	
H3812009	52mm	Polished Nickel	
H3812010	52mm	Satin Nickel	
H3812012	52mm	Ebony	



#### N&C Standard Keyway Escutcheons

- Concealed Fix Escutcheon
- Standard Keyway
  To match Cambridge, Strand, Como, Belgravia, Oxford, Serpentine, Regent, and Windor lever handle

Code	Dia	Finish	
H3812001	52mm	Polished Nickel	
H3812002	52mm	Satin Nickel	
H3812004	52mm	Ebony	



#### **N&C Euro Profile Escutcheons**

- Concealed Fix Escutcheon
- Euro Profile Cylinder
  To match Cambridge, Strand, Como, Belgravia, Oxford, Serpentine, Regent, and Windor lever handle

Code	Dia	Finish
H3812003	52mm	Polished Nickel
H3812006	52mm	Satin Nickel
H3812008	52mm	Ebony



N&C Sandrine Lever Handle

• Curved lever handle on concealed fix round rose

Code	Dia	Finish
H3700013	50mm	Polished Stainless Steel
H3700014	50mm	Satin Stainless Steel



N&C Monza Lever Handle • Swept lever handle on concealed fix round rose

	Code	Dia	Finish	Code	Dia	Finish
ss Steel	H9910258	50mm	Satin Stainless Steel	H9910259	50mm	Satin Stainless Steel





N&C Selini Lever Handle

• Curved lever handle on concealed fix round rose

Code	Dia	Finish
H8009004	50mm	Polished & Satin Nickel



N&C Messina Lever Handle

• Contemporary lever handle on concealed fix round rose

Code	Dia	Finish
H9910260	50mm	Satin Stainless Steel



#### N&C Trento Lever Handle

N&C Salerno Lever Handle

• Swept T lever handle on concealed fix round rose

• Straight lever handle on concealed fix round rose

Code	Dia	Finish
H9910261	50mm	Satin Stainless Steel



N&C Terni Lever Handle

• Stepped lever handle on concealed fix round rose

Code	Dia	Finish
H9910262	50mm	Satin Stainless Steel



N&C Sapphira Lever Handle • Swept lever handle on concealed fix round rose

Code	Dia	Finish
H8009043	50mm	Polished Chrome
H8009044	50mm	Satin Chrome



#### N&C Calisto Lever Handle

• Stepped lever Handle on Concealed Fix Round Rose

Code	Dia	Finish
H8009014	50mm	Polished Chrome/Nickel



N&C Kyria Lever Handle

• Stepped lever Handle on Concealed Fix Round Rose

Code	Dia	Finish
H8009024	50mm	Polished Chrome/Nickel



## **N&C Victorian Range**

A traditional range manufactured in solid brass for durability, quality and aesthetics. The Victorian range is available in polished and lacquered brass as well as polished and satin chrome finishes.

A range that is ideal for residential projects. A huge range of matching accessories are available.









#### N&C Victorian Straight Lever Latch Handle

• Straight lever latch handle on round rose

Code	Rose	Finish
H8000003	50mm	Polished Brass

Finish

Polished Brass

• Straight lever latch handle on short backplate Backplate

112x40mm

Code

H8000002

#### N&C Victorian Straight Lever Latch Handle

• Straight lever latch handle on long backplate

Code	Backplate	Finish
H8000006	150x40mm	Polished Brass







N&C Victorian Straight Lever Lock Handle

Straight lever lock handle standard keyway

Code H8000001

## N&C Victorian Straight Lever Bathroom Handle Straight lever bathroom handle Backplate with turn & release

N&C Victorian Straight Lever Privacy Handle
Straight lever privacy handle

Backplate with turn & release

Backplate	Finish	Code	Backplate	Finish	Code	Backplate	Finish
150x40mm	Polished Brass	H8000004	150x40mm	Polished Brass	H8000005	112x40mm	Polished Brass



N&C Victorian Scroll Lever Latch Handle • Scroll lever latch handle on round rose

Code	Rose	Finish	
H8000013	50mm	Polished Brass	



N&C Victorian Scroll Lever Latch Handle Scroll lever latch handle short backplate

D

Code	Backplate	Finish	
H8000012	112x40mm	Polished Brass	



N&C Victorian Scroll Lever Latch Handle • Scroll lever latch handle long backplate

Code	Backplate	Finish
H8000016	150x40mm	Polished Brass



N&C Victorian Scroll Lever Lock Handle Scroll lever lock handle 
 Standard keyway

Backplate

150x40mm

Code

H8000011

N&C Victorian Scroll Lever Bathroom Handle Scroll lever bathroom handle

Backplate	with	turn a	& re	elease	

1





N&C Victorian Scroll Lever Privacy Handle

- Straight lever privacy handle
- Backplate with turn & release

Code	Backplate	Finish	
H8000015	112x40mm	Polished Brass	



N&C Epsom Victorian Scroll Lever Latch Handle

Scroll lever latch handle
 Shaped backplate

Backplate

170x40mm



- N&C Epsom Victorian Scroll Lever Lock Handle Scroll lever lock handle 
   Standard keyway
- Shaped backplate



N&C Epsom Victorian Scroll Lever Bathroom Handle

- Scroll lever bathroom handle
  Backplate with turn & release 

  Shaped backplate

Finish	Code	Backplate	Finish	Code	Backplate	Finish	
Polished Brass	H8000017	170x40mm	Polished Brass	H8000019	170x40mm	Polished Brass	

Code

H8000018

# Door Furniture - N&C Victorian Range







#### N&C Pull Handle on Plate

• Straight pull handle on plate

Code	Handle	Plate	Finish
H8000088	225mm	305x63mm	Polished Brass
H8000087	305mm	375x63mm	Polished Brass

#### N&C Pull Handle

• Straight pull handle bolt through fix

Code	Handle	Finish	Code	Ros
H8000101	225mm	Polished Brass	H8000097	225
H8000102	305mm	Polished Brass	H8000098	300r

Code	Rose	Finish
H8000097	225mm	Polished Brass
H8000098	300mm	Polished Brass

• Straight pull handle on concealed fix round rose



#### N&C Straight Pull Handle on Pillars

• Straight pull handle on pillars • Concealed fix round roses

Code	Handle	Finish
H8000088	225mm	Polished Brass



#### N&C Cranked Pull Handle

Cranked pull handle face fix

Code	Rose	Finish
H8000093	225mm	Polished Brass
H8000094	300mm	Polished Brass



#### N&C Offset Pull Handle

• Offset pull handle on face fix rectangular plates

Code	Rose	Finish
H8000089	152mm	Polished Brass
H8000090	200mm	Polished Brass
H8000091	250mm	Polished Brass
H8000092	300mm	Polished Brass



#### N&C Mushroom Mortice Knob

Mortice knob handle on round rose

Code	Dia	Finish
H8000064	50mm	Polished Brass
H8000065	57mm	Polished Brass
H8000066	64mm	Polished Brass



# N&C Oval Mortice KnobMortice knob handle on round rose

 Code
 Dia
 Finish

 H8000067
 60mm
 Polished Brass



## N&C Ball Mortice Knob

Mortice knob handle on round rose

Code	Dia	Finish
H8001069	32mm	Polished Brass



#### N&C Regency Cabin Hook

• Silent pattern cabin hook & eye

Code	Size	Finish
H8000153	75mm	Polished Brass
H8000154	102mm	Polished Brass
H8000155	152mm	Polished Brass
H8000156	200mm	Polished Brass
H8000157	250mm	Polished Brass
H8000158	300mm	Polished Brass



#### N&C Necked Pattern Barrel Bolt

Code	Size	Finish
H8000140	100x32mm	Polished Brass
H8000141	150x32mm	Polished Brass



#### N&C Bathroom Indicator Bolt Set

• Bathroom oval turn knob & release

Round rose with mortice bolt

Code	Dia	Finish
H8000052	32mm	Polished Brass

#### N&C Straight French Window Door Bolt

Code	e 8	Size	Finish
H800	0136 2	200mm	Polished Brass
H800	0137 2	250mm	Polished Brass

#### N&C Straight Bell Pattern Barrel Bolt

Code	Size	Finish
H8000138	100x32mm	Polished Brass
H8000139	150x32mm	Polished Brass



#### N&C Straight Vertical Ball End Bolt

	Code	Size	Finish
ļ	H8000142	250mm	Polished Brass
	H8000143	300mm	Polished Brass
ļ	H8000144	350mm	Polished Brass
	H8000145	400mm	Polished Brass
ļ	H8000146	500mm	Polished Brass
	H8000147	600mm	Polished Brass



#### N&C Bathroom Turn Knob

- Bathroom oval turn knob on round rose splined spindle
- CodeDiaFinishH800005332mmPolished Brass



#### N&C Straight Flat Section Bolt

• Straight flat section bolt

Code	Size	Finish
H8000048	150mm	Polished Brass
H8000049	200mm	Polished Brass



#### N&C Bathroom Turn Knob & Realse

- Bathroom oval turn knob & release
- 5mm square spindle

	Code	Dia	Finish
ISS	H8000056	32mm	Polished Brass







N&C Bathroom Indicator Bolt Set

Size

H8000167 60x40mm

Code

Bathroom slide indicator bolt
Vacant/engaged indicator 

Emergency release

#### N&C Mortice Security Bolt

Splined follower

N&C Door Holder

H8000162 180mm

Code

• Surface fix sprung door holder (Not for use on fire rated doors)

Size

Code	Backset	Finish
H8000054	28mm	Polished Brass



Finish

Polished Brass



Finish

Polished Brass



N&C Bathroom Turn Knob

backset

Code

H8000148 28mm

Bathroom oval turn knob on oval rose

Code	Size	Finish
H8000059	75mm	Polished Brass



Finish

Polished Brass

#### **N&C Projection Door Stop**

• Projection door stop on round rose with rubber buffer

Code	Size	Finish
H8000160	64mm	Polished Brass
H8000057	75mm	Polished Brass



N&C Floor Door Stop Circular floor door stop with shield & rubber buffer

Code	Size	Finish
H8000161	40x30mm	Polished Brass

## **Recommended Care of Finishes**

#### Brass lacquered

When brass is lacquer coated to preserve the original polish, regular dusting of internal fittings with the occasional application of a light coating of wax polish will prolong the life of the lacquer. Ultimately the lacquer will become damaged and break down. Should this occur, all traces of the lacquer should be removed using acetate lacquer remover. The product may then be re-lacquered or cleaned as unlaquered brass on a regular basis. For products fitted in exposed conditions we recommend the application of wax polish once a week. If lacquered surface is to be prolonged, avoid the use of brass cleaners or chemical based sprays.

Do not use a metal cleaner or aerosol spray to clean brass products.





#### N&C Victorian Straight Lever Latch Handle

• Straight lever latch handle round rose

Code	Rose	Finish
H8001003	50mm	Polished Chrome

#### N&C Victorian Straight Lever Latch Handle • Straight lever latch handle short backplate

Code	Backplate	Finish
H8001002	112x40mm	Polished Chrome

1







• Straight lever lock handle standard keyway

Code	Backplate	Finish
H8001001	150x40mm	Polished Chrome

#### N&C Victorian Straight Bathroom Lever Handle

Finish

Polished Chrome

Backplate

112x40mm

- Straight lever bathroom handle
  Backplate with turn & release

Code

H8001004



#### N&C Victorian Straight Lever Privacy Handle

Straight lever privacy handle
Backplate with turn & release

Code	Backplate	Finish
H8001005	112x40mm	Polished Chrome







#### N&C Epsom Victorian Scroll Lever Latch Handle

Scroll handle on shaped backplate

#### N&C Epsom Victorian Scroll Lever Lock Handle Scroll handle on shaped backplate Standard keyway

Code Backplate Finish Code Backplate Finish H8001018 170x40mm Polished Chrome H8001017 170x40mm Polished Chrome

www.nichollsandclarke.com

#### N&C Epsom Victorian Scroll Lever Bathroom Handle

<ul> <li>Scroll handle on shaped backplate with turn &amp; release</li> </ul>		
Code	Backplate	Finish
H8001019	170x40mm	Polished Chrome





#### N&C Victorian Scroll Lever Latch Handle

Scroll lever latch handle on round rose

Code

H8001180

N&C Victorian Scroll Lever Latch Handle
<ul> <li>Scroll lever latch handle on short backplate</li> </ul>

Rose	Finish	Code	Backplate	Finish
50mm	Polished Chrome	H8001012	112x40mm	Polished Chrome



#### N&C Victorian Scroll Lever Lock Handle

Scroll lever lock handle 
 Standard keyway

Code	Backplate	Finish
H8001011	150x40mm	Polished Chrome





N&C Victorian Scroll Lever Privacy Handle

#### N&C Victorian Scroll Bathroom Lever Handle

Scroll lever bathroom handle
Backplate with turn & release

Code	Backplate	Finish	Code	Backplate	Finish
H8001014	112x40mm	Polished Chrome	H8001015	112x40mm	Polished Chrome

Scroll Lever privacy handle
Backplate with turn & release

## **Recommended Care** of Finishes

Polish chrome products are virtully maintenance free, however deposits will accumulate especially on external fittings.

We recommend regular cleaning with a soft cloth and non abrasive wax polish. This will help to maintain the original appearance.







N&C Oval Mortice Knob

• Oval mortice knob on round rose

#### N&C Ball Mortice Knob

Code

H8001006

Ball mortice knob handle on round rose

Dia	Finish	Co

50mm Polished Chrome

#### N&C Mushroom Mortice Knob

Mushroom mortice knob handle on round rose

Code	Dia	Finish	Code	Dia	Finish
0000	Dia	1 IIIIOII	0000	Dia	TIMOT
H800100	7 57mm	Polished Chrome	H8001008	60mm	Polished Chrome

# **N&C Antque Range**

A range of traditional iron fittings for authentic old England style door furniture. Perfect for old cottages, period style buildings, or to simply adopt the old vintage look.

Our Antique range features an antique black finish, particularly suitable for period properties.

A complete range of matching accessories is available.





#### N&C Antique Curved Lever Lock Handle

Regal curved lever lock handle on rectangular backplate

Code	Size	Finish
H8070001	150x50mm	Antique Black





N&C Antique Curved Lever Latch Handle

• Curved lever latch handle on rectangular backplate

Code	Size	Finish
H8070003	155x52mm	Antique Black

#### N&C Antique Curved Lever Latch Handle

• Curved lever latch handle on Short rectangular backplate

Code	Size	Finish	
H8070002	110x50mm	Antique Black	



N&C Antique Curved Bathroom Handle

Regal curved lever latch handle on rectangular backplate
Turn & emeregency release

Code	Size	Finish	
H8070004	155x52mm	Antique Black	







Ĵ

N&C Fleur De Lys Straight Pull Handle • Fleur de lys straight pull handle

Code	Size	Finish	Code	Size	Finish
H807001	1 195x54mm	Antique Black	H8070031	155x52mm	Antique Black



Lever lock handle on shaped backplate
Standard keyway

Code	Size	Finish
H8070012	195x54mm	Antique Black









#### N&C Cabin Hook

Ring pattern cabin hook

Code	Size	Finish
H8070080	102mm	Antique Black
H8070061	152mm	Antique Black

N&C Indicator Bolt

- Circular external "vacant/engaged" indicator
- Emergency release with internal "lift" bolt

H8070050 70mm Antique Black H807	Code	Dia	Finish	Code
	H8070050	70mm	Antique Black	H80700



• Traditional straight pattern hat & coat hook

Code	Size	Finish
H8070052	125mm	Antique Black





#### N&C Single Robe Hook

• Traditional single robe hook

Code	Size	Finish
H8070054	55mm	Antique Black

#### N&C Double Robe Hook

Code	Size	Finish	
H8070055	195x54mm	Antique Black	

## **Recommended Care** of Finishes

Iron is vulnerable to rusting. Where abrasive areas of moving parts are evident, an occasional light oiling is recommended.

To remove harmful deposits which will cause corrosion, we advise regular wiping of the product with a lightly oiled cloth.

Code	Size	Finish
H8070054	55mm	Antique Black

#### • Traditional double robe hook

N&C Straight Bolt

H8070041 200mm

Code

Straight slide pattern bolt

Size

Code	Size	Finish	
H8070055	195x54mm	Antique Black	



Finish

Antique Black

#### N&C Necked Bolt

Code

Necked slide pattern bolt

Size Finish H8070040 200mm

Antique Black



**N&C Finger Plate** 

#### Rectangular finger plate

Code	Size	Finish	
H8070032	300x76mm	Antique Black	

# **N&C Urban Door Furniture**

A range that includes aluminium furniture that is perfect for local authority/void works or other projects where cost and function is of importance.

This is also available in 'Door packs" which makes for easier management of product on larger construction sites

The door packs are also available with 2 victorian styles of lever handles in polished brass, polished chrome and satin chrome finishes



N&C Urban Straight Lever Latch Handle

Straight lever latch handle on backplate
 Silver anodised aluminium

Code	Rose	Finish
H8900003	104x40mm	Satin Anodised Aluminium



N&C Urban Straight Lever Lock Handle

Straight lever lock handle on backplate
Silver anodised aluminium

 Code
 Rose
 Finish

 H8901003
 153x40mm
 Satin Anodised Aluminium



N&C Urban Straight Lever Bathroom Handle

- Straight lever bathroom handle on backplate
- Silver anodised aluminium

Code	Rose	Finish
H8901403	153x40mm	Satin Anodised Aluminium





#### N&C Urban Mortice Latch Pack BB

Latch Pack

• Lever latch furniture • 76mm tubular mortice latch

76mm stainless steel ball bearing butt hinges x2

Code	Finish
H7908001	Satin Anodised Aluminium



N&C Urban Mortice Lock Pack BB

Lever lock furniture
76mm 3 lever mortice sashlock
100mm stainless steel ball bearing butt hinges x2

Code Finish

H7908002 Satin Anodised Aluminium



N&C Urban Mortice Bathroom Pack BB

- Lever Bathroom turn/release 76mm mortice bathroom lock
- 76mm stainless steel ball bearing butt hinges x2
   Code Einish

Code	FINISN
H7908003	Satin Anodised Aluminium





#### Latch Pack

\_

#### N&C Urban Mortice Latch Pack

Lever latch furniture
63mm Tubular Mortice Latch
76mm BZP light pattern steel butt hinges x2





#### N&C Urban Mortice Lock Pack

- lever lock furniture
   63mm 3 lever mortice sashlock
- 76mm BZP light pattern steel butt hinges x2

Code	Finish	(
H7910001	Satin Anodised Aluminium	ŀ



#### N&C Urban Mortice Bathroom Pack

- Lever Bathroom turn/release 76mm mortice bathroom lock
- 76mm BZP light pattern steel butt hinges x2

Code	Finish
H7910003	Satin Anodised Aluminium



#### Latch Pack

N&C Victorian Straight Mortice Latch Pack

Lever latch furniture
63mm tubular mortice latch
76mm light pattern steel butt hinges x2

Code	Finish
H7920002	Polished Brass
H7930002	Polished Chrome
H7940002	Satin Chrome



N&C Victorian Straight Mortice Lock Pack

Lever lock furniture
65mm 3 lever mortice sashlock
76mm light pattern steel butt hinges x2

Code	Finish
H7920001	Polished Brass
H7930001	Polished Chrome
H7940001	Satin Chrome





#### N&C Victorian Straight Privacy Pack

• Victorian straight privacy furniture with turn/release

- 65mm tubular mortice latch76mm light pattern steel butt hinges x2
- Code Finish H7920004 Polished Brass
- H7920004Polished BrassH7930004Polished Chrome





#### N&C Victorian Scroll Mortice Latch Pack

- Scroll lever latch furniture 63mm tubular mortice latch
- 76mm light pattern steel butt hinges x2

Code	Finish	
H7920012	Polished Brass	
H7930012	Polished Chrome	
H7940012	Satin Chrome	



#### N&C Victorian Scroll Mortice Lock Pack

- Scroll lever lock furniture 65mm 3 lever mortice sashlock
- 76mm light pattern steel butt hinges x2

Code	Finish
H7920011	Polished Brass
H7930011	Polished Chrome
H7940011	Satin Chrome
	H7920011 H7930011





#### N&C Victorian Scroll Mortice Privacy Pack

- Scroll privacy furniture with turn/release
- 65mm tubular mortice latch
- 76mm light pattern steel butt hinges x2

Code	Finish
H7920014	Polished Brass
H7930014	Polished Chrome





#### Victorian Letter Plate with Pull Handle

• Victorian pattern sprung letter plate

Code	Overall	Aperture	Centres	Finish
H8000080	250x102mm	180x45mm	210mm	Polished Brass



#### Victorian Gravity Letter Plate

Victorian pattern sprung letter plate 
 Outward opening





#### Postal Knocker

• Sprung postal knocker

Code	Overall	Aperture	Centres	Finish
H8000025	250x76mm	190x40mm	215mm	Polished Brass
H8001024	250x76mm	190x40mm	215mm	Polished Chrome
H8002073	250x76mm	190x40mm	215mm	Satin Chrome
H8070025	310x105mm	200x45mm	258mm	Antique Black



#### Victorian Letter Plate

• Victorian pattern sprung letter plate

Code	Overall	Aperture	Centres	Finish
H8000027	254x100mm	206x50mm	232mm	Polished Brass
H8000077	280x90mm	280x90mm	240mm	Polished Brass
H8000028	305x100mm	234x57mm	270mm	Polished Brass
H8000078	355x155mm	283x63mm	322mm	Polished Brass
H8001025	254x100mm	206x50mm	232mm	Polished Chrome
H8001080	280x90mm	280x90mm	240mm	Polished Chrome
H7001026	305x100mm	234x57mm	270mm	Polished Chrome
H8001081	355x155mm	283x63mm	322mm	Polished Chrome
H8002021	254x100mm	206x50mm	232mm	Satin Chrome
H8002069	280x90mm	280x90mm	240mm	Satin Chrome
H8002022	305x100mm	234x57mm	270mm	Satin Chrome
H8002070	355x155mm	283x63mm	322mm	Satin Chrome
H8070024	260x80mm	190x40mm	220mm	Antique Black
H8070027	270x115mm	190x43mm	230mm	Antique Black



#### Interior Letter Tidy

Interior letter tidy

Code	Overall	Finish
H8000029	280x80mm	Polished Brass
H8000030	297x85mm	Polished Brass
H8000084	352x127mm	Polished Brass
H8000085	400x127mm	Polished Brass
H7001027	280x80mm	Polished Chrome
H7001028	297x85mm	Polished Chrome
H7001029	352x127mm	Polished Chrome
H7001100	400x127mm	Polished Chrome
H7002039	280x80mm	Satin Chrome
H7002041	297x85mm	Satin Chrome
H7002042	352x127mm	Satin Chrome
H7002043	400x127mm	Satin Chrome
H8070028	308x85mm	Antique Black

### Door Furniture - N&C Entrance Door Furniture



### **Door Letters**

• Pin fixing • 50mm

Letter	Code	Finish	Letter	Code	Finish
А	H8012200	Polished Brass	E	H8012204	Polished Brass
В	H8012201	Polished Brass	F	H8012205	Polished Brass
С	H8012202	Polished Brass	G	H8012206	Polished Brass
D	H8012203	Polished Brass	Н	H8012207	Polished Brass



### **Door Numerals**

Screw fixing
 75mm

Number	Code	Finish
Zero	H8012000	Polished Brass
One	H8012001	Polished Brass
Two	H8012002	Polished Brass
Three	H8012003	Polished Brass
Four	H8012004	Polished Brass
Five	H8012005	Polished Brass
Six	H8012006	Polished Brass
Seven	H8012007	Polished Brass
Eight	H8012008	Polished Brass
Nine	H8012009	Polished Brass

### **Door Numerals**

• Pin fixing • 75mm

Number	Code	Finish
Zero	H8022000	Polished Chrome
One	H8022001	Polished Chrome
Two	H8022002	Polished Chrome
Three	H8022003	Polished Chrome
Four	H8022004	Polished Chrome
Five	H8022005	Polished Chrome
Six	H8022006	Polished Chrome
Seven	H8022007	Polished Chrome
Eight	H8022008	Polished Chrome
Nine	H8022009	Polished Chrome



0

### **Door Numerals**

• Pin fixing • 60mm

Number	Code	Finish
Zero	H8012100	Polished Brass
One	H8012101	Polished Brass
Two	H8012102	Polished Brass
Three	H8012103	Polished Brass
Four	H8012104	Polished Brass
Five	H8012105	Polished Brass
Six	H8012106	Polished Brass
Seven	H8012107	Polished Brass
Eight	H8012108	Polished Brass
Nine	H8012109	Polished Brass

### **Door Numerals**

	Num
	Zero
	One
	Two
	Three
	Four
0	Five
	Six
	Seve
Contraction of the second	Eight

Pin	fixing	•	60mm	

Number	Code	Finish
Zero	H8002090	Satin Chrome
One	H8002091	Satin Chrome
Two	H8002092	Satin Chrome
Three	H8002093	Satin Chrome
Four	H8002094	Satin Chrome
Five	H8002095	Satin Chrome
Six	H8002096	Satin Chrome
Seven	H8002097	Satin Chrome
Eight	H8002098	Satin Chrome
Nine	H8002099	Satin Chrome



### **Door Numerals**

• Screw fixing • 75mm

Number	Code	Finish
Zero	H8002080	Satin Chrome
One	H8002081	Satin Chrome
Two	H8002082	Satin Chrome
Three	H8002083	Satin Chrome
Four	H8002084	Satin Chrome
Five	H8002085	Satin Chrome
Six	H8002086	Satin Chrome
Seven	H8002087	Satin Chrome
Eight	H8002088	Satin Chrome
Nine	H8002089	Satin Chrome

### Door Numerals

Screw fixing
 100mm

Number	Code	Finish
Zero	H8071000	Antique Black
One	H8071001	Antique Black
Two	H8071002	Antique Black
Three	H8071003	Antique Black
Four	H8071004	Antique Black
Five	H8071005	Antique Black
Six	H8071006	Antique Black
Seven	H8071007	Antique Black
Eight	H8071008	Antique Black
Nine	H8071009	Antique Black

### Door Numerals

• Pin fixing • 60mm

Number	Code	Finish
Zero	H8022100	Polished Chrome
One	H8022101	Polished Chrome
Two	H8022102	Polished Chrome
Three	H8022103	Polished Chrome
Four	H8022104	Polished Chrome
Five	H8022105	Polished Chrome
Six	H8022106	Polished Chrome
Seven	H8022107	Polished Chrome
Eight	H8022108	Polished Chrome
Nine	H8022109	Polished Chrome













**Ring Door Knocker** 

Rear bolt fix

Code	Dia	Finish	
H8000020	105mm	Polished Brass	
H8001020	105mm	Polished Chrome	
H8002110	105mm	Satin Chrome	
H8070029	95mm	Antique Black	

### Scroll Door Knocker

Rear bolt fix

	Code	Dia	Finish	
Irass	H8000074	135mm	Polished Brass	
Chrome	H8022050	135mm	Polished Chrome	
me	H7002050	135mm	Satin Chrome	

### Contemporary Door Knocker

Rear bolt fix

Code	Dia	Finish
H8000021	1575mm	Polished Brass
H8022052	157mm	Polished Chrome
H7002052	157mm	Satin Chrome



### Small Urn Door Knocker • Rear bolt fix

Code	Dia	Finish	(
H8000073	150mm	Polished Brass	ł
H8022054	150mm	Polished Chrome	
H7002054	150mm	Satin Chrome	



Lion Head Door Knocker • Rear bolt fix

Code	Dia	Finish
H8070020	165mm	Antique Black



### Domed Octagonal Centre Door Knob • Rear bolt fix

Code	Dia	Finish
H8000061	60mm	Polished Brass
H8022054	60mm	Polished Chrome
H7002054	150mm	Satin Chrome



### Stepped Hexagonal Centre Door Knob • Rear bolt fix

Rear bolt fix

Code	Dia	Finish	
H8000063	70mm	Polished Brass0	
H8022056	70mm	Polished Chrome	
H7002058	70mm	Satin Chrome	
H8070026	70mm	Antique Black	



Stepped Circular Centre Door Knob

Rear bolt fix

Code	Dia	Finish	
H8000062	102mm	Polished Brass	
H8022058	102mm	Polished Chrome	
H7002080	102mm	Satin Chrome	



### Door Viewer

180 degree angle of vision
Max door thickness 55mm
Min door thickness 35mm

Code	Dia	Finish	
H8000170	14mm	Polished Brass	
H8001010	14mm	Polished Chrome	
H8002170	14mm	Satin Chrome	







### Ultrascope Door Viewer

Ċ

- 160 degree angle of vision Door thickness 44-55mm
  Wide angled view from up to 2M from internal face of door

Code	Dia	Finish
H0101041	38mm	Gold

### **Door Security Chain**

Victorian Bell Push

Code

H8001014

H8001023

H7002086

• Victrorian bell push • Screw fix

Size

80x30mm

• Door security chain with retainer & plate

Code	Chain	Finish	
H8000060	200mm	Polished Brass	
H8001050	200mm	Polished Chrome	
H7002062	200mm	Satin Chrome	

### Door Guard

• Door rigid slide pattern security guard

Code	Finish
H8001013	Polished Brass
H8022060	Polished Chrome
H7002082	Satin Chrome



Finish

Polished Brass

Satin Chrome

Polished Chrome

Release Pattern Door Guard

Code

H8001012

H7002082

H8022060

• Door chain release pattern security guard



Finish

Polished Chrome

80x30mm Polished Brass

80x30mm Satin Chrome



Cylinder Pull

• Plain cylinder pull for round rim cylinder concealed fix

Code	Size	Finish
H8000023	86x44mm	Polished Brass
H8001022	86x44mm	Polished Chrome
H7002088	86x44mm	Satin Chrome





### Mila Prolinea Offset Pad/Lever Handle 92/62

- uPVC door furniture for euro profile cylinders
- Spring cassettes & spindles Offset for 92/62mm centres

Code	Backplate	Finish
H3407000	240mm	Chrome
H3407001	240mm	Gold
H3407002	240mm	White



### Mila Prolinea Inline Lever/Lever Handle

- uPVC door furniture for euro profile cylinders
- Spring cassettes & spindles Inline for 92mm centres

Code	Backplate	Finish	
H3407010	240mm	Chrome	
H3407011	240mm	Gold	
H3407012	240mm	White	



### Mila Prolinea Inline Pad/Lever Handle

- uPVC door furniture for euro profile cylinders
- Spring cassettes & spindles Inline for 92mm centres

Code	Backplate	Finish	
H3407020	220mm	Chrome	
H3407021	220mm	Gold	
H3407022	220mm	White	



### Mila Prolinea Inline Lever/Lever Handle

- uPVC door furniture for euro profile cylinders
- Spring cassettes & spindles Inline for 92mm centres

Code	Backplate	Finish	
H3407030	220mm	Chrome	
H3407031	220mm	Gold	
H3407032	220mm	White	



### Mila Slim Master Letter Box Assembly

- uPVC door internal nylon brush seals
- Telescopic sleeve set for 36-70mm door thickness
- Closed cell foam pads for draught sealing

Code	Backplate	Finish
H3407040	316x50mm	White
H3407041	316x50mm	Gold



Espagnolette Handles are perfect for conservatories or other uPVC and timber windows. Handles can be deadlocked for added security.



### Mila Prolinea Inline Espagnolette Handle

Push to engage locking

Code	Spindle	Finish
H3407060	40mm	Chrome
H3407061	40mm	Gold
H3407062	40mm	White



### Mila Prolinea Inline TBT Espagnolette Handle

• Tilt Before turn function • Key locking

- Supplied with colour matched screw cover caps
  Suitable for uPVC, timber & aluminium windows

Code	Finish
H3407070	Satin Silver
H3407071	Gold
H3407072	White



Mila Prolinea Offset Espagnolette Handle Push to engage locking

Code	Spindle	Hand	Finish	
H3407051	40mm	Left	Chrome	
H3407052	40mm	Right	Chrome	
H3407053	40mm	Left	Gold	
H3407054	40mm	Right	Gold	
H3407055	40mm	Left	White	
H3407056	40mm	Right	White	







### Mila Multipoint Locking Mechanism 2 Roller

- Euro profile locking mechanism
  Lever operated latch & deadbolt
- Single spindle 2 Rollers

Lift lever to engage locking mechanism and one full turn of cylinder to lock. One full turn of key then push down on the lever to unlock

Code	Faceplate	Backset	Centres
H3408076	16mm	35mm	92mm



### Mila Multipoint Locking Mechanism 2 Hook & 4 Roller

- Euro profile locking mechanism
  Lever operated latch & deadbolt
- Twin spindle 2 Hooks & 4 rollers

Lift lever to engage locking mechanism and one full turn of cylinder to lock. One full turn of key then push down on the lever to unlock

Code	Faceplate	Backset	Centres
H3408076	16mm	35mm	92/62mm



Mila Multipoint Locking Mechanism

Lift lever to engage locking mechanism and one full turn of cylinder to lock. One full turn of key then push down on the

Euro profile locking mechanism
Lever operated latch & deadbolt

• Twin spindle • 4 rollers

4 Roller

lever to unlock

H3408076

Code



### Centre Keep

Centre keep for mila multipoint locking mechanism

Code	Dia	Hand	
H3408090	225x30mm	Left	
H3408091	225x30mm	Right	



Roller bolt keep for mila multipoint locking mechanism

Code Dia H3408094 82x30mm



Hook Bolt Keep

• Hook bolt keep for mila multipoint locking mechanism

Code	Dia	
H3408098	113x30mm	



### Patlock Security Lock

- 2 tamper resistant spindles French door security
- To be used as additional security device & not as a
- replacement for existing locksRemoves the risk of lock snapping
- Provides a visual deterent

Code Finish H3408500 White



### **Door Threshholds & Seals**

A quality range of weatherbars, door surrounds and DIY products for timber, composite and uPVC doors. All manufactured to the highest standards, incorporating many unique patented features to prevent the ingress of inclement weather






### **Brushstrip Draught Excluder**

- 30mm brushpile
- Aluminium carrier wiping seal

Code	Size	Finish	
H9991012	915mm	Silver	
H9991013	915mm	Gold	
H0852511	2134mm	Silver	
H0852512	2134mm	Goldl	



uPVC Pile Weather Set

 Polypropylene Pile • UPVC carrier Wiping seal


Code	Size	Finish
H9991018	5180mm	White
H9991019	5180mm	Brown



### Macclex Door Threshold Seal

- Aluminium with rubber seal
- No seals underfoot to be damaged by traffic
- For inward opening doors

Code	Size	Finish
H0855521	915mm	Silver
H0855522	915mm	Gold
H0855531	1000mm	Silver
H0855541	1219mm	Silver
H0855542	1219mm	Gold



### E Strip Draught Excluder

- EDPM rubber Self adhesive
- Seals gaps 2-3.5mm Compression seal
   5 metre roll

Code	Size	Finish
H9991000	4x9mm	White

H9991001	4x9mm	Brown	



**Tubex Draught Excluder** • High quality rubber • Compression seal • 100 metre roll

Code	Size	Finish
H0851001	6mm	White

9mm

P Strip Draught Excluder

• Compression seal • 5 metre roll

Size

H0855736 5.5x9mm White

**Ultra Mobility Door Threshold** 

• Two Part Aluminium With Rubber Seals

For inward & outward opening doors

Size

H0855601 915mm

H0855602 915mm

No seals underfoot to be damaged by traffic

Finish

Silver

Gold

Finish

• EDPM rubber • Self adhesive

Seals gaps 2-3.5mm

Smr

Code

Seal (UMT)

Code





Flex'n'Seal Door Surround

- EDPM rubber gasket
- Aluminium carrier wiping seal

Code	Dia	Finish
H9991016	5180mm	Silver
H9991017	5180mm	Gold




### Foam Draught Excluder

 Self adhesive
 Compression seal 5 Metre roll

4x6mm

Size Finish Code H9991006 4x6mm White H9991007

Brown



#### **Kleertred Door Threshold Seal**

- Two Part Aluminium With Rubber Seals
- No seals underfoot to be damaged by traffic
- For inward & outward opening doors

Code	Size	Finish
H0855621	915mm	Silver
H0855622	915mm	Gold



MWK20 Door Threshold Seal

Two part aluminium with rubber seals

Integral rear thermal barrier prevents

Size

For inward opening doors

condensation

H9991014 915mm

H9991015 915mm

Code

• No seals underfoot to be damaged by traffic

Finish


Silver

Gold

### **Threshex Door Threshold Seal** • Aluminium with rubber seal


- No seals underfoot to be damaged by traffic For inward and outward opening doors
- Code Size Finish H0001008 022m Cilver

110000	555011111	Onver
H9991009	933mm	Gold
H0854031	990mm	Silver
H0854032	990mm	Gold
H0854051	1219mm	Silver
H0854052	1219mm	Gold
H0854071	1829mm	Silver
H0854072	1829mm	Gold



#### **Deflector 20 Rain Deflector** Aluminium With End Caps

Code	Size	Finish	
H9991010	915mm	Silver	
H9991011	915mm	Gold	



### **ERD Rain Deflector**

- Aluminium With End Cap
- Integral Rubber Seal

Code	Size	Finish
H0855031	915mm	Silver

# Locks, Latches & Security

Our extensive range of security solutions include deadlocks, digital locks, night latches and window locks for safeguarding both commercial and domestic properties. Our locks and latches are produced to high standard, meeting all British and European Standards, as well as testing methods covering locks and latches to BS EN 12209.

### CYLINDER LOCKS

 All our locks available from stock are standard differ, but can be keyed alike and master keyed. If additional security is required, we offer restricted key sections

#### • Cylinders can easily be replaced without the need to remove the lock case in order to replace a broken cylinder or to increase the security level

• Our locks are perfect for commercial applications including offices, schools and hospitals

### LEVER LOCKS

• Number of levers determines security level, from low security 2 lever to high security 5 lever

- Can be keyed alike
- Suitable for domestic applications

### BRITISH STANDARD LOCKS


• These locks are fitted to exterior doors and are tested in order to meet insurance standards.

• Locks are stamped with a BS kitemark and tested to meet either BS3621 or BS8621


• These locks are anti-pick and have hardened steel anti-drill plates

• The bolt throw is also 20mm from the standard 14mm, with hardened rotating steel pins to prevent sawing

- A = Follower
- B = Centres
- C = Backset
- D = Forend
- E = Case Depth
- F = Case Height







### Locks, Latches and Security - Mortice Lock Types

## Mortice Lock Types

British Standard BS3621:2007 locks should be fitted to all external doors in order to comply with insurance requirements.

To meet BS3621:2007, a mortice lock must (in addition to other requirements)

- Have at least 1000 key differs
- Have at least 5 levers (with anti picking features)
- Have a minimum bolt with a throw of 20mm
- Feature anti drill plates
- Box keep for frame



### **BRITISH STANDARD 5 LEVER**

Featuring a 20mm bolt throw and anti-drill plates. They comply with BS3621:2007 or 2004




### NON BS 5, 3, & 2 LEVER

These feature lower levels of security and are suitable for internal doors only



### ESCAPE LOCKS

Feature egress option by lever or turn on the inside. Usually protected by break glass panel or dome



HORIZONTAL MORTICE LOCKS

Featuring a larger

backset and are often used

with mortice knob furniture



### SLIDING MORTICE LOCKS

Locks with hook or clawbolts to suit sliding doors



### BATHROOM MORTICE LOCKS

These can be used with lever handles and turns and are fitted to bathroom and toilet doors



### DIN STANDARD MORTICE LOCKS

Euro profile modular lock cases suitable for commercial projects





### N&C Euro Profile Mortice Nightlatch Case

- Brass latchbolt
- Brass deadbolt with hardened steel rollers
- Pierced @ 38mm centres for bolt through fixings with hold back function & anti thrust latch 152 x 25.5mm forend

Code	Case	Backset	Centres	Finish
H3630602	63mm	43mm	47mm	Polished Brass
H3630604	63mm	43mm	47mm	Satin Chrome
H3630702	76mm	57mm	47mm	Polished Brass
H3630702	76mm	57mm	47mm	Satin Chrome



### N&C Euro Profile Mortice Deadlock Case

Brass deadbolt with hardened steel rollers
Pierced @ 38mm centres for bolt through fixings

152 x 25.5mm forend						
C	Code	Case	Backset	Centres	Finish	
H	13630402	63mm	43mm	47mm	Polished Brass	
F	13630404	63mm	43mm	47mm	Satin Chrome	
H	13630502	76mm	57mm	47mm	Polished Brass	
F	13630504	76mm	57mm	47mm	Satin Chrome	



### N&C Euro Profile Mortice Sashlock Case

Brass latchbolt

- Brass deadbolt with hardened steel rollers
  Pierced @ 38mm centres for bolt through fixings

152 x 25.5mm forend							
Case	Backset	Centres	Finish				
63mm	43mm	47mm	Polished Brass				
63mm	43mm	47mm	Satin Chrome				
76mm	57mm	47mm	Polished Brass				
76mm	57mm	47mm	Satin Chrome				
	Case 63mm 63mm 76mm	Case Backset 63mm 43mm 63mm 43mm 76mm 57mm	CaseBacksetCentres63mm43mm47mm63mm43mm47mm76mm57mm47mm				



N&C Euro Profile Mortice Small Deadlock Case

- Brass deadbolt with hardened steel rollersPierced @ 38mm centres for bolt through fixings

1

Code	Case	Backset	Centres	Finish
H3630202	63mm	43mm	47mm	Polished Brass
H3630204	63mm	43mm	47mm	Satin Chrome
H3630302	76mm	57mm	47mm	Polished Brass
H3630304	76mm	57mm	47mm	Satin Chrome



### N&C Oval Profile Mortice Small Deadlock Case

- Brass deadbolt with hardened steel rollers
- Pierced @ 38mm centres for bolt through fixings

#### 121 x 25.5mm forend

Code	Case	Backset	Centres	Finish
H3640202	63mm	43mm	47mm	Polished Brass
H3640204	63mm	43mm	47mm	Satin Chrome
H3640302	76mm	57mm	47mm	Polished Brass



### N&C Oval Profile Mortice Sashlock Case

### Brass latchbolt

- Brass deadbolt with hardened steel rollers
- Pierced @ 38mm centres for bolt through fixings

#### 152 x 25.5mm forend

Code	Case	Backset	Centres	Finish
H3640002	63mm	43mm	47mm	Polished Brass
H3640004	63mm	43mm	47mm	Satin Chrome
H3640102	76mm	57mm	47mm	Polished Brass
H3640104	76mm	57mm	47mm	Satin Chrome



N&C Oval Profile Mortice Deadlock Case Brass Deadbolt with Hardened Steel Rollers
Pierced @ 38mm centres for bolt through fixings

152 x 25.5mm forend						
	Code	Case	Backset	Centres	Finish	
	H3630402	63mm	43mm	47mm	Polished Brass	
	H3630404	63mm	43mm	47mm	Satin Chrome	
	H3630502	76mm	57mm	47mm	Polished Brass	
	H3630504	76mm	57mm	47mm	Satin Chrome	



### N&C 5 Lever Mortice Sashlock

Brass latchbolt

Brass deadbolt with hardened steel rollers
Pierced @ 38mm centres for bolt through fixings

152 x 25 5mm forend

Code	Case	Backset	Centres	Finish	
H3620002	63mm	43mm	47mm	Polished Brass	
H3620046	63mm	43mm	47mm	Satin Chrome	
H3620102	76mm	57mm	47mm	Polished Brass	
H3620104	76mm	57mm	47mm	Satin Chrome	



### N&C 5 Lever BS Mortice Sashlock

 Brass latchbolt 
 Anti drill plates 
 Box keeper Brass deadbolt with hardened steel rollers
Pierced @ 38mm centres for bolt through fixings British Standard BS3621

152 x 25.5mm	forend	
Codo	Casa	Deel


Code	Case	Backset	Centres	Finish
H3621002	63mm	43mm	47mm	Polished Brass
H3621004	63mm	43mm	47mm	Satin Chrome
H3621102	76mm	57mm	47mm	Polished Brass
H3621104	76mm	57mm	47mm	Satin Chrome



### N&C 5 Lever Mortice Deadlock

• Brass deadbolt with hardened steel rollers

152 x 25.5mm forend						
Code	Case	Backset	Centres	Finish		
H3620202	63mm	43mm	47mm	Polished Brass		
H3620204	63mm	43mm	47mm	Satin Chrome		
H3620302	76mm	57mm	47mm	Polished Brass		
H3620304	76mm	57mm	47mm	Satin Chrome		



### N&C 5 Lever BS Mortice Deadlock

British Standard BS3621 • Anti drill plates • Box keeper

• Brass deadbolt with hardened steel rollers

#### 152 x 25.5mm forend

	Code	Case	Backset	Centres	Finish
	H3621202	63mm	43mm	47mm	Polished Brass
	H3621204	63mm	43mm	47mm	Satin Chrome
	H3621302	76mm	57mm	47mm	Polished Brass
	H3621304	76mm	57mm	47mm	Satin Chrome

### N&C Mortice Bathroom lock

Brass latchbolt 
 Brass deadbolt

Pierced @ 38mm centres for bolt through fixings
8mm square lever handle follower

5mm square turn/indicator follower
 152 x 25.5mm forend

Code	Case	Backset	Centres	Finish
H3621602	63mm	43mm	47mm	Polished Brass
H3621604	63mm	43mm	47mm	Satin Chrome
H3621702	76mm	57mm	47mm	Polished Brass
H3621704	76mm	57mm	47mm	Satin Chrome



### N&C Full Case Mortice Latch

Brass latchbolt

• Pierced @ 38mm centres for bolt through fixings

#### 152 x 25.5mm forend

Code	Case	Backset	Centres	Finish
H3621802	63mm	43mm	47mm	Polished Brass
H3621804	63mm	43mm	47mm	Satin Chrome
H3621902	76mm	57mm	47mm	Polished Brass
H3621904	76mm	57mm	47mm	Satin Chrome



### **Union Strongbolt Mortice Locks**

Features an easily reversible radius latch that uses the unique Union switchwatch technology, as well as the unique chamfered deadlock design.

Known for its superior strength and exceeding the requirements of BS3621:2007, the StrongBOLT® British Standard 5 lever mortice lock fulfils the security needs of home insurance policies.

The range has been extended to include 3 lever bathroom and cylinder mortice lock cases.







Union Strongbolt 5 Lever Mortice Sashlock

2 Keys • Easily reversible radius latchbolt
Anti rattle adjustable strike • Plastic splinter guard

Anti Tattie aujustable strike • Flastic spiriter guar

Code	Case	Finish
H0063608	68mm	Polished Brass
H0063609	68mm	Stainless Steel
H0063610	81mm	Polished Brass
H0063611	81mm	Stainless Steel



Union Strongbolt 5 Lever Mortice Deadlock

2 Keys • Easily reversible radius latchbolt

Anti rattle adjustable strike 
 Plastic splinter guard

Code	Case	Finish
H0063612	68mm	Polished Brass
H0063613	68mm	Stainless Steel
H0063614	81mm	Polished Brass
H0063615	81mm	Stainless Steel



Union Strongbolt 5 Lever BS Mortice Sashlock

- 2 Keys Easily reversible radius latchbolt
- Anti rattle adjustable strike Plastic splinter guard
- British Standard BS3261

Code	Case	Finish
H0063600	68mm	Polished Brass
H0063601	68mm	Stainless Steel
H0063602	81mm	Polished Brass
H0063603	81mm	Stainless Steel



Union Strongbolt 5 Lever BS Mortice Deadlock

- 2 Keys Easily reversible radius latchbolt
- Anti rattle adjustable strike 
   Plastic splinter guard
   Prijab Standard D20001
- British Standard BS3261

Code	Case	Finish
H0063604	68mm	Polished Brass
H0063605	68mm	Stainless Steel
H0063606	81mm	Polished Brass
H0063607	81mm	Stainless Steel



Union Strongbolt 3 Lever Mortice Sashlock

- 3 Keys
   Easily reversible radius latchbolt
- Anti rattle adjustable strike 
   Plastic splinter guard

Code	Case	Finish
H0063616	68mm	Polished Brass
H0063617	68mm	Stainless Steel
H0063618	81mm	Polished Brass
H0063619	81mm	Stainless Steel



Union Strongbolt 3 Lever Mortice Deadlock

- 3 Keys Easily reversible radius latchbolt
- Anti rattle adjustable strike 
   Plastic splinter guard

Code	Case	Finish
H0063620	68mm	Polished Brass
H0063621	68mm	Stainless Steel
H0063622	81mm	Polished Brass
H0063623	81mm	Stainless Steel



### Union Strongbolt Mortice Bathroom Lock

• 5mm follower for turn • Easily reversible radius latchbolt

Anti rattle adjustable strike 
 Plastic splinter guard

Code	Case	Finish
H0063624	68mm	Polished Brass
H0063625	68mm	Stainless Steel
H0063626	81mm	Polished Brass
H0063627	81mm	Stainless Steel

### Union Strongbolt Euro Profile Cylinder Mortice Sashlock Case

Easily reversible radius latchbolt
Anti rattle adjustable strike
Plastic splinter guard

Code	Case	Finish
H0063628	68mm	Polished Brass
H0063629	68mm	Stainless Steel
H0063630	81mm	Polished Brass
H0063631	81mm	Stainless Steel



### Union Strongbolt Euro Profile Cylinder Mortice Deadlock Case

Easily reversible radius latchbolt

Anti rattle adjustable strike 
 Plastic splinter guard

Code	Case	Finish
H0063632	68mm	Polished Brass
H0063633	68mm	Stainless Steel
H0063634	81mm	Polished Brass
H0063635	81mm	Stainless Steel



Union Strongbolt Oval Profile Cylinder

• Anti rattle adjustable strike • Plastic splinter guard

Finish

Stainless Steel

Polished Brass

Stainless Steel

Polished Brass

Mortice Sashlock Case

Code

Easily reversible radius latchbolt

Case

H0063636 68mm

H0063637 68mm

H0063638 81mm

H0063639 81mm



### Union Strongbolt Oval Profile Cylinder Mortice Deadlock Case

Easily reversible radius latchbolt

Anti rattle adjustable strike
 Plastic splinter guard

Code	Case	Finish
H0063640	68mm	Polished Brass
H0063641	68mm	Stainless Steel
H0063642	81mm	Polished Brass
H0063643	81mm	Stainless Steel

### Union Strongbolt Rebate Conversion Set

To suit all union strongbolt mortice sashlocks

Code	Case	Finish
H0063646	13mm	Polished Brass
H0063647	13mm	Satin Chrome

### Union Strongbolt Rebate Conversion Set

• To suit all union strongbolt mortice deadlocks

Code	Case	Finish
H0063644	13mm	Polished Brass
H0063645	13mm	Satin Chrome



### How to choose the right cylinder length

Specifying the correct cylinder length is important not only for aesthetic appearance, but also security. It is essential to ensure that the cylinder is as flush with the surrounding hardware as possible to reduce the opportunity for the cylinder to be removed.

A flush fitted cylinder will also reduce movement over time and increase the longevity of the product. When choosing a cylinder length there are three factors to consider:

- 1. Door thickness
- 2. Hardware thickness (eg, cylinder roses)
- 3. Lock position

In most applications the mortice lock will be fitted on the door centreline. Therefore a standard equal length cylinder can be used. However if the lock is fitted off centre then an offset cylinder needs to be specified.





Centre of cam

Door centreline

→ | ← 5mm Roses→ | ←

### N&C Euro Profile Pin Tumbler Single Cylinder

- 5 Pin mechanism Mild steel cam
- Brass body & plug Standard differ Supplied with 2 keys
   Cylinder retaining screw

Code	Case	Finish
H3631002	40mm	Polished Brass
H3631102	45mm	Polished Brass
H3631202	50mm	Polished Brass
H3631004	40mm	Satin Chrome
H3631104	45mm	Satin Chrome
H3631204	50mm	Satin Chrome

#### N&C Euro Profile Pin Tumbler Double Cylinder

- Double cylinder
   5 Pin mechanism
   Mild steel cam
- Brass body & plug Standard differ Supplied with 2 keys
  Cylinder retaining screw

Code	Case	Finish
H3632002	60mm	Polished Brass
H3632102	70mm	Polished Brass
H3632202	80mm	Polished Brass
H3632004	60mm	Satin Chrome
H3632104	70mm	Satin Chrome
H3632204	80mm	Satin Chrome



- 5 Pin mechanism Mild steel cam Brass body & plug
- Standard differ Supplied with 2 keys
  Cylinder retaining screw

How to measure an equal length double cylinder

(measure 1 + hardware thickness) +(measure 2 + hardware thickness)

door thickness + total hardware thickness

How to measure an offset cylinder length

Overall Cylinder Length =

Overall Cylinder length =

Door Thickness

Door

centreline and centre of cam

→ I ← 5mm Roses→ I ←

Oymnaon re	raining oorow	
Code	Case	Finish
H3633002	60mm	Polished Brass
H3633102	70mm	Polished Brass
H3633202	80mm	Polished Brass
H3633004	60mm	Satin Chrome
H3633104	70mm	Satin Chrome
H3633204	80mm	Satin Chrome



### N&C Oval Profile Pin Tumbler Single Cylinder

- 5 Pin mechanism Mild steel cam
- Brass body & plug Standard differ Supplied with 2 keys
  Cylinder retaining screw

Code	Case	Finish
H3641002	40mm	Polished Brass
H3641102	45mm	Polished Brass
H3631004	40mm	Satin Chrome
H3641104	45mm	Satin Chrome



### N&C Oval Profile Pin Tumbler Double Cylinder

- 5 Pin mechanism Mild steel cam
- Brass body & plug Standard differ Supplied with 2 keys
  Cylinder retaining screw

Code	Case	Finish
H3642002	60mm	Polished Brass
H3642102	70mm	Polished Brass
H3642202	80mm	Polished Brass
H3642004	60mm	Satin Chrome
H3642104	70mm	Satin Chrome
H3642204	80mm	Satin Chrome



## N&C Oval Profile Pin Tumbler Cylinder and Thumbturn

- 5 Pin mechanism Mild steel cam Brass body & plug
- Standard differ Supplied with 2 keys Cylinder retaining screw

Code	Case	Finish
H3643002	60mm	Polished Brass
H3643102	70mm	Polished Brass
H3643202	80mm	Polished Brass
H3643004	60mm	Satin Chrome
H3643104	70mm	Satin Chrome
H3643204	80mm	Satin Chrome











### N&C Cylinder Rim Nightlatch

Narrow stile 
 Brass latchbolt

•	Supplieu	WILII	2	Reys	

Code	Backset	Finish
H8010030	40mm	Polished Brass
H8020030	40mm	Polished Chrome
H8020031	40mm	White
H7030004	40mm	Satin Chrome

### N&C Cylinder Rim Nightlatch

• Standard stile • Brass latchbolt

Supplied with 2 keys

Code	Backset	Finish
H8010020	60mm	Polished Brass
H8020020	60mm	Polished Chrome
H8010021	60mm	White
H8030003	60mm	Satin Chrome

### N&C Traditional Cylinder Rim Nightlatch

• Standard stile • Brass latchbolt

Supplied with 2 keys

N&C Rim Lock

Supplied with 2 keys

• Polished case & staple • 3 Lever mechanism

Code	Backset	Finish
H8010050	60mm	Green Brass
H8020050	60mm	Silver Chrome
H8010060	60mm	Polished Brass
H8020060	60mm	Polished Chrome



Finish






N&C Rim Cylinder

• Supplied with 2 keys

Code H8010040 H8020040




### N&C Rim Latch With Internal Locking Snib • Polished case & staple • 3 Lever mechanism

		152 X /011111	
Code	Finish	Code	Finish
H8010002	Polished Brass	H8010001	Polished Brass

### Typical Master Key Control System

For more information, please contact one of our experienced ironmongery sales team




### Yale Locks



Yale has a comprehensive range of nightlatches suitable for all applications and security needs, including locks to meet BS 3621 & BS 8621.

Yale's long standing history & experience in the manufacture of nightlatches means that the locks are commonly referred to as "Yale locks".





### w.@w

### Yale PBS1 Nightlatch

- British Standard cylinder rim nightlatch
- 2 Keys 20mm bolt Anti thrust protection Anti drill
- Anti pick anti bump 6 Pin cylinder Auto deadlocking

Code	Backset	Cylinder	Case
H0185522	60mm	Brass	Brasslux
H0185521	60mm	Brass	Gunmetal
H0185523	60mm	Chrome	Chrome



### Yale PBS2 Nightlatch

- British Standard cylinder rim nightlatch for narrow stiles
- 2 Keys 20mm bolt Anti thrust protection Anti drill
- Anti pick anti bump
   6 pin cylinder
   Auto deadlocking

Code	Backset	Cylinder	Case
H0185532	40mm	Brass	Brasslux
H0185533	40mm	Chrome	Chrome



#### Yale No 1 Nightlatch

- Double Locking cylinder rim nightlatch
- 2 Keys 20mm Bolt Anti thrust protection
- Deadlocking by key internally

Code	Backset	Cylinder	Case
H0185512	60mm	Brass	Brasslux



### Yale No 2 Nightlatch

- Double Locking cylinder rim nightlatch for narrow stiles
- 2 Keys 20mm Bolt Anti thrust protection
- Deadlocking by key internally

Case	Code	Backset	Cylinder	Case
Brasslux	H0185502	40mm	Brass	Brasslux



### Yale 89 Nightlatch

- Double Locking cylinder rim nightlatch
- 2 Keys
   Deadlocking by key externally

Code	Backset	Cylinder	Case
H0184513	60mm	Brass	Brasslux
H0184514	60mm	Chrome	Chrome
H0184511	60mm	Brass	Gunmetal
H0184512	60mm	Chrome	Gunmetal



#### Yale 88 Nightlatch

- Standard cylinder rim nightlatch
- 2 Keys Deadlocking by snib internally

Code	Backset	Cylinder	Case
H0184521	60mm	Brass	Gunmetal
H0184522	60mm	Chrome	Gunmetal





### Yale 85 Nightlatch

- Deadlocking cylinder rim nightlatch for narrow stiles
- 2 Keys Deadlocking by key externally

Code	Backset	Cylinder	Case
H0184503	40mm	Brass	Brasslux
H0184504	40mm	Chrome	Chrome
H0184501	40mm	Brass	Gunmetal
H0184502	40mm	Chrome	Gunmetal
	H0184503 H0184504 H0184501	H0184503 40mm H0184504 40mm H0184501 40mm	H0184503         40mm         Brass           H0184504         40mm         Chrome           H0184501         40mm         Brass



### Yale 82 Nightlatch

- Deadlocking cylinder rim nightlatch
- 2 Keys Deadlocking by key externally & snib internally

Code	Backset	Cylinder	Case
H0187002	60mm	Brass	Gunmetal
H0187001	60mm	Chrome	Gunmetal



### Yale 81 Nightlatch

H0186501 60mm

H0186502 60mm

Code

Rollerbolt cylinder rim nightlatch

Backset

• 2 Keys • Deadlocking by key externally & snib internally

Cylinder

Brass

Chrome

Case

Gunmetal

Gunmetal



Cylinder

Brass

Chrome

Case

Bronze

Gunmetal



Code

H0184001 60mm

H0184002 60mm

Standard cylinder rim nightlatch
 2 Keys

Backset





### Yale 706 Nightlatch

- Standard cylinder rim nightlatch
   2 Keys
- For narrow stiles

Code	Backset	Cylinder	Case
H0184021	40mm	Brass	Bronze
H0184022	60mm	Chrome	Bronze



### Yale Long Lipped Strikeplate

- Long lipped strikeplate for standard nightlatches
- For outward opening doors

Code	Finish
H0184011	Bronze

### Yale 1109 Rim Cylinder

- Yale 1109 replacement rim cylinder
- 2 Keys

Code	Finish
H0188501	Polished Brass
H0188500	Polished Chrome
H0188503	Satin Chrome




### **Contract Din Standard Locks**

A range of modular euro profile mortice locks where the case size and shape remains the same throughout the range regardless of the function. Features the Easi-T reversible latchbolt, perfect for use in commercial applications.

The 72mm centres between the handle and the cylinder assists the visually impaired with operating the lock.

Ideal for heavy duty commercial applications.







### N&C Din Standard Euro Profile Mortice Sashlock Case

- One piece square forend 
   Reversible latchbolt
- Lever handle withdraws latchbolt
- Cylinder withdraws deadbolt
- Strike plate includes white dustcaps

### 235 x 24mm forend

Code	Case	Backset	Centres	Finish
H2900535	85mm	60mm	72mm	Stainless Steel



### N&C Din Standard Mortice Latch Case

- One piece square forend Reversible latchbolt Lever handle withdraws latchbolt
- Strike plate includes white dustcaps

#### 235 x 24mm forend

Code	Case	Backset	Centres	Finish
H2900538	85mm	60mm	72mm	Stainless Steel



### N&C Din Standard Euro Profile Mortice Deadlock Case

- One piece square forend
- Cylinder throws deadbolt to 22mm Strike plate includes white dustcaps

2	235 x 24mm f	orend			
	Code	Case	Backset	Centres	Finish
	H2900536	85mm	60mm	72mm	Stainless Steel



### N&C Din Standard Mortice Bathroom Lock Case

- One piece square forend Reversible latchbolt
- Lever handle withdraws latchbolt
- Thumbturn (5mm follower) throws deadbolt to 11mm
   Strike plate includes white dustcaps

#### 235 x 24mm forend

Code	Case	Backset	Centres	Finish
H2900537	85mm	60mm	78mm	Stainless Steel



### N&C Din Standard Euro Profile Mortice Nightlatch Case With Anti Thrust Bolt

- One piece square forend Reversible latchbolt
- Lever handle & cylinder withdraws latchbolt
- Strike plate includes white dustcaps

### 235 x 24mm forend

Code	Case	Backset	Centres	Finish
H2900540	85mm	60mm	72mm	Stainless Steel



### N&C Din Standard Euro Profile Mortice Escape Sashlock Case With Split Follower

### Reversible Handing Includes Split Spindle

- One piece square forend 
   Reversible latchbolt
- Lever handle & cylinder withdraws latchbolt Strike plate includes white dustcaps

235 x 24mm f	orend			
Code	Case	Backset	Centres	Finish
H2900539	85mm	60mm	72mm	Stainless Steel

### **Fire Brigade Locks**

Fire Brigade Locks are operated by common keys that are kept by Fire Brigade, Police, Ambulance Services and other authorised personnel. They should not therefore be relied upon for security applications. With the exception of the yellow padlocks all options are supplied either grey hammered, galvanised or satin finish. Applications include gates and shutters, barriers, hoardings, common area stores and doors.

- Supplied without keys, see below
- Some options are handed
- Mortice and rim locks are supplied with aluminium escutcheons





### FB1 Fire Brigade Rim Deadlock

FB1 rim deadlock
Supplied with aluminium escutcheon
Outward opening strikeplate

Code	Backset	Hand	Case	Finish
H0140001	45mm	Left	110x80mm	Grey Case
H0140011	45mm	Right	110x80mm	Grey Case



### FB2 Fire Brigade Rim Deadlock

FB2 rim deadlock 

Supplied with aluminium escutcheon
Outward opening strikeplate

Code	Backset	Hand	Case	Finish
H0140501	45mm	Left	110x80mm	Grey Case
H0140511	45mm	Right	110x80mm	Grey Case



### FB4 Fire Brigade Rim Slamlock

FB4 rim slamlock • Supplied with aluminium escutcheon
 Inward opening strikeplate

9	Inward oper	ning strike	plate			
	Code	Backset	Hand	Case	Finish	
	H0141001	45mm	Left	110x80mm	Grey Case	
	H0141002	45mm	Right	110x80mm	Grev Case	

<ul> <li>Outward Opening Strikeplate</li> </ul>
---

 H0141011
 45mm
 Left
 110x80mm
 Grey Case

 H0141012
 45mm
 Right
 110x80mm
 Grey Case



### FB1 Fire Brigade Mortice Deadlock

- FB1 mortice deadlock
- Supplied with 2 aluminium escutcheon

Code H0141501



#### FB2 Fire Brigade Mortice Deadlock

- FB2 mortice deadlock
- Supplied with 2 aluminium escutcheon

Code H0141511



### FB47 Fire Brigade Padlock

H0143011 including chain 50mm

Code

H0143001

Case

50mm

Finish

Galvanised

Galvanised

	0 20	1 °	
	1 miles		
0	8		
	9		

FB 14 Fire Brigade PadlockFB14 padlock 4 lever mechanism

/	0	
6		
11 Fire Bri	gade Padl	lock

FB 11 Fire Brigade Padlock
FB11 padlock • 4 lever mechanism

Case	Finish	Code	Case	Finish
64mm	Galvanised Yellow	H0143003	64mm	Galvanised



### Fire Brigade Keys

Code

H0143002

Code		Code	
H0142501	FB1 Standard Key	H0143021	FB11 Padlock Key
H0142502	FB2 Standard Key	H0143031	FB14 Padlock Key
H0142503	FB4 Standard Key	H0143041	FB11 Padlock Key
H0142511	FB1 Extra Long Key		
H0142514	FB4 Extra Long Key		



#### N&C Phlexicare Radar Lockset

- National Key Scheme
   Anodised aluminium
- Plate with matching internal plate with lever handle
- Supplied with one bow handle key


### **N&C Phlexicare RADAR Key Scheme**


Disability Rights UK (formerly RADAR) are a charity that promotes a national key scheme (NKS) whereby RADAR locks are fitted to public toilets and can only be operated using a RADAR key.

Nicholls & Clarke, together with RADAR launched the NKS in 1981 with thousands of locks installed throughout the UK, with hundreds of thousands of keys in circulation.

These keys are available to disabled or registered blind people to enable them to access the facility.

Non RADAR key holders are denied access to the facility, protecting them against vandalism or misuse, so that a clean functional toilet is available





Right hand				
Code	Case	Backset	Centres	Finish
H0148502	78mm	50mm	60mm	Polished Silver
Left hand Code	Case	Backset	Centres	Finish
H0148503	78mm	50mm	60mm	Polished Silver



### N&C Phlexicare Radar Key

National Key Scheme 
 Anodised aluminium

	Code	Finish
Standard Pattern Radar Key	H0149001	Silver
	Code	Finish
Bow Pattern Radar Key	H0149002	Silver



### N&C Phlexicare Radar Cover Plate

- External cover plate for Phlexicare Radar lockset
- Provides colour contrast for those with visual impairment
- Reversible without Text

Code	Case	Finish
H0149011	300x80mm	ABS Plastic Yellow
H0149012	300x80mm	ABS Plastic Green
H0149013	300x80mm	ABS Plastic Red
H0149014	300x80mm	ABS Plastic Black
H0149015	300x80mm	ABS Plastic Grey
H0149016	300x80mm	ABS Plastic White
H0149017	300x80mm	ABS Plastic Blue

Code	Case	Backset	Centres	Finish
H0148505	78mm	50mm	60mm	Polished Gold
Left hand Code	Case	Backset	Centres	Finish
H0148506	78mm	50mm	60mm	Polished Gold

In addition to the traditional RADAR mortice lockset, the RADAR padlock provide an extension to the National Key Scheme (NKS) and has been adopted by the National Trust, the railways and similar organisations.

In rural areas it may be necessary to prevent stock straying or horses or motorcycles from damaging footpaths.



### N&C Phlexicare Radar Padlock

- National Key Scheme
   2 Lever mechanism
- Brass weather resistant components 
   Keys not included

Code Size Finish H0149003 60mm Red

N&C Phlexicare Radar Hasp & Staple

ode	
0149004	

С

H

Finish Red

# Security at the touch of a button

# echanical Digital Lock



### Unican L 1000-1 Digital Lock

 Heavy duty mechanical digital lock
 Lever handle Auto deadlocking with key over-ride

Left hand			
Code	Size	Finish	
H0201051	187x79mm	Satin Chrome	

ļ	Right hand		
	Code	Size	Finish
	H0201052	187x79mm	Satin Chrome



Unican 1000-1 Digital Lock • Heavy duty mechanical digital lock Knob handle operation Auto deadlocking with key over-ride

Code	Size	Finish	
H0201511	187x79mm	Satin Chrome	



Finish

Satin Chrome

Polished Brass

Unican 7000 Digital Lock • Medium duty mechanical digital lock Knob handle operation 
 Auto deadlocking

Code Size H0201041 155x56mm H0201042 155x56mm



### Briton 9160 Digital Lock

 Light duty mechanical digital lock
 Knob handle operation Auto deadlocking
 Dual function backplate provides optional hold open facility

Code	Backset	Finish
H0201095	60mm	Silver
H0201096	6omm	Polished Brass



# Ask the PERT

Our team of ironmongery specialists are on hand to help you with your project requirements. Call us on 0208 586 4600

### **Padlocks & Bars**

A range of low and medium level security padlocks ideal for tool boxes, sheds and gardens.





### N&C Brass Padlock

Solid brass body padlock with 2 keys

Hardened steel shackle 
 Pick resistant cylinder

Code	Size	Shackle Clearance	Finish
H0161501	20mm	12mm	Polished Brass
H0161503	30mm	19mm	Polished Brass
H0161504	40mm	22mm	Polished Brass
H0161505	50mm	30mm	Polished Brass
H0161506	60mm	34mm	Polished Brass



### N&C Laminated Steel Padlock

- Strong laminated steel body with 2 keys
- Hardened steel shackle Pick resistant cylinder

Code	Size	Shackle Clearance	Finish
H0161001	30mm	18mm	BZP
H0161002	40mm	22mm	BZP
H0161003	50mm	25mm	BZP
H0161004	60mm	34mm	BZP



### N&C Old English Padlock

- Old english padlock with 2 keys
- 4 Lever lock mechanism Brass keyhole cover
- Reliable in all outdoor or marine environments

Code	Size	Shackle Clearance	Finish
H9990123	38mm	11mm	Galvanised
H9990124	51mm	18mm	Galvanised
H9990125	64mm	21mm	Galvanised



### **N&C Recodable Padlocks**

• 3 Wheel recodable combination padlock Ideal for luggage

Code	Size	Shackle Clearance	Finish
H9990148	22mm	22mm	Brass
H9990149	30mm	26mm	Brass



### N&C High Security Padlock

- High security padlock with 2 keys Closed shackle
  Hardened forged shackle Laminated steel body
  5 lever mechanism

Code	Size	Shackle Clearance	Finish
H0162001	66mm	15mm	Zinc Plated



N&C Wire Hasp & Staple

• Wire pattern hasp & staple

Code	Size	Finish
H0168001	102mm	Black
H0168002	127mm	Black
H0168003	152mm	Black



N&C Safety Hasp & Staple • Concealed fixings when in closed position

Code	Size	Finish
H0167501	76mm	Zinc Plated
H0167502	114mm	Zinc Plated
H0167503	152mm	Zinc Plated



N&C Vertical Locking Bar • Strong vertical locking bar

Code	Size	Finish
H0168511	150mm	Mild Steel



N&C Horizontal Locking Bar

Strong horizontal locking bar

<ul> <li>Concealed fixings when closed</li> </ul>				
	Code	Size	Finish	
I	H0162501	200mm	Mild Steel	



### N&C Locking Bar • Strong malleable iron locking bar to swivel

Code	Size	Finish	Code	Size	Finish
H0166001	254mm	Black	H0166011	254mm	Galvanised
H0168002	305mm	Black	H0166012	305mm	Galvanised
H0168003	354mm	Black	H0166013	354mm	Galvanised
H0166004	457mm	Black	H0166014	457mm	Galvanised



### Patio Door Lock

- Patio door lock with 2 keys
- Suitable for most types Of wooden,
- aluminium & upvc sliding patio door
   Push bolt to lock 
   Release with key

Code	Case	Finish
H0110002	46x27x26mm	White



### Universal Bolt

 Universal press bolt with 1 key
 Push bolt to lock Suitable for most types of wood & metal doors & windows Release with key

Code	Size	Finish	Со
H0112501	110x10mm	White	HO



### Multi Purpose Bolt

• Multi purpose press bolt with 1 key

- Suitable for most wood & metal hinged & sliiding doors
  Push bolt to lock 

  Release with key

Code	Size	Finish
H0113001	140x10mm	White



### **Hinge Bolts**

Hinge bolt


• Secures hinge side of door to frame

Finish

Satin Chrome

Fully concealed when door closed

Code	
H0110501	





• Security door chain

Automatically restricts door opening
Can only be unlocked when door is closed

• Fully concealed when door closed

Code	Finish
H0122501	Satin Cl
H0122502	Brass E







### the staple of a cylinder rim nightlatch

Finish Size Code H0122701 1830mm White

### N&C Birminham Bar

Dual purpose flat security bar to strengthen either the hinge side of the doorframe or to the lockside where a mortice lock is fitted

Code	Size	Finish
H0122702	1830mm	White



### **N&C** Tubular Latch

Tubular mortice latch 
 Brass bolt

Pierced @ 38mm centres for bolt through fixings

Case	Backset	Finish
64mm	45mm	Electro Brass
76mm	57mm	Electro Brass
64mm	45mm	Nickel Plated
76mm	57mm	Nickel Plated
	64mm 76mm 64mm	64mm         45mm           76mm         57mm           64mm         45mm





### N&C Double Spring Tubular Latch

Double spring tubular mortice latch 

 Brass bolt

 Larger backset makes this suitable for mortice knob
 furniture

Code	Case	Backset	Finish	
H8010009	100mm	77mm	Electro Brass	
H8010010	151mm	127mm	Electro Brass	
H8020009	100mm	77mm	Stainless Steel	
H8020010	151mm	127mm	Stainless Steel	



### N&C Rollerbolt Catch

• Adjustable mortice rollerbolt catch

Code	Size	Finish
H8010018	32x48mm	Electro Brass
H8020018	32x48mm	Stainless Steel



### N&C Bathroom Deadbolt

Mortice bathroom deadbolt


•	DIASS	ueaupoit	•	SHIIII	IOIIOwei

Code	Case	Backset	Finish
H8000055	76mm	57mm	Electro Brass
H8001047	76mm	57mm	Stainless Steel



3 Lever mortice sashlock with 2 keys
Brass latchbolt
Brass deadbolt

Code	Case	Backset	F
H8010005	64mm	45mm	E
H8010006	76mm	57mm	E
H8020005	64mm	45mm	0
H8020006	76mm	57mm	S





### N&C Mortice Deadlock

- 3 Lever mortice sashlock with 2 keys
- Brass deadbolt

Code	Case	Backset	Finish
H8010011	64mm	45mm	Electro Brass
H8010012	76mm	57mm	Electro Brass
H8020011	64mm	45mm	Satin Chrome
H8020012	76mm	57mm	Satin Chrome



### N&C Mortice Bathroom Lock

#### Mortice bathroom lock

- 5mm follower for thumbturn
- Brass latchbolt

Code	Case	Backset	Finish
H8010007	64mm	45mm	Electro Brass
H8010008	76mm	57mm	Electro Brass
H8020007	64mm	45mm	Satin Chrome
H8020008	76mm	57mm	Satin Chrome



### N&C Mortice Sashlock

- 5 lever mortice sashlock with 2 keys
- Brass deadbolt with hardened steel rollers
  Brass latchbolt 

  Box strikeplate
- \_\_\_\_\_

Code	Case	Backset	Finish
H8010013	64mm	45mm	Electro Brass
H8010013	76mm	57mm	Electro Brass
H8020013	64mm	45mm	Satin Chrome
H8020013	76mm	57mm	Satin Chrome



### N&C Mortice Deadlock

- 5 lever mortice sashlock with 2 keys
- Brass deadbolt with hardened steel rollers
- Box strikeplate

Code	Case	Backset	Finish
H8010015	64mm	45mm	Electro Brass
H8010016	76mm	57mm	Electro Brass
H8020015	64mm	45mm	Satin Chrome
H8020016	76mm	57mm	Satin Chrome

# **Hinges**

At Nicholls and Clarke, we offer a comprehensive range of single axis hinges for a variety of applications such as door, gate, cabinet and windows. All types of applications from heavy duty commercial to lightweight internal doors and furniture fittings.

Select from high quality butt hinges, continuous hinges and spring hinges using the selction charts below.

Our products, where appropriate, meet British and European Standards and Testing methods that cover single axis hinges (BS EN 1935).

The type of hinge and size chosen is dependent on door mass and test cycles (See table below).

Door type	Size (mm)	Mass (kg)	Duty
Cupboard, wardrobe, cabinet, louvered door and shutters	2040 x 626 x 400	3 to 10	Light
Light internal large wardrobe and large louvered doors	2040 x 926 x 40	10 to 17.5	Light
Medium internal doors	2040 x 1012 x 40	17.5 to 25	Medium
Heavy internal doors	2040 x 1012 x 40	25 to 37.5	Medium
Half hour fire doors	2040 x 826 x 44	25 to 37.5	Heavy
Light external fire doors	2040 x 907 x 40	20 to 37.5	Heavy
Heavy external fire doors	2040 x 1002 x 44	37.5 to 55	Heavy
One hour fire doors	2040 x 826 x 54	37.5 to 72.5	Heavy
Oversize or special external doors	2040 x 1200	55 to 110	Heavy

### Frequency of Door Operation

Type of Building and Door	Test Cycle Daily	es (frequency) Yearly	Hinge Type
Large dept. store entrance Large office bldg. entrance School entrance School toilet door Store or bank entrance Office bldg. toilet door	5,000 4,000 1,250 1,250 500 1 400	1,500,000 1,200,000 225,000 225,000 50,000 118,000	Heavy Weight
School corridor door Office bldg. corridor door Store toilet door Dwelling entrance	80 75 60 40	15,000 22,000 18,000 15,000	Standard Weight Anti-Friction Bearing (except on heavy doors
Dwelling toilet door Dwelling corridor door Dwelling closet door	25 10 6	9,000 3,600 2,20	Plain Bearing Hinges may be used on light doors



All hinges should be fitted in accordance with templates where supplied and/or fitting instructions provided. All hinge pins should be in vertical alignment. Where required, hinges should be lubricated immediately after fixing, and at regular intervals, to avoid undue wear on the knuckles, strain on the fixings and stress on the door closers if fitted.



Hi Load Three Knuckle Hinge H207 Max door weight 120kg 
BS EN 1935 Grade 1

Max door weight 120kg • BS EN 1935 Grade 13
Marked certifire approved • Concealed bearing

Code	Size	Finish
H0444905	102x76x3mm	Satin Stainless Steel



Hi Load Three Knuckle Hinge H208 Max door weight 120kg 
BS EN 1935 Grade 13 Marked certifire approved 
Concealed bearing

Code	Size	Finish
H0444906	102x89x3mm	Satin Stainless Steel



Hi Load Three Knuckle Hinge H209

Max door weight 120kg
BS EN 1935 Grade 13
Marked certifire approved
Concealed bearing

Code	Size	Finish
H0444907	102x102x3mm	Satin Stainless Steel



Hi Load Three Knuckle Hinge H102

Max door weight 120kg 

BS EN 1935 Grade 13
Marked certifire approved

Code	Size	Finish
H0444601	100x88x3mm	Bright Zinc Plated
H0444602	100x88x3mm	Satin Nickel Plated
H0444603	100x88x3mm	Satin Stainless Steel
H0444605	100x88x3mm	Polished Brass



### Hi Load Three Knuckle Hinge H103

Max door weight 100kg 
 BS EN 1935 Grade 12
 Marked certifire approved

CodeSizeFinishH0444901100x86x2.5mmBright Zinc Plated



Hi Load Three Knuckle Hinge H104

Max door weight 80kg
BS EN 1935 Grade 11
Marked certifire approved

Code	Size	Finish
H0444902	100x75x2.3mm	Bright Zinc Plated



Hi Load Two Knuckle Lift Off Hinge H101 • Max door weight 80kg • BS EN 1935 Grade 11 • Marked certifire approved • Radius corners

Code	Size	Hand	Finish
H0444701	100x88x3mm	Left	Bright Zinc Plated
H0444721	100x88x3mm	Right	Bright Zinc Plated



Hi Load Two Knuckle Lift Off Hinge H105

Max door weight 80kg 
 BS EN 1935 Grade 11
 Marked certifire approved 
 Radius corners

Code	Size	Hand	Finish
H0444903	98x84x2mm	Left	Bright Zinc Plated
H0444908	98x84x2mm	Right	Bright Zinc Plated



Hi Load Two Knuckle Lift Off Hinge H107 • Max door weight 120kg • BS EN 1935 Grade 13 • Marked certifire approved • Radius corners

Code	Size	Hand	Finish
H0444904	110x98x3.2mm	Left	Bright Zinc Plated
H0444908	110x98x3.2mm	Right	Bright Zinc Plated

Foertifire



All hinges on this page are from the Hi Load Range manufactured by Royde and Tucker



### N&C Five Knuckle Twin Ball Race Hinges Max door weight 120kg BS EN 1935 Grade 13 Marked certifire approved







### N&C Three Knuckle Self Lubricating Butt Hinge

- Max door weight 120kg
  BS EN 1935 Class 9
  Marked certifire approved

Code	Size	Finish
H044280	3 102x76x3mm	Polished Stainless Steel
H044280	4 102x76x3mm	Satin Stainless Steel





### N&C Five Knuckle Twin Ball Race Hinges

• Max door weight 120kg • BS EN 1935 Grade 7 Marked certifire approved

Code	Size	Finish
H0442715	102x76x3mm	Bright Zinc Plated
H0442713	76x50x2mm	Polished Stainless Steel
H0442701	76x50x2mm	Satin Stainless Steel





### **N&C Five Knuckle Hinges**

Max door weight 120kg

Code	Size	Finish
H0442511	102x76x2mm	Satin Stainless Steel
H0442501	76x50x2mm	Satin Stainless Steel



### N&C Five Knuckle Light Steel Hinge

1838 Pattern

Code	Size	Finish
H0440041	100mm	Self Colour Steel
H0440031	75mm	Self Colour Steel
H0440021	50mm	Self Colour Steel
H0440011	40mm	Self Colour Steel
H8021021	100mm	Bright Zinc Plated
H8021020	75mm	Bright Zinc Plated
H8011016	100mm	Electro Brass Plated
H8011015	75mm	Electro Brass Plated





88

• 1840 Pattern Code

Size

75mm

H8021023 100mm H8021022

H8011020 100mm

H8011019 75mm

### N&C Five Knuckle Double Pressed Steel Hinge 899 Pattern

Code	Size	Finish
H0441521	150mm	Self Colour Steel
H0441511	100mm	Self Colour Steel
H0441501	75mm	Self Colour Steel





### N&C Five Knuckle Medium Steel Hinge • 451 Pattern

Code	Size	Finish
H0441011	100mm	Self Colour Steel
H0441001	75mm	Self Colour Steel
H8021013	100mm	Bright Zinc Plated
H8011012	100mm	Electro Brass Plated



### **N&C Rising Steel Hinge**

• Two knuckle steel rising hinge

Code	Size	Hand	Finish
H0451011	100mm	Right	Self Colour Steel
H0451012	100mm	Left	Self Colour Steel
H0451001	75mm	Right	Self Colour Steel
H0451002	75mm	Left	Self Colour Steel
H0451021	100mm	Right	Bright Zinc Plated
H0451022	100mm	Left	Bright Zinc Plated
H8011061	100mm	Right	Electro Brass Plated
H8011060	100mm	Left	Electro Brass Plated
H8011051	75mm	Right	Electro Brass Plated
H8011050	75mm	Left	Electro Brass Plated
H8021070	100mm	Right	Stainless Steel
H8021072	100mm	Left	Stainless Steel

N&C Five Knuckle Light Steel Hinge Loose Pin

Finish

Bright Zinc Plated

Bright Zinc Plated

Electro Brass Plated

Electro Brass Plated





**N&C Flush Steel Hinges** • Three knuckle flush steel hurlinge

Code	Size	Finish
H0450031	100mm	Bright Zinc Plated
H8021017	75mm	Bright Zinc Plated
H8021016	63mm	Bright Zinc Plated
H8021015	50mm	Bright Zinc Plated
H8021014	40mm	Bright Zinc Plated



### **N&C Flush Steel Hinges** • Three knuckle flush steel hurlinge

Code	Size	Finish	
H0450032	100mm	Electro Brass	Plated
H8011024	75mm	Electro Brass	Plated
H8011023	63mm	Electro Brass	Plated
H8011022	50mm	Electro Brass	Plated
H8011021	40mm	Electro Brass	Plated



N&C Steel Back Flap Hinges • Three knuckle steel backflap hinge

Code	Size	Finish
H0452001	25x75mm	Self Colour Steel
H0452011	32x80mm	Self Colour Steel
H0452021	38x90mm	Self Colour Steel
H0452031	50x105mm	Self Colour Steel
H0452041	65x150mm	Self Colour Steel





### N&C Five Knuckle Brass Hinges DPBW

Five knuckle brass hinge
Double phosphor bronze washers

	-	
Code	Size	Finish
H8011002	76x50x3mm	Polished Brass
H8011003	102x67x3mm	Polished Brass
H8011004	102x76x3mm	Polished Brass
H8021000	76x50x3mm	Polished Chrome
H8021001	102x67x3mm	Polished Chrome
H8021002	102x76x3mm	Polished Chrome



N&C Five Knuckle Brass Hinges DSSW Five knuckle brass hinge
Double stainless steel washers

11

Code	Size	Finish
H8011026	76x50x3mm	Polished Brass
H8011027	102x67x3mm	Polished Brass
H8011028	102x76x3mm	Polished Brass





N&C Five Knuckle Brass Hinges • Five Knuckle Solid Drawn Brass Hinge

Code	Size	Finish
H8011031	102x60mm	Self Colour Brass
H8011029	76x40mm	Self Colour Brass
H8011030	102x76mm	Self Colour Brass
H8021004	50x30mm	Polished Chrome
H8021005	60x34mm	Polished Chrome
H8021006	75x41mm	Polished Chrome
H8021007	102x60mm	Polished Chrome



N&C Parliament Brass Hinges • Five Knuckle Solid Drawn Brass Parliament Hinge

Code	Size	Finish
H8011009	102x102x3mm	Polished Brass
H8011010	102x125x3mm	Polished Brass
H8011011	102x152x3mm	Polished Brass
H8021008	102x102x3mm	Polished Chrome
H8021010	102x152x3mm	Polished Chrome



N&C Projection Brass Hinges N&C Projection Brass Hinges are drilled with holes towards the edge of a broad hinge leaf enabling the hinge to clear obstructions when fully opened beyond 90°



### **N&C Projection Brass Hinges**

Five Knuckle Solid Drawn Brass Projection Hinge
 Double Stainless Steel Washers

Code	Size	Finish
H8011032	102x102x3mm	Polished Brass
H8011033	102x125x3mm	Polished Brass
H8011034	102x152x3mm	Polished Brass





N&C Counterflap Brass Hinges • Brass Counterflap Hinge

Code	Size	Finish
H0453501	75x25mm	Self Colour Brass





N&C Counterflap Catch • Brass counterflap catch

Code	Size	Finish
H0454001	35x22mm	Polished Brass





N&C Heavy Duty Continuous Hinge • Continuous heavy duty stainless steel hinge

Code	Size	Finish
H0452507	2000x75x2.5mm	Stainless Steel
H0452508	2134x100x2.5mm	Stainless Steel




### N&C Steel Piano Hinge

• Continuous steel piano hinge • 0.66mm thickness


A

Code	Size	Finish
H0452501	1800x25mm	Electro Brass
H0452503	1800x32mm	Electro Brass
H0452505	1800x38mm	Electro Brass
H0452502	1800x25mm	Nickel Plated
H0452504	1800x32mm	Nickel Plated
H0452506	1800x38mm	Nickel Plated



- Code
   Door Thickness
   Finish

   H0453031
   117x28mm
   Self Colour Brass
- Pattern 220
   Code Door Thickness Finish
- H0453041 140x35mm Self Colour Brass




### Choosing the right Soss hinge

Firstly determine the width, thinkness and weight of the door. Then draw a straight line on the chart, starting on the left hand side at the appropriate point on the door weight column to end at line A

### Example

A door 760mm wide that weights 90kg and has a thickness of 41mm would require four Soss hinges No. 218. The dotted red line shows how this result was determined from the chart



## **Gate Hinges**

A range of traditional steel hinges for a variety of applications from gates, sheds, stores, trestles and cellar hatches outside pubs.





N&C Steel Tee Hinges Medium Weight Medium weight steel tee hinges

Code	Size	Finish
H0460001	230mm	Japanned
H0460011	300mm	Japanned
H0460021	375mm	Japanned
H0460031	450mm	Japanned









#### N&C Steel Tee Hinges Heavy Weight nge

<ul> <li>Heavy Weight \$</li> </ul>	Steel Tee	Hin
-------------------------------------	-----------	-----

Code	Size	Finish
H0460551	300mm	Galvanised
H0460561	450mm	Galvanised
H0460571	600mm	Galvanised

# N&C Steel Strap Hinges • Straight steel strap hinges

Code	Size	Finish
H0461001	152mm	Self Colour Steel
H0461011	203mm	Self Colour Steel
H0461021	305mm	Self Colour Steel

### N&C Steel Reversible Hinges

Light pattern steel reversible hinges

Code	Size	Finish
H0461501	254mm	Self Colour Steel
H0461511	305mm	Self Colour Steel
H0461521	406mm	Self Colour Steel
H0461531	457mm	Self Colour Steel
H0461541	610mm	Self Colour Steel



### **N&C Steel Reversible Hinges**

Heavy pattern steel reversible hinges • Heavy pattern

Code	Size	Finish
H0462001	457mm	Self Colour Steel
H0462011	610mm	Self Colour Steel
H0462021	760mm	Self Colour Steel
H0462031	914mm	Self Colour Steel



N&C Hook & Ride Hinges • Wrought iron hinges • Hook on screw fix plates

Code	Size	Finish
H0463001	305mm	Self Colour
H0463011	405mm	Self Colour
H0463021	457mm	Self Colour
H0463031	610mm	Self Colour



### N&C Cellar Flap Hinges • Wrought iron cellar flap hinge

Code	Size	Finish
H0463501	457mm	Self Colour

### **Spring Hinges**

N&C architectural single action spring hinges can be used where clients would normally fit jamb mounted concealed door closers and hinges.

N&C double action and single action hinges are ideal for kitchens, restaurants, public houses, although it is advisable to note that there is no control or check action with these hinges.





N&C Architectural Single Action Spring Hinges
Adjustable steel single action (Set Of 3)
Max door weight 60kg

ed Chrome
Chrome
o Brass Plated
(



N&C Double Action Spring Hinges • Max door weight 40Kg • Max door width 750mm • Door thickness 35-40mm

O

0

Code	Size	Finish
H8700011	75mm	Silver Sprayed
H8700111	75mm	Brass



N&C Double Action Spring Hinges

Max door weight 15kgMax door width 600mm

Door thickness 18-25mm

Code	Size	Finish
H8700012	102mm	Silver Sprayed
H8700112	102mm	Brass



N&C Double Action Spring Hinges • Max door weight 22kg

Max door width 700mm
Door thickness 25-30mm

 Code
 Size
 Finish

 H8700013
 127mm
 Silver Sprayed

 H8700113
 127mm
 Brass



Max door weight 27kg

H8700014 152mm

H8700114 152mm

Code

Max door width 700mm

Door thickness 30-35mm

Size

Finish

Brass

Silver Sprayed

N&C Double Action Spring Hinges N&C Double Action Spring Hinges

Max door weight 55kg • Max door width
850mm
Door thickness 40-45mm

Code	Size	Finish
H8700015	178mm	Silver Sprayed



N&C Single Action Spring Hinges
Max door weight 15kg
Max Door width 600mm

Max Door width 600mm
 Door thickness 18-25mm

Code	Size	Finish
H8700001	75mm	Silver Sprayed
H8700101	75mm	Brass



### N&C Single Action Spring Hinges

Max door weight 22kg
Max door width 700mm
Door thickness 25-30mm

Code	Size	Finish
H8700002	102mm	Silver Sprayed
H8700102	102mm	Brass



N&C Single Action Spring Hinges • Max door weight 27kg

- Max door weight 27kg
   Max door width 700mm
- Door thickness 30-35mm

	Code	Size	Finish
ed	H8700003	127mm	Silver Sprayed
	H8700103	127mm	Brass



### N&C Single Action Spring Hinges

Max door weight 40kgMax door width 750mm

Door	thickness	35-40mn
Door	thickness	35-40mr

Code	Size	Finish
H8700004	152mm	Silver Sprayed
H8700104	152mm	Brass

### **N&C Window Hinges**

N&C window hinges include cranked casement hinges that accommodate the weatherproofing joinery detail on timber windows and easy clean hinges that open to an angle that allows cleaning from the inside with a friction stay option.





N&C Stormproof Casement Hinges Cranked Stormproof Hinge

Code	Size		Finish
H0455501	65mm	Steel	Bright Zinc Plated
H8011005	65mm	Brass	Self Colour Brass







N&C Easy Clean Hinges

• Easy Clean Steel Window Hinge • 16mm Projection

Code	Leg	Hand	Finish	C
H0452101	100mm	Left	Sheradised	H
H0452102	100mm	Right	Sheradised	



N&C Friction Stay Hinges Side Hung • Stainless Steel Friction Stay • Max Casement Weight 22Kg Hinge For Side Hung Casement

Code	Size	Finish	Code	
H0535701	305mm	Stainless Steel	H0535711	



**N&C Friction Stay Hinges Top Hung** Stainless Steel Friction Stay 
 Max Casement Weight 16Kg
 Hinge For Top Hung Casement

Code	Size	Finish
H0535711	305mm	Stainless Steel



# **Door Closers & Controls**

We offer architectural quality door closers and controls for everyday projects suitable for domestic and commercial situations, as well as doors suitable for accessibility with varying options dependent on usage, volume of traffic and environment. Where appropriate, our door closers meet British and European Standards and testing methods to BS EN 1154 and for electro magnetically controlled products to BS EN 1155.

### OVERHEAD DOOR CLOSERS

We offer a complete range of N&C door closers that cover all possible applications along with known brands such as Dorma and Briton.

### FLOOR SPRINGS


The perfect choice for heavier doors where the closing mechanism is mounted within the floor

### TRANSOM CLOSURES

Transom door closers are normally used throughout the shopfitting industry as they lend themselves to the Aluminium and Stainless Steel profiles for shopfronts.




### WHICH DOOR CLOSER TO USE?



### WHICH DOOR CLOSER CONFIGURATION TO USE?

Overhead door closers can generally be fixed in one of three ways depending on the door location. Most door closers are supplied with necessary brackets and fixings to enable them to be fitted in any of the applications with universal fittings.



Regular fixing Closer body mounted on the pull face of the door Fig 1



Parallel Fixing Closer body mounted on the push side of the door Fig 66




Transom fixing Closer body mounted on the transom on the push side of the door

Fig 61

Door closers are an important link in the control of fire and smoke and their usage can help save lives. From October 2004 Door Closer standards, EN 1154 and EN 1155 became harmonised across Europe and are now the required standards to test to in order to attain CE marking for controlled door closing devices.




### UNDERSTANDING THE TERMINOLOGY




### Back Check

The in built cushioning during the opening cycle that helps minimises the risk of personal injury and damage to adjacent walls




### **Delayed Closing Action**

Delays the closing cycle to allow slow moving pedestrians to pass through unhindered by the closing door



### Hold Open

A device to enable the closer to be held in the open position (usually 90 degrees), These closers must not be used on fire doors (except where they are electronically controlled)



### Latching action

The door movement becomes accelerated in the last degrees of closing to overcome any resistance such as seals, latch bolts etc.

### THE EQUALITIES ACT - DISABILITY LEGISLATION

Legislation aimed at providing universal accessibility of buildings requires service providers to make "reasonable adjustments to the physical features of their premises to overcome barriers to access".

Approved Doc M of the Building Regulations and BS 8300 provide guidance in establishing recommended opening forces for door controls to assist less able users.

Our high efficiency door closers that are capable of meeting the required levels of opening and closing forces. They are marked with the "Wheelchair Symbol". Accurate installation, hinge friction, door seals and variable air pressure can all have a bearing on the opening resistance of the final doorset.

For doors which must also meet the stringent closing force requirements for fire door applications, it may be more appropriate to use electromagnetic hold open or swing free closers or a powered opening solution.



### Door Closers & Controls - N&C





### N&C Overhead Door Closer

BS EN Size 3

- Door closer fixed closing force 3
- Max door width 950mm Max door weight 60kg
  120 minute fire rated Matching arm & cover
- Fig 1, 61 & 66

Code	Body	Finish	
H0412517	180x42x64mm	Silver Sprayed	



# 🖋 👫 😲 🕵 농

### N&C Overhead Slimline Door Closer BS EN Size 3-6

- Slimline closer with backcheck & delayed closing action
- Variable closing force 3-6
   Adjustment by spring
- Max door width 1250mm Max door weight 100kg
- 120 minute fire rated Matching arm & cover

fig 1, 61 & 66

H0412518 236x55x38mm Silver Sprayed	
H0412519 236x55x38mm Satin Stainless Steel	
H0412520 236x55x38mm Polished Stainless Steel	
H0412521 236x55x38mm Polished Brass	





### N&C Transom Mounted Concealed Door Closer BS EN Size 3

- Concealed transom mounted double action door closer
- Size 3 closing force Max door width 950mm
- Bottom pivot and side load arm

Code	Body	Finish
H0412556	271x87x40mm	N/A





### N&C Overhead Door Closer BS EN Size 2-4

- Backcheck & delayed closing action
- Variable closing force 2-4
   Adjustment by position
   Max door width 1100mm
   Max door weight 80kg
- 120 minute fire rated Matching arm & cover fig 1, 61 & 66

248x42x52mm

Code Body Finish H0412508 248x42x52mm Silver Sprayed H0412509 248x42x52mm Satin Stainless Steel H0412510 248x42x52mm Polished Stainless Steel

Polished Brass



H0412516





### N&C Overhead Slimline Cam Action Door Closer BS EN Size 2-4

- Slimline closer with backcheck & delayed closing action
- Variable closing force 2-4 Adjustment by spring
- Max door width 950mm
   Max door weight 60kg
- 120 minute fire rated
   Matching arm & cover Fig 1, 61 & 66

Code	Body	Finish
H0412528	210x52x36mm	Silver Sprayed
H0412529	210x52x36mm	Satin Stainless Steel
H0412525	210x52x36mm	Polished Stainless Steel
H0412527	210x52x36mm	Polished Brass



11 11

### N&C Jamb Mounted Concealed Door Closer

- Concealed jamb fixing door spring • Max door weight 50kg • Square plate
- Code Barrel Plate Finish H0412508 138x22mm 51x25mm Nickel Plated H0430501 138x22mm 51x25mm Brass





### N&C Overhead Door Closer BS EN Size 2-5

- Slimline closer with backcheck & delayed closing action
- Variable closing force 2-5
   Adjustment by spring
   Max door width 1250mm
   Max door weight 100kg
- 120 minute fire rated Matching arm & cover
- fig 1, 61 & 66

Code	Body	Finish
H0412523	236x55x38mm	Silver Sprayed
H0412524	236x55x38mm	Satin Stainless Steel
H0412525	236x55x38mm	Polished Stainless Steel
H0412526	236x55x38mm	Polished Brass



# // 👯 👥 👥 ち

### N&C Overhead Door Closer With Electro Magnetic Function BS EN Size 4

- Electro magnetic hold open/swing free function
- Size 4 closing force
   Adjustment by position
- Max door width 1100mm
   Matching arm & cover
- fig 1, 61 & 66

Code	Body	Finish
H0412536	290x553x60mm	Silver Sprayed
H0412537	290x553x60mm	Satin Stainless Steel
H0412538	290x553x60mm	Polished Stainless Steel
H0412539	290x553x60mm	Polished Brass









### N&C Single Action Floor Spring BS EN Size 3

- Heavy duty floor spring non hold open mechanism
- Back check Size 3 closing force
- Max door width 950mm Single action accessories & matching cover plate

Code	Body	Hand	Finish
H0412540	306x108x40mm	Left	Satin Stainless Steel
H0412541	306x108x40mm	Right	Satin Stainless Steel
H0412542	306x108x40mm	Left	Polished Brass
H0412543	306x108x40mm	Right	Polished Brass

-certifire





# ځ 🕵 Ҟ

#### N&C Single Action Floor Spring With Electro Magnetic Function BS EN Size 4

- Electro magnetic hold open mechanism
- Size 4 closing force Max door width 1100mm
- Single action accessories & matching cover plate

Code	Body	Finish
H0412552	307x78x60mm	Satin Stainless Steel
H0412553	307x78x60mm	Polished Brass



ii 👯 🌉 📥

#### N&C Double Action Floor Spring With Electro Magnetic Function BS EN Size 4

- Electro magnetic hold open mechanism
- Size 4 closing force
   Max door width 1100mm
- Double action accessories & matching cover plate

Code	Body	Finish
H0412554	307x78x60mm	Silver Sprayed
H0412555	307x78x60mm	Polished Brass



#### N&C Door Selector

 N&c overhead "wedge" pattern door selector ensures correct closing sequence on a pair of rebated double doors

Code	Finish
H0432002	Satin Stainless Steel

#### Why Use Dorgard Door Holders?

Dorgard is an intelligent fire door hold-open device that listens for a continuous fire alarm sound level of over 65 decibels.

After approximately 14 seconds, Dorgard releases allowing the fire door to close under the pressure of the overhead door closure

Dorgard is accepted for use by fire authorities and complies fully with all relevant British Standards, EC Directives and UK Workplace Regulations (Fire Precautions) 1997 CE rated.





# 55

#### **Dorgard Door Holder**

Dorguard acoustic fire door retainer • Battery operated

• Doors released upon activation of fire alarm when used in conjunction with a suitable door closing device

Code	Body	Finish	Code	Body	Finish
H0410512	205x195mm	White	H0410517	205x195mm	Beech
H0410513	205x195mm	Black	H0410518	205x195mm	Ash
H0410514	205x195mm	Red	H0410519	205x195mm	Mahogany
H0410515	205x195mm	Brown	H0410520	205x195mm	Aluminium
H0410516	205x195mm	Oak	H0410521	205x195mm	Brass

#### Door Closers & Controls - Briton



Our range of Briton overhead door closers and controls offer our clients a multi-level approach to suit projects of all types, door applications and budgets. Briton have been supplying high quality, highly engineered products designed for longevity and performance for well over 100 years.



- Briton 121CE Door Closer
- Overhead door closer Fixed closing force 3 Max door width 950mm
- Screwthread armset
- Fig 1 & 61

Code	Body	Finish
H0412535	181x40x63mm	Silver



# # 10 💧

#### Briton 1110 Door Closer

- Overhead door closer 
   Variable closing force 2-4
- Adjustment by position
  Max door width 1100mm
  Screwthread armset and trimplate cover
- Fig 1, 61 & 66

Code	Body	Finish
H0411101	207x60x38mm	Silver



# یر این

#### Briton 1110.C Door Closer

- Overhead door closer Variable closing force 2-4
- Adjustment by position Max door width 1100mm • Flat form armset and matching cover
- Fig 1, 61 & 66

Code	Body	Finish
H0411103	207x60x38mm	Polished Stainless Steel
H0411104	207x60x38mm	Satin Stainless Steel

CE	

# 11 Year 120 min (5)

#### Briton 1120.B Door Closer

- Overhead door closer
  Variable closing force 2-4
  Adjustment by spring
  Max door width 1100mm
- Screwthread armset and trimplate cover
- Fig 1, 61 & 66

Code	Body	Finish
H0412504	236x60x38mm	Silver



#### Briton 2003 Door Closer

- Overhead door closer
   Fixed closing force 3
- Fixed closing force 3 Max door width 950mm Flat form armset matching cover
- Fig 1, 61 & 66

Code	Body	Finish
H0412501	249x48x59mm	Silver
H0412503	249x48x59mm	Polished Brass



#### Briton 2003V Door Closer

- Overhead door closer with adjustable backcheck
- Variable closing force 1-4 Adjustment by spring
- Max door width 1100mm Flat form armset matching cover

•	Fig	1,	61	&	66	

Code	Body	Finish
H0413901	249x48x59mm	Silver





### Briton 2003T Door Closer

- Overhead slide track door closer • Fixed power force 3 • Max door width 950mm
- Matching cover and slide track
- Fig 1 & 61

Code	Body	Finish
H0413701	249x48x59mm	Silver





#### Briton 2004 Door Closer

- Overhead door closer Fixed closing force 4
- Adjustment by position Max door width 1100mm
- Flat form armset and matching cover
- Fig 1, 61 & 66

Code	Body	Finish
H0413001	249x48x59mm	Silver
H0413003	249x48x59mm	Polished Brass



#### Briton 2130B.C Door Closer

#### Overhead door closer with backcheck

Body

310x55x66mm

310x55x66mm

- Variable power force 2-6 Adjustable by spring
- Max door width 1400mm
   Flat form armset matching cover

Finish

Silver

Polished Brass

• Fig 1, 61 & 66

Code

H0413501

H0413503





#### Briton 2130BD.C Door Closer

Body

310x55x66mm

310x55x66mm

Code

H0413601

H0412603

- Overhead door closer with backcheck and delayed action
   Variable power force 2-6 

   Adjustable by spring

   Max door width 1400mm 

   Flat form armset matching cover
- Fig 1, 61 & 66

Finish

Silver

Polished Brass





#### Briton 2130B.T.C Door Closer

- Overhead slide track door closer with backcheck
- Delayed closing action
   Variable power force 2-4
   Adjustable by spring
   Max door width 1100mm
- Matching cover & slide track
- Fig 1 & 61

Code	Body	Finish
H0413801	310x55x66mm	Silver



# Briton 9963/01 Overhead Door Closer With

Electro Magnetic Function

 Overhead door closer with electro magnetic hold open/swing free function • Size 3 closing force
 Max door width 950mm • Black arm & silver cover

Max door width 950mm
Black arm & silver
Fig 1 & 61

Code	Body	Finish
H0410501	305x64x92mm	Silver



#### Briton 9963/66 Overhead Door Closer With Electro Magnetic Function

 Overhead door closer with electro magnetic hold open/swing free function • Size 3 closing force
 Max door width 950mm • Black arm & silver cover

• Fig 66

Code	Body	Finish	Code
H0410511	305x64x92mm	Silver	H0410601



# 🖉 👯 🔛 🌺 Acertifire

Briton 2130B.TE.C Overhead Door Closer With Electro Magnetic Hold Open Function

- Overhead slide track closer with electro magnetic hold open
- Adjustable backcheck
- Variable power force 3-4 Max door width 1100mm
- Matching cover & slide track
- Fig 1

Code	Body	Finish
H0410601	310x55x66mm	Silver



# Briton 533 Electro Magnetic Hold Open Device

- Wall mounted electro magnetic hold open device
- Built in release/test button doors
- Released upon activation of fire alarm when used in
- Conjunction with a suitable door closing device

Code	Finish
H0409001	Silver



#### Briton 533C Surface Box

Surface box mount

(Converts 533 from flush mounted to surface mounted)

Code	Finish
H0409002	Silver



## Dorma Door Closers & Controls

Dorma's design oriented range includes quality door closers, access solutions and accessories perfect for commercial and domestic projects implemented across all industries.



### Charantee 120 mins

- **Dorma TS68 Overhead Door Closer** • Overhead door closer • Adjustable power force 2-4
- Adjustment by position 
   Max door width 1100mm
- Screwthread armset
- Fig 1,61 & 66

Code	Body	Finish
H0421501	220x54x45mm	Silver



# 12 👯 👽 🐛 농

#### Dorma TS71 Overhead Door Closer

- Overhead door closer
   Adjustable power force 3-4
- Adjustment by position
   Max door width 1100mm
   Trimplate cover and matching screwthread armset
- Fig 1,61 & 66

Code	Body	Finish
H0421001	232x68x45mm	Silver



#### Dorma TS72V Overhead Door Closer

- Overhead door closer Adjustable power force 2-4
- Adjustment by spring
  Max door width 1100mm
  Trimplate cover and matching screwthread armset
- Irimplate cove
   Fig 1, 61 & 66

Code	Body	Finish
H0421600	232x68x45mm	Silver



#### Dorma TS72VBC Overhead Door Closer

- Overhead door closer
   adjustable backcheck
- Adjustable power force 2-4 Max door width 1100mm
   Trimplate cover and matching screwthread Armset
- Fig 1, 61 & 66

Code	Body	Finish
H0421601	232x68x45mm	Silver



#### Dorma TS73V Overhead Door Closer

- Overhead door closer with backcheck
- Variable closing force 2-4 
   Adjustment by spring
- Max door width 1100mm 
   Trimplate cover and matching screwthread armset
- Fig 1, 61 & 66

Code	Body	Finish
H0421701	225x40x45mm	Silver



#### Dorma TS90 Overhead Door Closer

- Cam action overhead slide track door closer
- Fixed power force 3 
   Max door width 950mm
- Full cover, matching slide channel & arm
  Fig 1

Code	Body	Finish
H0422200	246x57x46mm	Silver



Dorma TS91 Overhead Door Closer

- Cam action overhead slide track door closer
- Fixed power force 3 
   Max door width 950mm
- Body & cover onlyFig 1

Code	Body	Finish
H0421901	267x65x47mm	Silver



#### Dorma TS92B Overhead Door Closer (Pull Side)

- Cam action overhead slide track door closer
- Adjustable power force 1-4 Adjustment by spring
  Max door width 1100mm Body & cover only

Max door	wiath	1100mm	🗕 воау	& COVE
Fig 1				

Code	Body	Finish
H0421801	281x65x47mm	Silver



#### Dorma TS92B Overhead Door Closer (Push Side)

 Cam action overhead slide track door closer Adjustable power force 1-4
 Adjustment by spring

Max door width 1100mm Body & cover Only

• Fig 6

Code	Body	Finish	C
H0421803	281x65x47mm	Silver	H



#### Dorma TS93B Overhead Door Closer

• Cam action overhead slide track door closer

- Adjustable power force 2-5 Adjustment by spring
  Max door width 1250mm Body & cover only • Fig 1

Code	Body	Finish
H0422501	285x62x53mm	Silver





#### Dorma G-N Arm & Channel

• Slide arm & channel to suit TS91/92/93 cam action overhead slide track door closer

#### Dorma G-N Angle Bracket

 Angle bracket for push side of door (For use with slide arm & channel (for push side of door)

Code	Body	Finish	Code	Body	Finish
H0422601	428x35mm	Silver	H0422602	428x25mm	Silver





#### Dorma ITS96 Overhead Door Closer

- Concealed cam action overhead door closer Adjustable power force 2-4
   Adjustment by spring
- Body only Fig 1

Code	Body	
H0422701	256x40x51mm	
110422701	230,40,3 11111	

#### Dorma ITS96 Intumesent Pack

Code	Finish
H0422705	N/A



Dorma ITS96 Arm & Channel To suit 2-4 ITS96 concealed cam action overhead closer

Code	Finish
H0422702	Silver







#### Dorma 8550/1 Side Load Floor Pivot

• For door bottom rail • Channel depth of up to 50mm

#### Code H0423041



#### Dorma 8552/3 End Load Floor Pivot

- End load universal floor pivot for door bottom rail
- Channel depth of up to 50mm

Code H0423042



#### Dorma RTS85W Cover Plate

• Dorma RTS85W cover plate for timber door

Code H0423051



Dorma RTS85M Cover Plate

Dorma RTS85M cover plate for metal door

Code H0423052

#### Dorma RTS85 Size 3 Non H/O Transom Closer

- Concealed transom mounted door closer
- Fixed power size 3 Non hold open
- Standard spindle & brackets for 70mm pivot point

Code	Body	
H0423000	329x94x39mm	

#### Dorma RTS85 Size 4 Non H/O Transom Closer

 Concealed transom mounted door closer Fixed power size 4 • Max door width 1100mm Non hold open 
 Standard spindle & brackets for 70mm pivot point

Code	Body
H0423011	329x94x39mm

#### Dorma RTS85 Size 4 90 Deg H/O Transom Closer

- Concealed transom mounted door closer
- Fixed power size 4 Max door width 1100mm

• 90 degree hold open • Standard spindle & brackets for 70mm pivot point

Code Body H0423012 329x94x39mm

#### Dorma RTS85 Size 5 90 Deg H/O Transom Closer

- Concealed transom mounted door closer
- Fixed power size 5 Max door width 1250mm • 90 degree hold open • Standard spindle & brackets for 70mm pivot point

#### Code Body H0423022 329x94x39mm

#### Closer Concealed transom mounted door closer • Fixed power size 3 • Max door width 950mm

Dorma RTS85 Size 3 105 Deg H/O Transom

- 105 degree hold open
   Standard spindle & brackets for 70mm pivot point
- Body Code
- 329x94x39mm H0423003

#### Dorma RTS85 Size 3 90 Deg H/O Transom Closer

• Fixed power size 3 • Max door width 950mm 90 degree hold open
 Standard spindle & brackets for 70mm pivot point

Code Body H0423002 329x94x39mm

#### Dorma RTS85 Size 5 Non H/O Transom Closer

- Concealed transom mounted door closer
- Fixed power size 5 Max door width 1250mm
- non hold open
   Standard spindle & brackets for 70mm pivot point

Code Body H0423021 329x94x39mm

#### Dorma RTS85 Size 5 105 Deg H/O Transom Closer

- Concealed transom mounted door closer
- Fixed power size 5 Max door width 1250mm
- 105degree hold open Standard spindle & brackets for 70mm pivot point

Code H0423023 329x94x39mm



Dorma 8530 Side Load Arm

Dorma 8530 side load arm for RTS85 transom closer

Code	Size
H0423031	38 x 15mm



Dorma 8534 End Load Arm Dorma 8530 end load arm for RTS85 transom closer

76







#### Dorma BTS75V Floor Spring

- Floor spring mechanism with backcheck
- Variable power 1-4 for single & double action doors
- Max door width 1100mm non hold open
- Standard spindle & cement box

Code	Body
H0425002	285x82x50mm



#### Dorma Double Action Accessory Pack For BTS75V Floor Spring

- Double action accessory pack for BTS75V floor spring
   Comprising: 8066 top centre, 7421 bottom strap, 7510 cover plate, fixings & installation instructions
- Code Finish H0425005 Satin Stainless Steel Cover Plate
- H0425005Satin Stainless Steel Cover PlateH0425006Satin Brass Cover Plate



#### Dorma Single Action Accessory Pack For BTS75V Floor Spring

Single accessory pack for BTS75V floor spring
Comprising: 7411k/56f top centre, 7411/56 bottom strap, 7510 cover plate, fixings & installation instructions

Code	Finish
H0425003	Satin Stainless Steel Cover Plate
H0425004	Satin Brass Cover Plate



#### Dorma BTS80 Floor Spring

Floor spring mechanism with backcheck

341x78x60mm

- Delayed closing action & hold open Fixed power force 4
- Single & double action doors max door width 1100mm
- Standard spindle & cement box

Body

Code

H0426002



#### Dorma Double Action Accessory Pack For BTS80 Floor Spring

- Double action accessory pack for BTS80 floor spring
  Comprising: 8066 top centre, 7421 bottom strap,
- 7510 cover plate, fixings & installation instructions

Code	Finish
H0426005	Satin Stainless Steel Cover Plate
H0426006	Satin Brass Cover Plate



#### Dorma Single Action Accessory Pack For BTS80 Floor Spring

Single action accessory pack for BTS80 floor spring
Comprising: 7411K/56F top centre, 7411/56 bottom strap, 7510 cover plate, fixings & installation instructions

Code	Finish
H0426003	Satin Stainless Steel Cover Plate
H0426004	Satin Brass Cover Plate



#### Dorma TS73EMF Overhead Door Closer With Electro Magnetic Function Size 4

- Overhead door close Size 4 closing force
- Electro magnetic hold open/swing free function
- Max door width 1100mm
- Trimplate cover and matching armset
- Fig 1 & 61

Code	Size	Finish
H0427001	320x46x60mm	Silver



#### Dorma TS73EMF Overhead Door Closer With Electro Magnetic Function Size 5

- Overhead door close 
   Size 4 closing force
- Electro magnetic hold open/swing free function
- Max door width 1250mm
- Trimplate cover and matching armset
  Fig 1 & 61

Code	Size	Finish	
H0427011	320x46x60mm	Silver	



#### Dorma BTS80EMB Floor Spring With Electro Magnetic Function

- Floor spring mechanism Fixed power force 4
- Backcheck & electro magnetic hold open function
- For single & double action doors Cement box
- Max door width 1250mm
   No spindle supplied

Code	Body	
H0426021	341x78x75mm	

Standard Spindle To Suit BTS80EMB Floor Spring H0426022 3mm Clearance



- Powermatic Hydraulic Door Closer
- Concealed jamb mounted hydraulic door closer • Adjustable closing speed & power latching action
- Fixed power force 3 Max door width 950mm
- Max door weight 80kg

Code	Finish
H0431101	Brass
H0431102	Satin Chrome Plated
H0431105	Polished Chrome Plated



#### Perkomatic Hydraulic Door Closer

- Concealed jamb mounted hydraulic door closer
- Adjustable latching action
- For light to medium duty internal doors
- Max door weight 75kg

Code	Finish
H0431001	Brass
H0431002	Satin Chrome Plated
H0431005	Polished Chrome Plated



#### Perko Door Closer

Concealed jamb mounted door closer

- For light to medium duty internal doors
- Max door weight 50kg

Code	Finish
H0430001	Brass
H0430002	Satin Chrome Plated
H0430005	Polished Chrome Plated



### **Door Closers & Controls** Care and Maintenance

#### Overhead door closers

After fitting in accordance with the fitting instructions and template, the door closer must be adjusted to provide a smooth closing action. Adjustment should be made if necessary to allow the door to close against the resistance of a latch bolt where fitted using the "latch action" or in the instance of unlatched doors, against the doorstops with the "latch action" removed to avoid slamming. Where back check or delayed action facilities are incorporated, these should also be adjusted.

Similarly the valve fitted to variable power units must be set according to the size of the door and the strength and ability of the user to operate the door. Further adjustments may be necessary during the commissioning and hand over stages as the hinges "wear in" and the closer mechanism adjusts to operating conditions. Where constantly variable air pressures exist, optimum performance cannot be guaranteed. It is recommended that doorstops be fitted to all non-back -check applications to prevent undue strain on the closer mechanism.

#### Floor springs

Floor springs single or double action, should be correctly installed to allow the door to align precisely in the doorframe in the closed position. Double action assemblies are designed to hold the door in the closed position at neutral, whereas single action accessories provide a 3 degree over-run to ensure that the door leaf is held positively against the door frame. Normally the universal spring unit should be fitted in line with the doorframe, but it may be fitted at 90 degrees to the doorframe provided the spindle insert is adjusted accordingly.

Adjustments should be made to each control as appropriate to ensure a smooth and effective closing of the door. Additional adjustments may be necessary in the first few months after installation, as the door, frame and mechanism adjust to the prevailing conditions to achieve an acceptable action. A latch action facility is available for single action mode if required. In "wet" or external applications, the loose box should be filled with the manufacturers sealing compound. It is recommended that doorstops be fitted where possible to prevent undue strain on the spring mechanism.

# **Fire Control**

Nicholls & Clarke offer a wide choice of fire control products for the safeguarding of properties assets and lives in both commercial and residential environments. From intumescent products that prevent the spread of fire, smoke and hot gases to extinguishers and blankets for attacking a fire.


A complete range of fire door exit hardware that assist in providing safe and effective escape completes the range. Our fire door exit hardware is rigourously tested to British and European Standard requirements and testing methods BS EN 1125 and BS EN 179.

BS EN 1125 covers exit devices operated by a horizontal bar for public environments that must must provide safe and effective escape with a minimum of effect and without prior knowledge of operation i.e. cinema shopping centre, hospitals etc. BS EN 179 covers similar devices but operated by a lever handle or push pad but in non public environments where staff members of users are trained and therefore familiar with the operation.

CHOOSING	A FIRE	EXTING	JISHER
	· · · · · · <b>·</b>		

Fire Classification	Type of Fire	Suitable Fire Extinguisher Type
Class A Fires	Wood, paper, textiles	Water, Dry Powder, Foam
Class B Fires	Flammable liquids such as petrol, oil, fats and paints	Dry Powder, Foam
Class C Fires	Flammable gases such as Methane Acetylene and other natural or manufactured gases	Dry Powder
Electrical Fires	All types of electrical equipment	Carbon Dioxide








Intumescent Fire Seal • Fire Only Seal


Code	Length	Size	Finish
H0850621	2100mm	10x4mm	White
H0850601	1050mm	10x4mm	White
H0850631	2100mm	10x4mm	Brown
H0850611	1050mm	10x4mm	Brown





#### Intumescent Fire Seal • Fire Only Seal

Code	Length	Size	Finish
H0850680	2100mm	15x4mm	White
H0850682	1050mm	15x4mm	White
H0850681	2100mm	15x4mm	Brown
H0850683	1050mm	15x4mm	Brown





#### Intumescent Fire Seal • Fire Only Seal

Code	Length	Size	Finish
H0850622	2100mm	20x4mm	White
H0850602	1050mm	20x4mm	White
H0850632	2100mm	20x4mm	Brown
H0850612	1050mm	20x4mm	Brown



# 🌮 👯 🌺 🏏 certifire

#### Intumescent Fire & Cold Smoke Seal • Fire & Cold Smoke Seal

Code	Length	Size	Finish
H0850661	2100mm	10x4mm	White
H0850641	1050mm	10x4mm	White
H0850671	2100mm	10x4mm	Brown
H0850651	1050mm	10x4mm	Brown





Intumescent Fire & Cold Smoke Seal • Fire & Cold Smoke Seal

	Code	Length	Size	Finish
	H0850678	2100mm	15x4mm	White
	H0850684	1050mm	15x4mm	White
	H0850679	2100mm	15x4mm	Brown
	H0850685	1050mm	15x4mm	Brown



🧬 👫 🌺 🏏 certifire

Intumescent Fire & Cold Smoke Seal • Fire & Cold Smoke Seal

Code	Length	Size	Finish
H0850662	2100mm	20x4mm	White
H0850642	1050mm	20x4mm	White
H0850672	2100mm	20x4mm	Brown
H0850652	1050mm	20x4mm	Brown



Intumescent Air Transfer Grilles • Allows air to flow through under normal conditions but closes when exposed to fire

Code	Free Air Space	Thickness	Size
H0850717	15300mm sq	40mm	150x150mm
H0850718	16100mm sq	40mm	112x225mm
H0850719	30700mm sq	40mm	150x300mm
H0850720	32300mm sq	40mm	225x225mm
H0850721	61400mm sq	40mm	300x300mm



• To suit intumescent air transfer grilles


Code	To Suit	Size	Finish
H0850725	H0850717	200x197mm	Silver
H0850726	H0850718	160x270mm	Silver
H0850727	H0850719	196x344mm	Silver
H0850728	H0850720	269x269mm	Silver
H0850729	H0850721	340x346mm	Silver

### Intumescents

In the event of fire an intumescent seal expands to many times its original volume to seal the gap around the door in order to provide a safe and effective barrier against fire, cold smoke and hot gasses.

Fire only seals are tested to BS 476 part 20/22

Fire and cold smoke seals are tested to BS476 part 20/22 and part 31.1



Intumescent Hinge Pads


Intumescent hinge pads pack of 6
Easily trimmed to size





Intumescent Letter Plate • Intumescent Letter Box Assembly • ABS Frame

Code	Size	Finish
H0850697	270x70mm	Silver Anodised





Intumescent Letter Box Liner Intumescent liner for letter box aperture in a timber door

Code	Max Aperture	Finish	Code	Size
H0850691	250x50mm	Red	H0850690	300x36x2mm



### **Intumescent Paper Pack**

Fire Officers specify intumescent protection to mortice locks and door closers. Intumescent paper expands rapidly in the event of a fire to provide additional protection to the mortice lock cavity as well as around the door closer, helping to maintain the integrity of the door.

Intumescent paper pack for single door
 Comprises:

 3 Hinge Pads
 1 Mortice Lock Pad
 1 Overhead Door Closer Pad

 Code



H0850692



For fire escape signage, please see 'Signage' section





Intumescent Mastic Intumescent acrylic mastic

Code Size Finish H0850694 310ml White



#### Fire Control - N&C Fire Extinguishers



• Water Fire Extinguishers

Wall brackets

Code	Size	Finish
H0850801	6 Litre	Red
H0850811	9 Litre	Red

#### **Replacement Fire Extinguisher Brackets**

H0850881 Water, Powder & Foam Spray Fire Extinguisher



#### **Dry Powder Fire Exinguishers** • Dry powder fire extinguisher

Code	Size	Finish
H0850821	4 Kg	Red

#### Replacement Fire Extinguisher Brackets Wall brackets

H0850881 Water, Powder & Foam Spray Fire Extinguisher



Foam Spray Fire ExinguishersFoam spray fire extinguisher

Code	Size	Finish
H0850831	6 Litre	Red
H0850841	9 Litre	Red

#### **Replacement Fire Extinguisher Brackets**

Wall brackets H0850881 Water, Powder & Foam Spray Fire Extinguisher



#### Carbon Dioxide Fire Extinguishers • Carbon dioxide fire extinguisher

•	Carbon	aioxiae	tire

Code	Size	Finish
H0850842	2 Kg	Red
H0850843	5 Kg	Red

#### **Replacement Fire Extinguisher Brackets**

Wall brackets

H0850891	Carbon Dioxide 2kg
H0850892	Carbon Dioxide 5kg



Spare Printed Glass H0781511



Fire Blankets

Wall mounted fire blanket

Code	Size	Finish	
H0850851	1 x 1m	Red	
H0850861	1.2 x 1.2m	Red	
H0850871	1.8 x 1.2m	Red	







Emergency Key Box • Lockable emergency key box with hinged door

CodeSizeFinishH0782001123x153x40mmRed

Spare Glass H0782002







Carbon Monoxide Alarm • Battery operated

Smoke AlarmBattery operated

Code H9924046 Finish White



#### N&C Single Door Panic Bolt

- 2 point locking e Integral anti thrust mechanism
  Supplied with easy clean socket e Non handed
  Max door height 2440mm e Max door width 1220mm

Code	Finish	Code
H0403101	Silver	H0403102



#### N&C Single Door Panic Latch

1 point locking e Integral anti thrust mechanism
Supplied with adaptor for external rim cylinder
Non handed e Max door width 1220mm

Code	Finish
H0403102	Silver



# N&C Single Door Panic Nightlatch Actuator • 1 point locking • Hold back • Anti thrust functions • Suits euro profile single cylinder mortice nightlatch • Non handed • Max door width 1220mm

Code	Finish
H0403103	Silver



#### N&C Rebated Double Door Panic Set

- 3 Point locking
  Integral anti thrust mechanism
  Supplied with adaptor for external rim cylinder
- Easy clean socket & box keep • N

Code

H0403100

lax door height 2440mm	•	Max	door	width	1220mm	

Finish

Silver

Push
e Door Pushpad

#### N&C Single Panic Bolt

- 2 point locking Integral anti thrust mechanism
- Supplied with easy clean socket
  Max door height 2440mm
  Non handed

Code	Finish	Code
H0403105	Silver	H04031



#### N&C Single Door Pushpad Panic Latch

1 point locking
Integral anti thrust mechanism
Supplied with adaptor for external rim cylinder

- Max door width 1220mm
   Non handed

Code	Finish
H0403106	Silver



#### N&C Single Door Pushpad Panic Mortice Nightlatch and Actuator

- 1 point locking Hold back & anti thrust functions Suits euro profile single cylinder mortice nightlatch

• 1	Max	door	width	1220mm	• ٢	lon	handed	

Code	Finish
H0403107	Silver



N&C Knob Operated Outside Access Device Integral 5 pin cylinder • 2 keys • Non handed



#### N&C Knob Operated Outside Access Device Euro Cylinder

- Includes replaceable euro profile single cylinder
  3 keys (master keyed cylinders be introduced)
- Non handed

Code	Finish	Code	Finish
H0403108	Silver	H0403104	Silver





Briton 376 Single Door Panic Bolt

- 2 point locking With easy clean socket
   Max door height 2500mm Max door width 1300mm
- Non handed

Code

H0404005



Briton 377 Single Door Panic Latch • 1 point locking • Integral anti thrust mechanism Adaptor for external rim cylinder
Max door width 1300mm
Non handed

C C C C C C C C C C C C C C C C C C C

Briton 377 Rebated Double Door Panic Set • 3 point locking • Integral anti thrust mechanism

Adaptor for external rim cylinde
Easy clean socket & box keep 

Max door height 2500mm Max door width 1300mm
 Non handed

Code	Finish	Code	Finish	Code	Finish
H0403001	Silver	H0404001	Silver	H0403601	Silver



#### Briton 379N Single Door Panic Nightlatch and Actuator

1 point locking
 Suits euro profile single cylinder

Mortice nightlatch has hold back & anti thrust functions
 Max door width 1300mm
 Non handed

Finish

Silver



Briton 372 Single Door Pushpad Panic Bolt 2 point locking • Supplied with easy clean socket
 Max door height • Non handed

Finish

Silver

Code

H0404521



Briton 1438 Single Door Pushpad Panic Latch • 1 point locking • integral anti thrust mechanism Adaptor for external rim cylinder
 Non handed

Code	Finish
H0404501	Silver

Briton 1413E/LE Outside Access Device

 Includes replaceable euro profile single cylinder 3 Keys (master keyed cylinders be introduced)

Euro Cylinder

Non handed



Briton 389N Single Door Pushpad Panic Mortice Nightlatch

1 point locking
Suits euro profile single cylinder
Mortice nightlatch has hold back & anti thrust functions

 Non handed Code Finish

Silver

Briton 1413E/KE Outside Access Device

Euro Cylinder

Includes replaceable euro profile single cylinder
3 Keys (Master keyed cylinders be introduced) Non handed

Code	Finish	Code	e	Finish	
H0401001	Silver	H040	02001	Silver	





H0404531







## • Break glass tube emergency door bolt

Break glass tube emergency door bolt
 Ceramic tube 

 Hammer, chain & padlock

Code	Size	Finish	
H0146001	152x57mm	Silver	

#### Replacement Ceramic Tube H0146011



• 3 lever mortice escape deadlock

Code	Size	Finish
H0051501	76mm	Satin Chrome Plated
H0051502	76mm	Brass

#### Fire Escape Mortice Deadlock Euro Profile Cylinder

Euro profile cylinder mortice 
 Escape deadlock case

Code	Size	Finish
H0055501	76mm	Satin Chrome Plated



Plastic Emergency "Break Glass Dome & Rose"

Code	Dia	Finish
H0055671	66mm	Clear Plastic

#### Replacement

 H0055672
 Plastic Emergency "Break Glass Dome" Only

 H0055673
 Plastic Emergency "Break Glass Dome" with integral thumturn



"Break Glass Panel" Lever Operated Mortice Escape Deadlock

Code	Size	Туре	Finish
H0055601	101mm	Lever	Satin Stainless Steel
 H0055611	101mm	Euro	Satin Stainless Steel

EMERGENCY EXIT

BREAK GLASS



Full "Break Glass Panel" Frame Mortice Key Pattern • Suits H0055601 mortice lock

Code	Finish	
H0055621	Green	



#### Full "Break Glass Panel" Frame Euro Profile Cylinder Pattern

Suits H00556011 mortice lock

H0055631 Green	



Standard "Break Glass Panel"

• Frame suits both H0055601 & H0055622 mortice locks

Code	Finish	
H0055641	Green	

#### Replacement Glass

 Code
 Finish

 H0055651
 Glass Panel Printed Clear



Mallet & Chain

• For "Break Glass Panel' mortice locks

Code	Finish
H0055661	Green

Please note: "break glass dome" &" break glass panel" mortice locks do not include domes, frames or panels. Frames do not include glass panels.



# **Site Electrics**









# Signage

The International Standards Organisation (ISO) have sought to harmonise graphic symbols throughout the EU in order to gain a greater recognisition of symbols within fire and safety signs. We offer a wide portfolio of compliant signs in braille, plastic, aluminium and self adhesive vinyl materials in a range of sizes.

ISO 7010/ BS 5499 and EC Directive fire exit signs should never be displayed together within the the same building. The use of ISO 7010 signs for escape routes and ISO 16069 for safety guidance helps ensure the evacuee is proceeds in the correct way to a place of safety.

#### CAUTION SIGNS

If there are hazardous areas or materials on your premises, it's essential to warn staff and visitors about them. One of the best ways to do this is by using Hazard Signs, which are widely understood and will help organisations to comply with the Health & Safety (Safety Signs and Signals) Regulations 1996.


#### EMERGENCY ESCAPE SIGNS

It is essential to have the correct emergency escape signage that clearly identifies escape routes with signs that conform to current UK and European legislation.

#### **INFORMATION SIGNS**

Information signs give visitors and employees within a premises a clear visual guidance. Our signs are ideal for display in warehouses, schools, offices and across many other industries where people would benefit from easy to understand instructions. We also offer a wide range of braille and tactile signs

#### CHOOSING THE RIGHT SIGN





Must not do

PROHIBITION



MANDATORY Action, must do



HAZARD Danger, warning, caution



SAFE CONDITIONS

Escape route,

safety equipment



FIRE

SUPPLEMENTARY INFO Action, must do



All signs with in this section are sutable for both commercial and education enviroments



#### **Running Man Right**

• Fire exit sign • Rigid plastic • Running man arrow to right

Code	Size	Finish
H6800001	400x150mm	White/Green
H6800002	600x200mm	White/Green



#### **Running Man Left**

• Fire exit sign • Rigid plastic • Running man arrow to left

Code Size H6800011 400x150mm H6800012 600x200mm

Finish White/Green White/Green



#### Running Man Down

• Fire exit sign • Rigid plastic • Running man arrow down

Code	Size	Finish
H6800021	400x150mm	White/Green
H6800022	600x200mm	White/Green



#### Running Man Down Right

- Fire exit sign Rigid plastic
- Running man arrow diagonal down to right

Code	Size	Finish
H6800031	400x150mm	White/Green
H6800032	600x200mm	White/Green



Running Man Up Right • Fire exit sign • Rigid plastic

• Running man arrow diagonal up to right

Code	Size	Finish
H6800041	400x150mm	White/Green
H6800042	600x200mm	White/Green



#### Running Man Up

• Fire exit sign • Rigid plastic Running man arrow up

Code	Size	Finish
H6800051	400x150mm	White/Green
H6800052	600x200mm	White/Green



#### Running Man Down Left

• Fire exit sign • Rigid plastic

•	Running	man	arrow	diagonai	aown	tO	lett

Code	Size	Finish
H6800061	400x150mm	White/Green
H6800062	600x200mm	White/Green



#### Running Man Up Left

• Fire exit sign • Rigid plastic • Running man arrow diagonal up to left

Code	Size	Finish	Code	Size	Finish
H6800071	400x150mm	White/Green	H6800081	150x150mm	White/Green
H6800072	600x200mm	White/Green	H6800082	200x200mm	White/Green



#### **Escape Route Signs**

- Fire exit sign Rigid plastic
- Running man arrow to left

Code	Size	Finish
H6800091	750x150mm	White/(

/Green



**Escape Route Signs** 

Fire exit sign
 Rigid plastic

#### **Escape Route Signs**

• Fire exit sign • Rigid plastic Running man arrow to right

Size Code H6800092 750x150mm

Finish White/Green



#### Running Man Exit

• Fire exit sign • Rigid plastic • Running man

Code	Size	Finish
H6800101	400x125mm	White/Green
H6800111	300x150mm	White/Green



#### Fire Assembly Point

Fire assembly point sign
 Rigid plastic
 Collective group

Code	Size	Finish
H68001	21 300x200mm	White/Green
H68001	22 600x400mm	White/Green



#### Fire Assembly Point !

• Fire assembly point sign • Rigid plastic • Assembly point 1

Code	Size	Finish
H6800131	300x200mm	White/Green
H6800132	600x400mm	White/Green



#### Arrow

Directional arrow sign 
 Rigid plastic 
 Straight

Code	Size	Finish
H6800142	150x150mm	White/Green
H6800143	200x200mm	White/Green



#### **Diagonal Arrow**

Directional arrow sign 
 Rigid plastic 
 Diagonal

Code	Size	Finish
H6800151	125x125mm	White/Green
H6800152	150x150mm	White/Green



#### Running Man Right

• Exit sign • Rigid plastic • Running man arrow to right

Code	Size	Finish
H6800161	400x150mm	White/Green
H6800162	600x200mm	White/Green



#### **Running Man Left**

• Exit sign • Rigid plastic • Running man arrow to left

Code	Size	Finish
H6800171	400x150mm	White/Green
H6800172	600x200mm	White/Green



#### **Running Man Down**

• Exit sign • Rigid plastic • Running man arrow down

Code	Size	Finish
H6800181	400x150mm	White/Green
H6800182	600x200mm	White/Green



#### Running Man Up Right

Exit sign
Rigid plastic
Running man arrow diagonal up to right

Code	Size	Finish
H6800191	400x150mm	White/Green
H6800192	600x200mm	White/Green



#### Running Man Up Left

Exit sign 
 Rigid plastic
Running man arrow diagonal up to left

Code	Size	Finish
H6800201	400x150mm	White/Green
H6800202	600x200mm	White/Green



#### Running Man Up

• Exit sign • Rigid plastic • Running man arrow up

Code	Size	Finish
H6800211	400x150mm	White/Green
H6800212	600x200mm	White/Green



#### Running Man Down Right

Exit sign 
 Rigid plastic
Running man arrow diagonal down to right

Code	Size	Finish
H6800221	400x150mm	White/Green
H6800222	600x200mm	White/Green



#### Running Man Down Left

- Fire exit sign 

  Rigid plastic
  Running man arrow diagonal down to left

Code	Size	Finish
H6800231	400x150mm	White/Green
H6800232	600x200mm	White/Green



#### Break Glass For Key

• Fire action sign • Rigid plastic • Break glass for key

	Code	Size	Finish	Code	Size	Finish
Green	H6800241	100x150mm	White/Green	H6800242	100x150mm	White/Green



#### **Break Glass**

• Fire action sign • Rigid plastic • Break glass

Code	Size	Finish
H6800243	100x150mm	White/Green



#### Break Glass Bolt to Open

• Fire action sign • Rigid plastic • Break glass bolt to open

Code	Size	Finish
H6800244	100x150mm	White/Green



#### Turn to Open

Break Glass For Latch

• Fire action sign • Rigid plastic Break glass to reach latch

• Fire action sign • Rigid plastic • Turn to open (Left)

Code	Size	Finish
H6800251	100x150mm	White/Green



#### Turn to Open

• Fire action sign • Rigid plastic • Turn to open (Right)

Code	Size	Finish
H6800252	100x150mm	White/Green



First Aid

· · · · · · · · · · · · · · · · · · ·	First aid point sign • Rigid plastic
---------------------------------------	--------------------------------------

Code	Size	Finish
H6800261	100x150mm	White/Green



#### Push to Open

• Fire action sign • Rigid plastic • Push pad to open

Code	Size	Finish
H6800271	100x150mm	White/Green



#### Assembly Point

• Fire assembly point sign • Rigid plastic

<ul> <li>Collective group with space to infill</li> </ul>			
Code	Size	Finish	
H6800281	300x100mm	White/Green	



#### **Drinking Water**

	-	,				
•	Drinking	water	sign	<ul> <li>Rigid</li> </ul>	plastic	

Code	Size	Finish
H6800291	300x100mm	White/Green



#### **Emergency Stop**

• Emergency stop sign • Rigid plastic

Code	Size	Finish
H6800301	300x100mm	White/Green



#### **Emergency Eye Wash**

• Emergency eye wash station sign • Rigid plastic

Code	Size	Finish
H6800311	300x100mm	White/Green
H6800312	300x200mm	White/Green

Push bar to open

#### Push Bar to Open

• Fire action sign • Rigid plastic • Push bar to open

h	Code	Size	Finish
e/Green	H6800331	300x150mm	White/Green



#### First Aid

• First aid sign • Rigid plastic • With space to infill

Code	Size	Finish
H6800341	300 x 100mm	White/Green



#### First Aid

• First aid sign • Rigid plastic

Code	Size	Finish
H6800342	300x100mm	White/Green



#### First Aid Symbol

• First aid symbol • Rigid plastic

Code	Size	Finish
H6800343	100x100mm	White/Green



#### Push Bar to Open

• Fire action sign • Rigid plastic • Push bar to open

Code	Size	Finish
H6800351	300x100mm	White/Green
H6800352	600x100mm	White/Green

# Push to open

+	Pull to open	

#### Push to Open

Fire action sign • Rigid plastic
To open arrow to right

Size Finish Code H6800361 300x75mm White/Green Pull to Open

Fire action sign • Rigid plastic pull
To open arrow to left



Size Code H6800362 300x75mm





## **Fire Fighting Equipment Signs**

Displaying the right signage is essential for improving the safety of a premises and will help to comply with the law. Fire safety is something all organisations need to address. We can source plenty of signs to keep staff and visitors to site well informed.



#### Fire Extinguisher Signs

Fire extinguisher colour coded guide sign

Code	Size	Finish
H6800371	350x200mm	Multi
H6800372	600x370mm	Multi



#### Fire Extinguisher Sign Dry Powder

• Fire extinguisher sign • Rigid plastic • Dry powder

Code	Size	Finish
H6800374	202x82mm	Multi



#### Fire Extinguisher Sign Foam Spray

• Fire extinguisher sign • Rigid plastic • Foam spray

Code	Size	Finish
H6800375	202x82mm	Multi



#### Fire Extinguisher Sign Water

• Fire extinguisher sign • Rigid plastic • Water

Code	Size	Finish
H6800376	202x82mm	Multi



#### Fire Extinguisher Sign Carbon Dioxide

• Fire extinguisher sign • Rigid plastic • Carbon Dioxide

Code	Size	Finish
H6800377	202x82mm	Multi



Fire Blanket Sign

Fire blanket sign
 Rigid plastic

Code	Size	Finish
H6800378	202x82mm	Multi



#### Fire Hose Sign

• Fire hose reel sign • Rigid plastic

Code	Size	Finish
H6800379	9 202x82mm	Multi



According to the Fire Precautions (Workplace) Regulations 1997, non-automatic fire equipment should display safety signs in accordance with The Safety Signs and Signals Regulations 1996. These regulations require fire fighting equipment to be marked with a permanent sign board in red.

Fire Signs are designed to show location of fire-fighting equipment including extinguishers, hose reels, alarms and fire points.



#### Fire Hose Reel

• Fire hose reel instruction to operate sign • Rigid plastic

Code	Size	Finish
H6800391	200x250mm	White/Red



#### **Fire Point**

• Fire point sign • Rigid plastic • With space to infill

Code Size Finish H6800388 200x300mm White/Red







#### Fire Host Reel

• Fire hose reel sign • Rigid plastic

Code	Size	Finish
H6800384	300x100mm	White/Red

Eiro	Exting	uichor
гие	EXUNU	uisiier

Code Size H6800385 300x100mm

Finish	Code
White/Red	H6800

**Fire Point** 

• Fire point sign • Rigid plastic

Finish Size 800386 300x100mm

White/Red



Fire Action

- Fire action sign with space to infill
- Rigid plastic

Code	Size
H6800661	200x300mm
H6800662	400x600mm



**Fire Action** • Fire action (break glass) sign with space to infill • Rigid plastic

Code Size H6800671 200x300mm H6800572 400x600mm



**Fire Action** • Fire action sign • Rigid plastic

Code Size H6800681 200x300mm



Fire Action • Fire action sign • Rigid plastic

Code	Size
H6800691	200x300mm

## **Mandatory Signs**

These fire door signs help to conform with Building Regulations 1991 which advise that all doors designed to be fire resistant should display an appropriate mandatory fire safety sign.

All signs comply to BS5499 Part 1/5, and are available in 1mm rigid plastic, self adhesive vinyl or metal screw disk.



#### Fire Door Keep Locked Shut

• Fire door keep locked shut sign • Self adhesive vinyl

Code	Size	Finish
H6800441	80x80mm	White/Blue
H6800442	100x100mm	White/Blue
H6800443	150x150mm	White/Blue



#### Keep Locked Shut

• Keep locked shut sign • Self adhesive vinyl

Code	Size	Finish
H6800451	100x100mm	White/Blue
H6800452	150x150mm	White/Blue



#### Fire Door Keep Shut

• Fire door keep shut sign • Self adhesive vinyl

Code Size Finish	
H6800431 80x80mm White/Blue	
H6800332 100x100mm White/Blue	
H6800333 150x150mm White/Blue	



#### Automatic Fire Door Keep Clear

• Automatic fire door keep clear sign • Self adhesive vinyl

Automatic

fire door

Keep clear

Code	Size	Finish
H6800461	80x80mm	White/Blue
H6800462	100x100mm	White/Blue



#### Automatically Close

Code

H6800

This door will automatically close when fire alarm operates
Self adhesive vinyl

	Size	Finish	Code
0481	100x100mm	White/Blue	H6800511



#### Please Switch Off Lights

- Please switch off lights on leaving sign
- Self adhesive vinyl

Size	Finish
100x100mm	White/Blue
150x150mm	White/Blue
	2
keep shut	
	100x100mm

#### Fire Door Keep Shut Sign Circular

Dcsk for screw fix

Code	Dia	Finish
H6801071	76mm	Blue/Silver Aluminium
H6801072	76mm	Blue/Polished Brass
H6801073	76mm	Blue/Polished Stainless Steel
H6801074	76mm	Blue/Satin Stainless Steel

Please Close This Door

Please close this door sign 
 Self adhesive vinyl



#### Switch Off

Switch off when not in use sign 
 Self adhesive vinyl

Code	Size	Finish	Co
H6800551	100x100mm	White/Blue	H68
H6800552	150x150mm	White/Blue	H68



#### Fire Door Keep Locked Sign Circular

Dcsk for screw fix

Code	Dia	Finish
H6801081	76mm	Blue/Silver Aluminium
H6801082	76mm	Blue/Polished Brass
H6801083	76mm	Blue/Polished Stainless Steel
H6801084	76mm	Blue/Satin Stainless Steel



#### Fire Door Keep Closed

• Fire door keep closed sign • Self adhesive vinyl

Code	Size	Finish
H6800471	100x100mm	White/Blue
H6800472	150x150mm	White/Blue



#### Fire Escape Keep Clear

• Fire escape keep clear sign • Self adhesive vinyl

Code	Size	Finish
H6800531	100x100mm	White/Blue
H6800532	150x150mm	White/Blue



#### **Close These Doors**

Close these doors at night sign
 Self adhesive vinyl

Code	Size	Finish
H6800521	100x100mm	White/Blue
H6800522	150x150mm	White/Blue

## **Information Signs**

These high quality information signs provide clear pictoral information to locations. They are pre drilled and countersunk for easy screwing to the substrate.





Male Pictogram Rectangular • Dcsk for screw fix

CodeSizeFinishH6801021150x100mmSilver Anodised AluminiumH6801022150x100mmPolished Brass



# Female Pictogram RectangularDcsk for screw fix

Code	Size	Finish
H6801031	150x100mm	Silver Anodised Aluminium
H6801032	150x100mm	Polished Brass



#### Disabled Person Pictogram Rectangular

Dcsk for screw fix

Code	Size	Finish
H6801041	150x100mm	Silver Anodised Aluminium
H6801042	150x100mm	Polished Brass



Changing Places Pictogram Rectangular • Dcsk for screw fix

	Code	Size	Finish
n	H6801043	150x100mm	Silver Anodised Aluminium



#### Male Pictogram Circular

Dcsk for screw fix

Code	Dia	Finish
H6801051	76mm	Silver Anodised Aluminium
H6801052	76mm	Polished Brass
H6801053	76mm	Polished Stainless Steel
H6801054	76mm	Satin Stainless Steel



#### Female Pictogram Circular

Dcsk for screw fix

Code	Dia	Finish
H6801061	76mm	Silver Anodised Aluminium
H6801062	76mm	Polished Brass
H6801063	76mm	Polished Stainless Steel
H6801064	76mm	Satin Stainless Steel



#### **Disabled Person Pictogram Circular**

Dcsk for screw fix

Code	Dia	Finish
H6801065	76mm	Silver Anodised Aluminium
H6801066	76mm	Polished Brass
H6801067	76mm	Polished Stainless Steel
H6801068	76mm	Satin Stainless Steel



### Changing Places Pictogram Circular

Dcsk for screw fix

Code	Dia	Finish
H6801069	76mm	Silver Anodised Aluminium



#### Unisex Pictogram Circular

Dcsk for screw fix

Code	Dia	Finish
H6801095	76mm	Silver Anodised Aluminium
H6801096	76mm	Polished Brass
H6801097	76mm	Polished Stainless Steel



#### Baby Change Pictogram Circular

Dcsk for screw fix

Code	Dia	Finish
H6801101	76mm	Silver Anodised Aluminium
H6801102	76mm	Polished Brass
H6801068	76mm	Satin Stainless Steel



#### Shower Area Pictogram Circular

Dcsk for screw fix

Code	Dia	Finish
H6801091	76mm	Silver Anodised Aluminium
H6801092	76mm	Polished Brass
H6801093	76mm	Polished Stainless Steel
H6801094	76mm	Satin Stainless Steel





Staff Only Sign

Rigid plastic

Code	Dia	Finish
H6801111	300x100mm	White/Black



Gents Sign

•	Rigid	plastic

CodeDiaFinishH6801114300x100mmWhite/Black



Canteen SignRigid plastic

Code	Dia	Finish
H6801123	300x100mm	White/Black



**Reception Sign** 

Rigid plastic

Code Dia Finish H6801112 300x100mm White/Black



Rigid plastic

CodeDiaFinishH6801115300x100mmWhite/Black



Private SignRigid plastic

Code Dia Finish H6801124 300x100mm White/Black



Office Sign

Rigid plastic

Code	Dia	Finish
H6801113	300x100mm	White/Black



### Toilets Sign

Rigid plastic

Code	Dia	Finish
H6801121	300x100mm	White/Black



• Rigid plastic

Code	Dia	Finish
H6801134	300x200mm	White/Black



#### No Parking Sign

Rigid plastic

Code	Dia	Finish
H6801135	300x200mm	White/Black

# **Prohibition Signs**

These blue and white signs should he used to indicate actions that must be carried out in order to comply with statutory requirements.

For example an area of a construction site where hard hats should be worn should have appropriate signs at the entry points.

**Protective** 

clothing

must be worn

Finish



#### Protective Equipment Must Be Worn In This Area Sign

Rigid plastic

Code Size Finish H6801353 200x300mm White/Blue H6801354 400x600mm White/Blue



Protective Footwear Must Be Worn Sign Rigid plastic

Code

Size Finish H6801374 600x200mm White/Blue



Protective Gloves Must Be Worn Sign


Rigid plastic

Code	Size	Finish	
H6801358	600x450mm	White/Red/Blue	



#### Wear Face Mask Sign

Rigid plastic		
Code	Size	Finish
H6801375	300x100mm	White/Blue



Hard hat and high

visibility vest to be

worn in this area

Hard Hat And High Visability Vest To Be Worn

H6801394 600x450mm White/Blue

DANGER

Danger - Keep Out Sign

H6801501 600x450mm

Size

Rigid plastic

Code

Finish

KEEP

OUT

White/Blue/Yellow

Finish

In This Area Sign Rigid plastic

Code

Size

#### Eye Protection Must Be Worn Sign

<ul> <li>Rigid plastic</li> </ul>			
Code	Size	Finish	
H6801381	300x100mm	White/Blue	
H6801382	600x200mm	White/Blue	



#### Ear Protection Must Be Worn Sign

 Rigid plastic Code Size H6801383 300x100mm H6801384 600x200mm

Finish White/Blue White/Blue



#### All Drivers And Visitors Must Report To Site Office Sign

#### Rigid plastic

Code	Size	Finish
H6801393	600x450mm	White/Blue



#### **Construction Site-Keep Out Sign**

Rigid plastic		
Code	Size	Finish
H6801502	600x450mm	White/Blue/Yellow



#### To Be Used By Trained And Authorised Personnel Only Sign

<ul> <li>Rigid plastic</li> </ul>		
Code	Size	Finish
H6801405	600x450mm	White/Blue



#### Site Traffic 5 mph Speed Limit Sign

 Rigid plastic 
 Non reflective Finish Size Code H6801503 300x300mm White/Red/Black



#### Site Traffic 10 mph Speed Limit Sign

• Rigid plastic • Non reflective Finish Code Size White/Red/Black H6801504 300x300mm



Site Traffic 15 mph Speed Limit Sign Rigid plastic
 Non reflective

- Finish Size Code
- H6801505 300x300mm White/Red/Black



Protective Clothing Must Be Worn Sign

Size

H6801371 300x100mm White/Blue

Rigid plastic

Code

## **Prohibition Signs**

A range of prohibition signs used to instruct, inform, advise staff, visitors and members of the public in any action which is specifically prohibited. All prohibition signs comply with EN 7010 and The Health & Safety (Signs & Signals) Regulations 1996.





No Smoking Symbol • Rigid plastic

Code	Size	Finish
H6801211	100x100mm	White/Red/Black
H6801212	200x200mm	White/Red/Black



#### No Smoking Beyond This Point Sign

Rigid plastic

Code	Size	Finish
H6801161	300x100mm	White/Red/Black



#### No Smoking Or Naked Lights Sign

Rigid plastic

Code	Size	Finish
H6801232	400x600mm	White/Red/Black



No Persons Sign
 Rigid plastic

Code	Size	Finish
H6801222	200x200mm	White/Red/Black



#### Strictly No Admittance Sign

Rigid plastic

 Code
 Size
 Finish

 H6801171
 300x100mm
 White/Red/Black

 H6801172
 600x200mm
 White/Red/Black



#### Strictly No Admittance Sign

Rigid plastic

Code	Size	Finish	
H6801241	400x600mm	White/Red/Black	Code



No Smoking Sign

nigiu	plastic	

Code	Size	Finish
H6801071	300x100mm	White/Red/Black
H6801143	600x200mm	White/Red/Black



# No Unauthorised Persons Allowed Beyond This Point Sign

Rigid plastic

Code	Size	Finish	
H6801181	300x100mm	White/Red/Black	



No Unauthorised Persons Allowed Beyond This Point Sign • Rigid plastic

Code	Size	Finish
H6801252	400x600mm	White/Red/Black



No Admittance Authorised Personnel Only Sign

Rigid plastic

Code	Size	Finish
H6801272	400x600mm	White/Red/Black



No Parking Sign Rigid plastic

Code	Size	Finish
H6801282	400x600mm	White/Red/Black



No Exit Sign Rigid plastic

Code Size Finish H6801291 200x300mm White/Red/Black



#### No Entry Sign Rigid plastic

Code	Size	Finish
H6801272	400x600mm	White/Red/Black



No Tipping Or Dumping Sign Rigid plastic

Code Size H6801333 400x600mm White/Red/Black

Finish



No Exit Sign

Rigid plastic

Code Size Finish H6801343 600x450mm White/Red/Black



#### Hazard Signs Hazard signs are intended to instruct, advise and warn staff, visitors and members of the public about potential dangers. All hazard signs Warning Warning comply to EN 7010 specifications. These CCTV premises are in under CCTV operation surveillance Construction Warning - CCTV In Operation Sign Warning - These Premises Are Under CCTV site Surveillance Sign Rigid plastic Keep out Rigid plastic Size Code Finish Code Size Finish H6801512 400x300mm White/Yellow/Black H6801511 400x300mm White/Yellow/Black This organisation These premises operates 24hr are under CCTV **CCTV** surveillance surveillance Mind ated by: rated by: the For the purpose of: the purpose of: step These Premises Are Under CCTV This Organisation Operates 24Hr CCTV Mind The Step Sign Surveillance Sign With Space To Infill Surveillance Sign With Space To Infill Rigid plastic Rigid plastic Rigid plastic Code Size Finish Code Size Finish Code Size Finish H6801513 400x300mm White/Yellow/Black H6801514 400x300mm White/Yellow/Black H6801521 200x300mm White/Yellow/Black Mind

vour head

#### Mind Your Head Sign

<ul> <li>Rigid</li> </ul>	plastic
---------------------------	---------

Code	Size	Finish
H6801523	400x300mm	White/Yellow/Black



Danger - Men At Work Sign

Rigid plastic

Code	Size	Finish
H6801530	400x600mm	White/Yellow/Black



Danger - Fragile Roof Sign Rigid plastic

Code	Size	Finish
H6801525	200x300mm	White/Yellow/Black



Caution - Fork Lift Trucks Operating Sign Rigid plastic

Code	Size	Finish
H6801527	200x300mm	White/Yellow/Black
H6801528	400x600mm	White/Yellow/Black



Site Entrance Sign Rigid plastic

Code	Size	Finish
H6801541	600x450mm	White/Yellow/Black



#### **Construction Site Keep Out Sign** Rigid plastic

Code	Size	Finish
H6801542	600x450mm	White/Yellow/Black



Danger - Overhead Live Wires Sign • Rigid plastic

Code	Size	Finish
H6801543	600x450mm	White/Yellow/Black



Danger - Demolition In Progress Sign • Rigid plastic

Code	Size	Finish	Coc
H6801561	600x450mm	White/Yellow/Black	H68



Site Safety Sign

Rigid plastic

Code	Size	Finish
H6801581	800x600mm	Multi



#### Site Safety Sign

Rigid plastic

Code	Size	Finish
H6801582	800x600mm	Multi



### **Tactile & Braille Signs**

Braille is a way for people with visual impairment to read through a series of raised dots that represent text. Our braille signs are manufactured to conform with the DDA Act 1995 and more recently, the Equality Act 2010 which suggests that businesses and organisations must make reasonable adjustments such as providing large, well defined braille and tactile signs for the visually impaired.





#### Male Tactile & Braille Pictogram

<ul> <li>Dcsk for scr</li> </ul>	ew fix	
Code	Dia	Finish
H6801606	75mm	Satin Stainless Steel
H6801667	75mm	Silver Aluminium
<ul> <li>Self Adhesiv</li> </ul>	e	
H6801607	75mm	Blue/White



#### Female Tactile & Braille Pictogram

<ul> <li>Dcsk for screw fix</li> </ul>				
Code	Dia	Finish		
H6801608	75mm	Satin Stainless Steel		
H6801668	75mm	Silver Aluminium		
<ul> <li>Self Adhesive</li> </ul>				
H6801609	75mm	Blue/White		



**Disabled Person Tactile & Braille Pictogram** 

Blue/White

#### Unisex Tactile & Braille Pictogram

- Dcsk for screw fix
- Code Dia H6801604 75mm H6801605 75mm

 Dcsk for screw fix Code

H6801666

Self adhesive

H6801610 75mm

H6801611 75mm

Dcsk for screw fix

H6801614 75mm

Dia

Code

Self adhesive H6801615 75mm

Dia

75mm

Finish Satin Stainless Steel Blue/White



#### WC Tactile & Braille Pictogram

Dosk for screw fix

Code	Dia	Finish
H6801600	75mm	Satin Stainless Steel
H6801601	75mm	Blue/White



#### Baby Change Tactile & Braille Pictogram

<ul> <li>Dcsk for screw fix</li> </ul>				
Code	Dia	Finish		
H6801602	75mm	Satin Stainless Steel		
H6801669	75mm	Silver Aluminium		
<ul> <li>Self adhesive</li> </ul>				
H6801603	75mm	Blue/White		



#### Toilets Tactile & Braille Pictogram

<ul> <li>Dcsk for screw fix</li> </ul>			
Code	Dia	Finish	
H6801616	75mm	Satin Stainless Steel	

•	Self	adhesiv

Self adhesiv	е	
H6801617	75mm	Blue/Whitel



#### Female Tactile & Braille Pictogram

<ul> <li>Dcsk for screw fix</li> </ul>			
	Code	Size	Finish
	H6801671	150x100mm	Silver Anodised Alluminum

### **Disabled Person Tactile & Braille**

 Dcsk for screw fix Code Size Finish H6801673 150x100mm Silver Anodised Alluminum



#### First Aid Symbol Tactile & Braille Pictogram

e a brane i lotograni		,	e a Diane i letegian
	<ul> <li>Dcsk for sci</li> </ul>	rew fix	
Finish	Code	Dia	Finish
Satin Stainless Steel	H6801612	75mm	Satin Stainless Steel
Silver Aluminium			

Self adhesive

H6801611 75mm Blue/Stainless Steel



### Male Tactile & Braille Pictogram

<ul> <li>Dcsk for screw fix</li> </ul>			
Code	Size	Finish	
H6801672	150x100mm	Silver Anodised Alluminum	



Shower Area Tactile & Braille Pictogram

Finish

Satin Stainless Steel

Blue/White



#### **Changing Places Tactile & Braille**

<ul> <li>Dcsk for screw fix</li> </ul>			
Code	Size	Finish	
H6801670	150x100mm	Silver Anodised Alluminum	



#### WC Tactile & Braille Pictogram

<ul> <li>Dcsk for screw fix</li> </ul>			
Code	Size	Finish	
H6801636	150x150mm	Satin Stainless Steel	

#### Self Adhesive

H6801637 150x150mm Blue/White



#### Male Tactile & Braille Pictogram

<ul> <li>Dcsk for screw fix</li> </ul>			
Code	Size	Finish	
H6801618	150x150mm	Satin Stainless Steel	

#### Self Adhesive

H6801619 150x150mm Blue/White



#### Family WC Tactile & Braille Pictogram

<ul> <li>Dcsk For Screw Fix</li> </ul>			
Code	Size	Finish	
H6801628	150x150mm	Satin Stainless Steel	

#### Self Adhesive

H6801629 150x150mm Blue/White



#### Baby Change Tactile & Braille Pictogram

<ul> <li>Dcsk</li> </ul>	Dcsk for screw fix		
Code	Size	Finish	
H680	1632 150x150	0mm Satin Stainless Steel	

## Self Adhesive H6801653 150x150mm Blue/White



#### Female Tactile & Braille Pictogram

Dcsk for screw fix
 Code Size Finish
 H6801620 150x150mm Satin Stainless Steel

#### Self Adhesive

H6801621 150x150mm Blue/White



#### Boy WC Tactile & Braille Pictogram

Dcsk For Screw Fix
 Code Size Finish
 H6801633 150x150mm Satin Stainless Steel

#### Self Adhesive

H6801639 150x150mm Blue/White



#### Unisex Tactile & Braille Pictogram

- Dcsk for screw fix
   Code Size
  - ode Size
  - H6801624 150x150mm Satin Stainless Steel

Finish

- Self Adhesive
  - H6801625 150x150mm Blue/White



#### **Disabled Person Tactile & Braille Pictogram**

- Dcsk for screw fix
   Code Size Finish
- H6801622 150x150mm Satin Stainless Steel
- Self Adhesive
   H6801623 150x150mm Blue/White



#### Girl WC Tactile & Braille Pictogram

<ul> <li>Dcsk For</li> </ul>	or Screw Fix	
Code	Size	Finish

0000	0120	1 11 11311
H6801640	150x150mm	Satin Stainless Steel

- Self Adhesive
- H6801641 150x150mm Blue/White



#### Toilets Tactile & Braille Pictogram

- Dcsk For Screw Fix
- CodeSizeFinishH6801626150x150mmSatin Stainless Steel

•	Self Adhesive			
	H6801627	150x150mm	Blue/White	



#### Shower Area Tactile & Braille Pictogram

<ul> <li>Dcsk For</li> </ul>	Screw Fix	
Code	Size	Finish

0000	0120	1 IIII0II
H6801630	150x150mm	Satin Stainless Steel

Self Adhesive
 H6801631 150x150mm Blue/White



#### Telephone Tactile & Braille Pictogram

Dcsk For Sci	rew Fix	
Code	Size	Finish
H6801634	150x150mm	Satin Stainless Steel

Self Adhesive
 H6801635 150x150mm Blue/White



#### Push Plate Tactile & Braille

<ul> <li>Dcsk for screw fix</li> </ul>			
	Code	Size	Finish
	H6801642	400x100mm	Satin Stainless Steel

#### Self adhesive

H6801643 400x100mm White



#### **Push Tactile & Braille**

1	<ul> <li>Dcsk for scr</li> </ul>	ew fix	
	Code	Size	Finish
	H6801648	125x80mm	Satin Stainless Stee

<ul> <li>Self adhesive</li> </ul>	1	
H6801649	125x80mm	Blue/White



#### Kitchen Tactile & Braille

<ul> <li>Dcsk for screw fix</li> </ul>			
Code	Size	Finish	

H6801648	175x80mm	Satin Stainless Steel

 Self adhesive H6801659 175x80mm Blue/White



#### Pull Plate Tactile & Braille

Dcsk for scre	ew fix	
Code	Size	Finish
H6801644	400x100mm	Satin Stainless Steel

Pull

Finish

Satin Stainless Steel

1111

#### Self adhesive

H6801645 400x100mm White

**Pull Tactile & Braille** 

Size

H6801653 125x80mm Blue/White

H6801652 125x80mm

Dcsk for screw fix

Code

Self adhesive



#### Staff Only Tactile & Braille

<ul> <li>Dcsk for screet</li> </ul>	ew fix	
Code	Size	Finish
H6801646	225x80mm	Satin Stainless Steel

#### Self adhesive

H6801647 225x80mm Blue/White



Finish

#### Private Tactile & Braille

- Dcsk for screw fix Code Size
- H6801650 160x80mm Satin Stainless Steel
- Self adhesive H6801651 160x80mm Blue/White



#### Library Tactile & Braille

Dcsk for screw fix

- Code Size Finish H6801656 160x80mm Satin Stainless Steel
- Self adhesive H6801657 160x80mm Blue/White



#### **Enquiries Tactile & Braille**

<ul> <li>Dcsk for screw fix</li> </ul>					
Code	Size	Finish			
H6801654	225x80mm	Satin Stainless Steel			

Self adhesive H6801649 225x80mm Blue/White



#### Store Tactile & Braille

<ul> <li>Dcsk for screw fix</li> </ul>					
Code	Size	Finish			
H6801664	140x80mm	Satin Stainless Steel			

Self adhesive

H6801665 140x80mm Blue/White



#### Toilets Tactile & Braille

- Dcsk for screw fix Code Size Finish H6801660 160x80mm Satin Stainless Steel
- Self adhesive H6801661 160x80mm Blue/White



#### Office Tactile & Braille

 Dcsk for screw fix Code Size H6801662 225x80mm

Finish Satin Stainless Steel

Self adhesive

# **Sliding Door Gear**

N&C are specialists in Sliding Gear Systems for sliding doors and folding doors. Our products are highly versatile and can be used in a variety of different applications from wardrobes, glass panels, timber doors, warehouse doors, shop fronts and gates.

Our sliding door gear can also be used in many non-door applications such as fall arrest systems or for sliding machinery, industrial curtains, sports equipment, projector screens and blackboards.


	Door Types			Fixing				
Name	Sliding		Folding				Max. Door	
Name	Wardrobe & Cupboard (Wood)	Cupboard	Room Divider (Wood)	Wardrobe & Cupboard (Wood)	Room Divider (Wood)	Face	Soffit	Weight
Slipper	•						C D OR E	9kg
Bifold				•			F	14kg
Cello	•							25kg
Loretto	•							25kg
Zenith		•						25kg
Senator						A OR B	C D OR E	30kg
Double Top	•						C D OR E	45kg
Phantom			•			AORB	C D OR E	45kg
Single Top	•					A OR B	C D OR E	45kg
Pocket Door			•				DORE	60kg
Marathon 55			•			A OR B	C D OR E	55kg
Marathon 90			•			AORB	C D OR E	90kg
Husky Folding 25				•	٠		F	25kg
Husky Folding 40				•	•		F	40kg
Husky Folding 50	•		•			A OR B	C D OR E	50kg
Husky Folding 100	•		•				C D OR E	100kg

From the table below, please select the appropriate sliding gear:

There are two common fixing methods: Face fixed and Soffit fixed

Face fixed systems (A&B) are for sliding doors and the track is attached to the side of the wall facing the room.

Soffit fixed systems are for either sliding or folding doors and the track is attached to the lintel. Track can be fitted within the opening width (C - sliding doors or F - folding doors) or extend into the wall cavity (D & E - sliding only).





Chasmood Channel No 76

- Sliding doors
   Double channel
- 6mm thick glass Top channel 2000mm


Code	Size	Finish
H0871501	20x13mm	Black plastic




Chasmood Channel No 75 Sliding doors
 Double channel

6mm thic	k glass 🤇	Bottom	channel	2000mm

Code	Size	Finish	Code	Size
H0871511	20x10mm	Black plastic	H0872001	13x10mm





Chasmood Channel No 74

• 6mm thick glass • Top channel 2000mm

Finish

Black plastic

Sliding doors 
 Single channel

#### Chasmood Channel No 34

- Sliding doors
   Double channel
- Rigid PVC inserts
   Bottom channel 2000mm

Code	Size	Finish
H0872511	18x11mm	Silver Aluminium



• 6mm thick glass • Bottom channel 2000mm

Chasmood Channel No 73

• Sliding doors • Single channel



Chasmood Channel No 35

Sliding doors
 Double channel



Nylonslide BO 634024P

 Sliding doors 
 Double roller channel 6mm thick glass 
 Top/side channel 2000mm

Code	Size	Finish
H0873001	21x18mm	Polished aluminium



Nylonslide BO 634020P Sliding doors 
 Double roller channel 6mm thick glass 
 Bottom channel 2000mm

Code	Size	Finish	Co
H0873011	21x18mm	Polished aluminium	HC



Nylonslide BO 634021TP Sliding doors 
 Single roller channel • 6mm thick glass • Top/side channel 2000mm

Code	Size	Finish
H0873501	13x18mm	Polished aluminium



Nylonslide BO 634027P

- Sliding doors 
   Single roller channel
- 6mm thick glass 
   Bottom channel 2000mm

Code	Size	Finish
H0873511	13x18mm	Polished aluminium



#### Ratchet Lock

For pair of frameless glass doors

• 2 Keys

Code	Size	Finish
H0027501	114mm	Polished chrome



Cylinder Lock "Plunge" Sliding Door • For Light wood or Glass

Code	Size	Finish
H0026501	Light timber 19mm	Polished chrome
H0267001	Glass doors 25mm	Polished chrome


### Slipper

An ideal system for fitted furniture where no bottom track is required; such as serving hatches, cupboards or anything with lightweight timber or chipboard sliding doors.

Quiet nylon rollers on aluminium track doors easily removed for cleaning & decorating

Max Door Weight 9KgMax Door Width 900mm

Max Door Thickness 16mm




Slipper 2 Door Kit		
🔵 Aluminium		
Code	Size	
H9994025	SS4 Kit 1200mm	
H9994026	SS5 Kit 1500mm	
H9994027	SS6 Kit 1800mm	

### Zenith

A versatile system for showcases, bookcases, display panels, hatches interior windows or anything else requiring a lightweight sliding glass door. Aluminium gear with brush pile strips on guide rail. Silent & easy glide motion

Max Door Weight 25Kg
Max Door Width 916mm
Max Door Thickness 6mm



### Zenith 2 Door Kit

<ul> <li>Aluminium</li> </ul>	
Code	Size
H0880501	Z12 Kit 1200mm
H0880511	Z15 Kit 1500mm
H0880521	Z18 Kit 1800mm

### Zenith Cylinder Lock

Polished chrome
 Code

H0880551Left handH0880561Right hand


### Zenith Finger Pull

Polished chrome
 Code Size
 H0880571 22mm Dia

### Cello

A pefect system for timber, timber framed or composite wardrobe sliding doors bottom rollers operate quietly on aluminium rails easy to install with no routing of doors required

Max Door Weight 25Kg
 Max Door Width 920mm
 Max Door Thickness 36mm




### Cello Door Kit

Aluminium	
Code	Size
H9994021	C15 2 door kit 1500mm
H0892021	C18 3 door kit 2400mm

### Loretto

Especially designed to work with timber framed, glazed & flush doors high quality finish for wardrobes, cupboards, bookcases & other cabinet work nylon rollers operate quietly on aluminium rails multiple tracks can be fitted

- Max Door Weight 23Kg
- Max Door Width 900mm
- Max Door Thickness 36mm



# Loretto 2 Door Kit

 Code
 Size

 H9994023
 D4 Kit 1200mm

 H9994024
 D5 Kit 1500mm


 H0880021
 D6 Kit 1800mm

### Senator

An Elegant, Premium Quality Sliding Mechanism For Heavier Entrance & Room Dividing Doors Suitable For Timber, Timber Framed & Composite Doors Standard Kit For Single Leaf Door Easy Fix Floor Guide

Max Door Weight 30KgMax Door Width 900mm

Max Door Thickness 35mm



Aluminium

Senator SEN Kit

Code Size H9994017 SEN Kit 1500mm


### Phantom

An exceptionally quiet, frictionless & easy to operate sliding mechanism suitable for any room in a residential, hospital or hotel environment suitable for timber, timber framed & composite doors. Standard Kit For Single Leaf Door.

Optional kits for conversion to simultaneous action or self closing doors.

Max Door Weight 45Kg

- Max Door Width 915mm
- Max Door Thickness 50mm



### Phantom P9 Kit

Aluminium


Code Size H9994016 P9 Kit 1500mm

### Double Top

The perfect choice for heavy duty sliding door applications suitable for larger wardrobes & cupboards in hotels, schools, hospitals & offices Double track for bi-passing doors Nylon hangers work silently on aluminium track

Max Door Weight 45Kg

- Max Door Width 900mm
- Max Door Thickness 40mm



# Double Top Kit Door Kit

Aluminium Double Doors


Code	Size
H9994000	Kit W12 1200mm
H9994001	Kit W15 1500mm
H9994002	Kit W18 1800mm
H9994003	Kit W24 2400mm
H0881541	Kit W01 Adds Additional Door

### Single Top

Graceful solution for residential wardrobe doors suitable for timber framed or composite doors Nylon Rollers operate quietly & smoothly on aluminium rails

Max Door Weight 45Kg

- Max Door Width 900mm
- Max Door Thickness 40mm



### Single Door Door Kit

Aluminium Single Door


Code	Size	
H9994028	ST12 Kit 1200mm	
H9994029	ST15 Kit 1500mm	
H9994030	ST18 Kit 1800mm	

\_\_\_\_\_

Marathon Sliding 55 A unique simultaneous opening action, easily adjusted door

heights & a fire door kit option available Suitable for both light & heavy duty commercial sliding doors & partitions steel track

- Max Door Weight 55Kg
- Max Door Width 1200mm
- Max Door Thickness 50mm




### Marathon 55 - 1 Door Kit Steel

Code	Size	
H9994004	J2 Kit 1219mm	
H9994005	J3 Kit 1473mm	
H9994006	J4 Kit 1702mm	
H9994007	J5 Kit 1981mm	
H9994008	J6 Kit 2438mm	

### Marathon Sliding 90

A unique simultaneous opening action, easily adjusted door heights & a fire door kit option available Suitable for both light & heavy duty commercial sliding doors & partitions

- Max Door Weight 90Kg
- Max Door Width 1200mm
- Max Door Thickness 50mm
- Steel Track




### Marathon 90 - 1 Door Kit

Code	Size	
H0884001	S3 Kit 1473mm	
H0884011	S4 Kit 1702mm	
H0884021	S5 Kit 1981mm	
H0884031	S6 Kit 2438mm	

### Husky Sliding 100

A versatile & silent system for creating wardrobe doors & room dividers. Suitable for timber, timber framed or metal doors steel track

- Max Door Weight 100Kg
- Max Door Width 1250mm
- Max Door Thickness 50mm




### Husky 100 - 1 Door Kit Steel

Code	Size
H9994009	18 Kit 1800mm
H9994010	20 Kit 2000mm
H9994011	24 Kit 2400mm

### Pocket

A set that provides the structure & sliding door gear for residential doors to slide into a wall cavity. Ideally suited to applications where space is at a premium such as toilets, bathrooms & kitchens. Pre assembled aluminium track & header assembly. Galvanised steel studs, spacers & brackets softwood header assembly

- Max Door Weight 60Kg
- Max Door Width 930mm
- Max Door Thickness 44mm



### Pocket Door PDK10 - 1 Door Kit Steel/Aluminium


Code Size H0884161 Kit PDK10 (Satin Flush Pull & Finger Pull Included)

When assembled using 12.5mm Wallboards O/A wall thickness is 115mm

### **Bi-Fold**

A stable & smooth opening folding system for wardrobe doors. Designed for timber, timber framed or composite doors. Aluminium top track with fittings & spring loaded guides Low maintenance system & suitable for jambless openings

- Max Door Weight 14Kg
- Max Door Width 530mm
- Max Door Thickness 35mm




I	Bi-Fold Door Kit				
	<ul> <li>Aluminium</li> </ul>				
	Code	Size			
	H9994018	Kit B10/2 2 Doors 1067mm			
	H9994019	Kit B15/4 4 Doors (2+2) 1524mm			
	H9994020	Kit B20/4 4 Doors (2+2) 2134mm			

### Husky Folding 25

A flexible solution for both light & medium weight folding partitions. Concealed fixings & robust floor gear allow partitions to be neatly stacked at one side

- Max Door Weight 25Kg\*
- Max Door Width 600mm
- Max Door Thickness 44mm

\* Husky folding 25 can support doors of up to 25kg without a floor channel



## Husky Folding 25 Door Kit

Steel


Code	Size
H9994012	Kit H25/12 - 2 Doors 1200mm
H9994013	Kit H25/24 - 4 Doors 2400mm

### Husky Folding 40

A flexible solution for both light & medium eight folding partitions. Concealed fixings & robust floor gear allow partitions to be neatly stacked at one side


- Max Door Weight 40Kg\*
- Max Door Width 750mm
- Max Door Thickness 44mm


\*Husky Folding 40 Can Support Doors Of Up To 40kg without a floor channel



Husky Folding 40 Door Kit	
<ul> <li>Steel</li> </ul>	

Code	Size
H9994014	Kit H40/15 - 2 Doors 1500mm
H9994015	Kit H40/30 - 4 Doors 3000mm





### Henderson 290

Straight sliding system for both timber & steel doors. Widely used in lighter commercial & industrial applications to cover any width of opening. Any number of doors can be used on single or multiple lines of track to accommodate different building designs, doors can slide to one or both sides

Max Door Weight
 150Kg Nylon Wheel Hanger

- 200Kg Steel Wheel Hanger
- Max Door Height 3000mm

Max Door Thickness 48mm

(For ease of operation it is recommended that door width should not exceed 75% of door height)

### Henderson 290 Track

Steel
Code
Size
H0885001
Top Track 1800mm
H0885021
Top Track 3000mm

### Henderson 290 Open Bracket

Aluminium
 Code Size
 H0885501 1A/290 Face Fix Open Bracket

### Henderson 290 End Clip

Aluminium
Code Size
H0885511 1A/290EC to Close Open Bracket

### Henderson 290 Joint Bracket

Aluminium
Code Size
H0885531 1AX/290 Face Fix



### 414 Flush Pull Handle

Code	Size	Finish
H0890001		Grey



 • Nylon

 Code
 Size

 H0886001
 53K/N 4 Nylon Wheel Door Hanger

 Side Plate Fixing

### Henderson 290 Wheel Hanger S/P

Steel
Code Size
H0886011 54K/S 4 Steel Wheel Hanger
Side Plate Fixing

### Henderson 290 Wheel Hanger A/P

 • Nylon

 Code
 Size

 H0886021
 52K/N 4 Nylon Wheel Door Hanger

 Angle Plate Fixing



Steel
Code Size
H0886031 57K/N 4 Steel Wheel Hanger
Top Plate Fixing

### Henderson 290 Bottom Guide Channel

<ul> <li>Steel</li> </ul>		
Code	Size	
H0886501	1800mm	
H0886511	2500mm	
H0886521	3000mm	

### Henderson 290 Bottom Guide

Steel		
Code	Size	
H0887001	105R/89 Face Fix	



### 863 Bow Handle - Face Fix

Code Size Finish H0890501 Grey



### Wall Mounted Door Stop

Code		Finish	
H0891001	Double Door Stop	Steel	
H0891011	Single Door Stop	Steel	



Straight sliding system for both timber & steel doors. Widely used in commercial, industrial & agricultural applications to cover any width of opening. Any number of doors can be used on single or multiple lines of track to accommodate different building designs, doors can slide to one or both sides

- Max Door Weight
   400Kg (Nylon Wheel Hanger)
   300Kg (Steel Wheel Hanger)
- Max Door Height 3600mm
- Max Door Thickness 57mm

(For ease of operation it is recommended that door width should not exceed 75% of door height)

### Henderson 301 Top Track

Steel		
Code	Size	
H0887501	Top Track 1800mm	
H0887511	Top Track 2500mm	
H0887521	Top Track 3000mm	

### Henderson 301 Open Bracket

<ul> <li>Aluminium</li> </ul>		
Code	Size	
H0888001	1A/301 Face Fix Open Bracket	

### Henderson 301 End Clip

<ul> <li>Aluminium</li> </ul>		
Code	Size	
H0888011	1A/301EC to Close Open Bracket	



### 414 Flush Pull Handle

Code	Size	Finish
H0890001		Grey

### Henderson 301 Joint Bracket

Aluminium
 Code Size
 H0888021 1AX/301 Face Fix

### Henderson 301 Wheel Hanger S/P

Nylon
Code Size
H0888501 53A/S 4 Steel Wheel Door Hanger
Side Plate Fixing

# Henderson 301 Wheel Hanger A/P

Nylon
Code Size
H0888531 52A/N 4 Nylon Wheel Door Hanger
Angle Plate Fixing



### 863 Bow Handle - Face Fix

Code	Size	Finish
H0890501		Grey



### Henderson 301 Bottom Guide Channel

<ul> <li>Steel</li> </ul>			
Code	Size		
H0889001	1800mm		
H0889011	2500mm		
H0889021	3000mm		

### Henderson 290 Bottom Guide

<ul> <li>Steel</li> </ul>	
Code	Size
H0889501	102/97 Face Fix Self Cleaning
H0889511	106R/97 Bottom Fix




### Wall Mounted Door Stop

Code		Finish
H0891001	Double Door Stop	Steel
H0891011	Single Door Stop	Steel

# **Cabinet, Cubicle Fittings & Shelving**

Whether proudly displaying show pieces, hiding files in offices or storing goods in kitchens, cabinets work hard to improve spaces, N&C sources a huge variety of cabinet components, from cabinet hinges and stays, cabinet locks and cabinet fittings to cabinet legs and feet.





All products within this section are suitable for commercial, domestic and education environments



### N&C Light Duty Cupboard Locks

- Light duty straight cupboard lock 1 key
- Double handed for left or right hand use
- 2 way keyhole enabling use as a drawer lock
- 2 lever mechanism No differs

Code	Case	Finish	
H0020001	51x26mm	Brass	
H0020002	64x32mm	Brass	





### N&C Heavy Duty Cupboard Locks

- Heavy duty straight cupboard lock
   2 keys
- Double handed for left or right hand use
- 2 way keyhole enabling use as a drawer lock
- 4 lever mechanism 12 differs

Code	Case	Finish	
H0020003	51x26mm	Brass	
H0020004	64x32mm	Brass	

### N&C Heavy Duty Cupboard Locks

- Heavy duty straight cupboard lock 2 keys
- 4 lever mechanism 12 differs

Code	Case	Hand	Finish	
H0020501		64x35mm	Right	Brass
H0020502	64x35mm	Left	Brass	



### N&C Heavy Duty Till/Drawer Lock

- 2 way keyhole allows left hand cupboard use
- 2 keys 4 lever mechanism 12 differs

Code	Case	Hand	Finish	
H0021002	6	4x44mm	Right	Brass
H0021501	64x44mm	Left	Brass	



### N&C Heavy Duty Box Lock

Brass Link Plate
2 Keys
4 Lever Mechanism
12 Differs

Code	Case	Finish
H0021501	64x38mm	Brass



### Union 4137 Cupboard Lock

- Cylinder cut cupboard/drawer lock 2 keys
- Suits timber drawers or doors up to 23mm thickness
- Cylinder rotates to produce either a drawer lock or a right or left hand cupboard lock

Code	Case	Finish
H0026201	64x38mm	Polished Brass Cylinder





# Union 4138 Cupboard Lock

Cylinder Cut Cupboard/Drawer Lock • 2 Keys
Suits Timber Drawers Or Doors Up To 23mm thickness
Cylinder Rotates To Produce Either A Drawer Lock Or A Right Or Left Hand Cupboard Lock

Code	Case	Finish	
H0026202	64x38mm	Polished Brass	
Srike plate			
Code		Finish	
H0026203		Polished Brass	



## Union 4147 Cupboard Lock

Cylinder Cut Cupboard/Drawer Lock • 2 Keys
Suits Timber Drawers Or Doors Up To 12.5mm thickness
Cylinder Rotates To Produce Either A Drawer Lock Or A Right Or Left Hand Cupboard Lock

Code	Case	Finish	
H0026211	45x33mm	Polished Brass	
Srike plate			
Code		Finish	
H0026203		Polished Brass	



# Union 4148 Cupboard Lock

 Cylinder Cut Cupboard/Drawer Lock • 2 Keys
 Suits Timber Drawers Or Doors Up To 12.5mm thickness
 Cylinder Rotates To Produce Either A Drawer Lock Or A Right Or Left Hand Cupboard Lock • Upon Closing The Bolt
 Automatically Engaged

is raternationing	Engagoa		
Code	Case	Finish	
H0026221	45x33mm	Polished Brass	
Srike plate			
Code		Finish	
H0026203		Polished Brass	



### **Thread Escutcheon**

• To line a keyhole opening

Code Case Finish				
	Code	Case	Finish	
H0330001 13mm Brass	H0330001	13mm	Brass	
H0330011 14mm Brass	H0330011	14mm	Brass	
H0330021 16mm Brass	H0330021	16mm	Brass	



### Locker Lock

Deadbolt With 6mm Projection Nozzle • 2 Keys
7 Lever Mechanism • 1000 Differs
Suits Metal Doors Up To 5mm Thickness

Code	Case	Finish	
H0023001	43x67mm	Silver	



### Ratchet Lock

Ratchet Lock For Pair Of Frameless Glass Doors 
 2 Keys

Code	Case	Finish	
H0027501	114mm	Polished Chrome	



### **Plunger Lock Glass**

Cylinder "Plunge" Sliding Door Lock For Glass Doors





### **Ratchet Lock Timber**

Cylinder "Plunge" Sliding Door Lock For Light Timber Doors

Code	Dia	Finish
H0026501	19mm	Polished Chrome



### Mortice Budget Lock

Mortice Budget Lock c/w Strikeplate

Code	Finish
H0522051	Sheradised



Flat Rim Budget Lock c/w Strikeplate Double Handed



Standard T Budget Lock Key • Keys

Кеу Туре	Code	Finish	
Standard T Key	H0046001	Self Colour	



Budget Lock Flat Oval Escutcheon

```
    Keys
```

Кеу Туре	Code	Finish
Flat Oval Escutcheon	H0044501	Satin Chrome



Finish

Bright Zinc Plated

### Triangular Budget Lock Key

<ul> <li>Keys</li> </ul>	
--------------------------	--

Code

H0045501

Кеу Туре	Code	Finish	
Triangular	H4800020	Self Colour	



### N&C Triangular Budget Lock

• Triangular Key Rim Budget Lock c/w Nylon Ferrule & Plate

Finish

Self Colour

Code
H4800018



Budget Lock Covered Spring Esctcheon

• Keys

Кеу Туре	Code	Finish
Covered Spring	H0045001	Chrome





Nylon Roller Door Catch Nylon roller door catch 
 Non adjustable

Code	Size	Finish
H0029001	27x18mm	White



# Nylon Roller Door Catch Adjustable

Nylon roller door catch 
 Adjustable

Code	Size	Finish
H0029002	54x19mm	White



**Cupboard Catch** 

• Self aligning cupboard catch

H0029501 25x32mm Zinc F	Plated



Ball Catch Brass ball catch

Code	Size	Finish
H0030001	6mm	Brass
H0030002	8mm	Brass
H0030003	10mm	Brass
H0030004	12mm	Brass



**Bales Catch** 

Brass bales catch

Code	Size	Finish	
H0030502	12mm	Brass	
H0030503	16mm	Brass	





Brass double ball catch

Code	Size	Finish	
H0031001	40mm	Brass	
H0031002	50mm	Brass	
H0031003	60mm	Brass	
H0031004	70mm	Brass	



### Hush Latch

• Use in conjunction with mortice latch & door closer to reduce "door slam

Magnetic Catch Mortice magnetic c		veight cabinet doors
Code	Dia	Finish
H0031501	14mm	White



### Adjustable Roller Door Catch

• Adjustable mortice roller bolt catch

Code         Size         Finish         Code           H0034501         White         H0040001         60x22mm         Polished Drass         Code	reduce door starrining holse						
H0034501 White			Code	Size	Finish	Codo	
H0034501 W/bite	Code	Finish	H0040001	60x22mm	Polished Chrome	Code	
HUU4UUU2 bux22mm Polished Brass	H0034501	White				H0035501	1
			H0040002	60x22mm	Polished Brass		



### Surface Fix Magnetic Catch

• Fix magnetic catch for medium weight cabinet doors

Code	Size	Finish	
H0033501	70x16mm	White	
H0033502	48x16mm	White	
H0033503	45x14mm	White	



# **Cupboard Buttons**



Code	Size	Finish
H0035501	75x13mm	Zinc Plated



### N&C Camlock

- Conical head nut fixed camlock Keyed to differ
- 2 keys Locking nut & pronged washer

Code	Size	Finish
H0037000 1	6mm	Polished Chrome
H0037001	20mm	Polished Chrome
H0037002	20mm	Polished Chrome
H0037003	22mm	Polished Chrome
H0037004	24mm	Polished Chrome
H0037005	32mm	Polished Chrome

### N&C Latchlock

 Conical head nut fixed latchlock • With locking nut (Camlock is operated by pushing the handle in to engage the cam mechanism then rotating through 180 degrees) Handle can be locked off in both open & closed position by fitting a padlock through the hole

Code	Size	Finish
H0037006	20mm	Polished Chrome



### Radial Pin Camlock

- Square head nut fixed radial pin camlock
- Keyed to differ
- Supplied with 2 keys, locking nut & pronged washer Key not removeable in unlocked position

Code	Size	Finish
H0037007	18mm	Chrome
H0037008	22mm	Chrome
H0037009	30mm	Chrome

# **Becode Keyless Locks**

Created to overcome the frustrations associated with traditional locks, this keyless cable free solution is the perfect choice for existing furniture.





### Evo+ for Cabinets & Lockers

- Digital multifunctional battery operated lock
- 6 operation modes including single or multi user
  Suitable for retro fit to existing locks 

  Battery included

Code	Dia	Finish	
H0038500	52mm	White	



### BePad

- Digital multifunctional battery operated lock
- 6 operation modes including single or multi user
  Suitable for retro fit to existing locks

Code	Size	Finish
H0038520	104x98mm	White



### Air+ RFID Proximety Lock

- Digital multifunctional battery operated lock
- 6 operation modes including single or multi user
- Includes integrated cam lock
- Suitable for retro fit to existing locks
   Battery included

Code	Dia	Finish
H0038560	52mm	White



### Air (Hafele) Proximety Lock

- Digital multifunctional battery operated lock
- 6 operation modes including single or multi user
- Includes integrated cam lock
- Suitable for retro fit to existing locks
   Battery included

Code	Dia	Finish
H0038565	56mm	White



### Air (Lehman) Proximety Lock

- Digital multifunctional battery operated lock
- 6 operation modes including single or multi user
- Includes integrated cam lock
- Suitable for retro fit to existing locks
   Battery included

Code	Dia	Finish	
H0038570	56mm	White	

### **BeCode Accessories**

Code

H0038600	BeCode Hafele Adaptor "H"	
H0038610	BeCode Hafele Adaptor "L"	
H0038620	BeCode 40mm Cam Smooth	
H0038622	BeCode 40mm Cam Angle 4mm	
H0038624	BeCode 40mm Cam Angle 7mm	
H0038626	BeCode Sleeve Press In Tool	
H0038628	BeCode Press In Tool	

H0038630	BeCode CR2450 Replacement Battery
H0038632	BeCode CR2477 Replacement Battery
H0038634	BeCode RFID Card MIFARE
H0038636	BeCode Tool Set
	Air Tensioner & Removal Tool Crown
H0038638	BeCode RFID Keyfob



# **Handles and Knobs**

A range of contemporary and traditional designs to suit the vast majority of applications in a high quality satin nickel or chrome plated finish.





### T Bar Handle

• T Bar cabinet handle on pillars • Rear bolt fix

Code	Size	Centres	Finish
H0035730	156x10mm	96	Satin Stainless Steel
H0035731	188x10mm	128	Satin Stainless Steel
H0035732	20x10mm	160	Satin Stainless Stee



### **Quadra Bow Handle**

• Quadra bow cabinet handle • Rear bolt fix

Code	Size	Centres	Finish
H0035740	106x10mm	96	Satin Nickel







### D Handle

• D cabinet handle on pillars • Rear bolt fix

Code	Size	Finish
H0035710	106x10mm	Satin Nickel
H0035711	106x10mm	Polished Chrome
H0035712	138x10mm	Satin Nickel
H0035713	138x10mm	Polished Chrome
H0035714	170x10mm	Satin Nickel
H0035715	170x10mm	Polished Chrome
H0035716	202x10mm	Satin Nickel
H0035717	202x10mm	Polished Chrome
H0035718	234x10mm	Satin Nickel
H0035719	234x10mm	Polished Chrome
H0035720	298x10mm	Satin Nickel
H0035721	298x10mm	Polished Chrome
H0035722	330x10mm	Satin Nickel
H0035723	330x10mm	Polished Chrome
H0035724	352x10mm	Satin Nickel
H0035725	352x10mm	Polished Chrome

### Keyhole Handle

• Keyhole profile cabinet handle on pillars • Rear bolt fix

Code	Size	Centres	Finish
H0035701	140x12mm	128	Satin Nickel Chrome
H0035702	172x12mm	160	Satin Nickel Chrome
H0035703	204x12mm	192	Satin Nickel Chrome
H0035704	236x12mm	224	Satin Nickel Chrome
H0035705	460x12mm	448	Satin Nickel Chrome
H0035706	588x12mm	576	Satin Nickel Chrome

### Curve Bow Handle

• Curve bow cabinet handle • Rear bolt fix

Code	Size	Finish
H0035750	119x10mm	Satin Nickel
H0035751	119x10mm	Polished Chrome
H0035752	153x10mm	Satin Nickel
H0035753	153x10mm	Polished Chrome
H0035754	190x10mm	Satin Nickel
H0035755	190x10mm	Polished Chrome
H0035756	226x10mm	Satin Nickel
H0035757	226x10mm	Polished Chrome
H0035758	256x10mm	Satin Nickel
H0035759	256x10mm	Polished Chrome
H0035760	338x10mm	Satin Nickel
H0035761	338x10mm	Polished Chrome
H0035762	372x10mm	Satin Nickel
H0035763	372x10mm	Polished Chrome
H0035764	408x10mm	Satin Nickel
H0035765	408x10mm	Polished Chrome



### **Dimple Effect Knob**

### • Dimple effect cupboard knob • Rear bolt fix

Code	Size	Finish
H0035810	28mm	Satin Nickel
H0035811	28mm	Polished Chrome
H0035812	33mm	Satin Nickel
H0035813	33mm	Polished Chrome





### Cylindrical Knob

Cupboard knob with finger notch 
 Rear bolt fix

Code	Size	Finish
H0035820	16mm	Satin Stainless Steel
H0035821	16mm	Polished Stainless Steel
H0035822	20mm	Satin Stainless Steel
H0035823	20mm	Polished Stainless Steel
H0035824	25mm	Satin Stainless Steel
H0035825	25mm	Polished Stainless Steel
H0035826	30mm	Satin Stainless Steel
H0035827	30mm	Polished Stainless Steel

### **Dimple Effect Handle**

• Curved cabinet handle on pillars • Rear bolt fix

Code	Size	Centres	Finish
H0035770	122mm	96	Satin Nickel
H0035771	122mm	96	Polished Chrome
H0035772	156mm	128	Satin Nickel
H0035773	156mm	128	Polished Chrome



### Victorian Cupboard Knob

Cupboard knob
 Rear bolt fix

Code	Size	Finish
H0035790	25mm	Satin Chrome
H0035791	25mm	Polished Chrome
H0035792	25mm	Polished Brass
H0035793	25mm	Stainless Steel Effect
H0035794	32mm	Satin Chrome
H0035795	32mm	Polished Chrome
H0035796	32mm	Polished Brass
H0035797	32mm	Stainless Steel Effect
H0035798	38mm	Satin Chrome
H0035799	38mm	Polished Chrome
H0035800	38mm	Polished Brass
H0035801	38mm	Stainless Steel Effect





### Steel Cage Handle

• Drop cabinet handle • Rear bolt fix

Code	Size	Finish
H0035830	142mm	Antique Steel
H0035831	181mm	Antique Steel

### Steel Cage Fixed Handle

• Steel cage fixed cabinet handle • Rear bolt fix

Code	Size	Finish	
H0035840	136mm	Satin Nickel	
H0035841	168mm	Antique Steel	







### Steel Cage Knob

• Steel cage ball cupboard knobe • Rear bolt fix

Code	Size	Finish
H0035870	34mm	Antique Steel
H0035871	42mm	Antique Steel

### Steel Cage Mushroom Cupboard Knob

• Steel cage mushroom cupboard knob • Rear bolt fix

Code	Size	Finish
H0035880	34mm	Antique Steel
H0035881	44mm	Antique Steel



• Steel cage oval cupboard knob • Rear bolt fix

Code	Size	Finish
H0035890	55mm	Antique Steel
H0035891	65mm	Antique Steel





### Chest Handle

• Steel chest handle on plate • Dcsk for screw fix

Code	Size	Finish
H0659001	102mm	Black Japanned



### Card Frame

• Brass card frame for paper/card insert • Screw fix

Code	Size	Finish	
H0627001	67x25mm	Brass	
H0627011	42mm	Brass	

### Porcelain Knob

Porcelain cupboard knob
 Rear bolt fix

Code	Size	Finish
H0035850	30mm	Ivory Crackle Glaze
H0035851	30mm	Blue Crackle Glaze
H0035852	30mm	Plain Ivory
H0035853	30mm	Plain White
H0035854	35mm	Ivory Crackle Glaze
H0035855	35mm	Blue Crackle Glaze
H0035856	35mm	Plain Ivory
H0035857	35mm	Plain White
H0035858	45mm	Ivory Crackle Glaze
H0035859	45mm	Blue Crackle Glaze
H0035860	45mm	Plain Ivory
H0035861	45mm	Plain White



Flush Lifting Handle

• Flush lifting handle • Dcsk for screw fix

Code	Size	Finish
H0626501	76x48mm	Polished Brass
H0626502	76x48mm	Polished Chrome



Squash Court Handle

Fully flush with finger recess
 Dcsk for screw fix

 Code
 Size

 H0610501
 90x90mm

 H0610502
 90x90mm



### Flush Spring Catch

• Flush spring catch with keep • Dcsk for screw fix

Code	Size	Finish
H0611001	51x38mm	Polished Brass



Flush Ring Handle

• Flush ring mortice handle • Dcsk for screw fix

Code	Size	Finish
H0611501	76x76mm	Polished Brass



Finish

Polished Brass

Polished Chrome

Flush Ring Flush ring Ocsk for screw fix

Code	Size	Finish
H0612001	51x38mm	Polished Brass
H0612011	64x51mm	Polished Brass

Did you know?

Nicholls & Clarke have been supplying Architectural and builders ironmongery since 1880, servicing the capitals construction trade from the heart of London.



### Soft Close Cabinet Hinge Inset

<ul> <li>Concealed soft close cabinet hinge inset</li> <li>110° opening</li> </ul>			
Code	Size	Finish	
H0035990	35mm	Nickel Plated	



Soft Close Cabinet Hinge Half Overlay

<ul> <li>Concealed soft close cabinet hinge half overlay</li> <li>110° opening</li> </ul>			
Code	Size	Finish	
H0035991	35mm	Nickel Plated	




### Soft Close Cabinet Hinge Half Overlay

<ul> <li>Concealed soft close cabinet hinge half overlay</li> <li>110° opening</li> </ul>			
	Code	Size	Finish
	H0035992	35mm	Nickel Plated

### Mounting Plate

• Plate for concealed soft close cabinet hinge 0mm

Code	Size	Finish
H0035993	44x50mm	Nickel Plated
H0035994	44x50mm	Nickel Plated
Adjustable Plate		
H0035995	44x55mm	Nickel Plated





## N&C Steel Piano Hinge

Continuous steel piano hinge 
 0.66mm thickness

Code	Size	Finish	
H0452501	1800x25mm	Electro Brass	
H0452503	1800x32mm	Electro Brass	
H0452505	1800x38mm	Electro Brass	
H0452502	1800x25mm	Nickel Plated	
H0452504	1800x32mm	Nickel Plated	
H0452506	1800x38mm	Nickel Plated	



### **Concealed Soss Brass Hinges**

- Pattern 203
   Code Door Thickness Finish
   H0453001 19mm Self Colour Brass

   Pattern 208
   Code Door Thickness Finish
- H0453011 70x16mm Self Colour Brass
- Pattern 216
   Code Door Thickness Finish
   H0453021 117x25mm Self Colour Brass
- Pattern 218
  Code Door Thickness Finish
  H0453031 117x28mm Self Colour Brass
- Pattern 220
  Code Door Thickness Finish
  H0453041 140x35mm Self Colour Brass

Please refer to Soss hinge selection criteria in the 'Hinges' section



### Wardrobe Rail 19mm Dia

• Steel wardrobe hanging rail 19mm diameter

Code	Length	Finish
H8090001	610mm	Polished Chrome Plated
H8090002	915mm	Polished Chrome Plated
H8090003	1220mm	Polished Chrome Plated
H8090004	1525mm	Polished Chrome Plated
H8090005	1838mm	Polished Chrome Plated
H8090006	2500mm	Polished Chrome Plated
H8080001	610mm	Polished Brass Plated
H8080002	915mm	Polished Brass Plated
H8080003	1220mm	Polished Brass Plated
H8080004	1525mm	Polished Brass Plated
H8080005	1838mm	Polished Brass Plated
H8080006	2500mm	Polished Brass Plated



### Wardrobe Rail 25mm Dia

Steel wardrobe hanging rail 25mm diameter

Code	Length	Finish
H8090101	610mm	Polished Chrome Plated
H8090102	915mm	Polished Chrome Plated
H8090103	1220mm	Polished Chrome Plated
H8090104	1525mm	Polished Chrome Plated
H8090105	1838mm	Polished Chrome Plated
H8090106	2500mm	Polished Chrome Plated
H8080101	610mm	Polished Brass Plated
H8080102	915mm	Polished Brass Plated
H8080103	1220mm	Polished Brass Plated
H8080104	1525mm	Polished Brass Plated
H8080105	1838mm	Polished Brass Plated
H8080106	2500mm	Polished Brass Plated



### Wardrobe Rail Centre Bracket

Centre bracket for wardrobe hanging rail

Code	Dia	Finish
H8090011	19mm	Polished Chrome Plated
H8080011	19mm	Polished Brass Plated
H8090111	25mm	Polished Chrome Plated
H8080111	25mm	Polished Brass Plated



### Through Bracket

• Through bracket for wardrobe hanging rail

Code	Dia	Finish
H8090041	19mm	Polished Chrome Plated
H8080041	19mm	Polished Brass Plated
H8090141	25mm	Polished Chrome Plated
H8080141	25mm	Polished Brass Plated

### Wardrobe Socket

• Wardrobe socket for wardrobe hanging rail

Code	Dia	Finish
H8090021	19mm	Polished Chrome Plated
H8080021	19mm	Polished Brass Plated
H8090121	25mm	Polished Chrome Plated
H8080121	25mm	Polished Brass Plated



### Ball End Bracket

• Ball end bracket for wardrobe hanging rail

	Code	Dia	Finish
	H8090031	19mm	Polished Chrome Plated
	H8080031	19mm	Polished Brass Plated
	H8090131	25mm	Polished Chrome Plated
	H8080131	25mm	Polished Brass Plated

# Shelving

Our unique, N&C heavy duty twin slot shelving system features a drop and lock safety protection, preventing the bracket from accidently being dislodged. Our shelving units are perfect for use within hospitals, schools, universities, local authorities, offices and a range of other commercial applications.



### N&C Heavy Duty Twin Slot Shelving Upright

• Twin slot upright • Wall mounted • Steel adjustable

• Anti bacterial powder coated

Code	Size	Finish	
H0760001	430mm	White	
H0760011	710mm	White	
H0760021	1000mm	White	
H0760031	1220mm	White	
H0760041	1600mm	White	
H0760051	1980mm	White	
H0760061	2400mm	White	



### N&C Heavy Duty Twin Slot Shelving Bracket

• Twin slot bracket • Upright mounted • Steel adjustable • Anti bacterial powder coated

Code	Size	Finish	
H0760501	120mm	White	
H0760511	170mm	White	
H0760521	220mm	White	
H0760531	270mm	White	
H0760541	320mm	White	
H0760551	360mm	White	
H0760571	470mm	White	
H0760581	610mm	White	



### N&C Heavy Duty Twin Slot Shelf End

• Twin slot shelf end • Upright mounted • Steel adjustable Anti bacterial powder coated

Code	Size	Hand	Finish	
H0762501	152x152mm	Left	White	
H0762511	152x152mm	Right	White	
H0762521	203x152mm	Left	White	
H0762531	203x152mm	Right	White	
H0762541	254x152mm	Left	White	
H0762551	254x152mm	Right	White	



### N&C Heavy Duty Twin Slot Rod Bookend

• Twin slot slot upright mounted spring rod bookend • Steel adjustable • Anti bacterial powder coated

Code	Size	Finish
H0764001	152x152mm	White
H0764011	203x152mm	White
H0764021	254x152mm	White



### N&C Heavy Duty Twin Slot Rod Bookend

- Twin slot slot upright mounted spring rod bookend
  Steel adjustable 

  Anti bacterial powder coated

Code	Size	Finish
H0763001	130x130mm	White




### Melamine Board Shelf

• 15mm Thickness • 2440mm Length

Code	Size	Finish	
Z4033509	152mm	White	
Z4033510	229mm	White	
Z4033511	305mm	White	
Z4033512	381mm	White	
Z4033513	457mm	White	
Z4033514	533mm	White	
Z4033515	610mm	White	
Z4033517	762mm	White	









### Flush Fitting Bookcase Strip

• 1829mm Lengths • Traditional flush fitting bookcase strip • Pre machined stepped grooves to the inside faces of the cabinet

Code	Width	Thickness	Finish
H0776001	19mm	3mm	Zinc Plated
H0776002	19mm	3mm	Bronzed
H0776003	19mm	3mm	Brass Plated
H0776004	19mm	3mm	Silver Anodised



### **Double Support Stud**

• Two slot fixing double support stud • (Pack Of 10)

Code	Width	Finish
H0776511	19mm	Zinc Plated
H0776512	19mm	Bronzed
H0776513	19mm	Brass Plated



### Universal Fitting Bookcase Strip

- 1829mm lengths
  Raised bookcase strip
  For pre machined stepped grooves

Code	Width	Thickness	Finish
H0777001	19mm	5mm	Zinc Plated
H0777002	19mm	5mm	Bronzed
H0777003	19mm	5mm	Brass Plated
H0777004	19mm	5mm	Silver Anodised

When using universal surface mounted bookcase strip, shelving must be a minimum of 11mm shorter overall than the internal width of the cabinet.



### **Rubber Shelf Buffer**

- For glass shelves (Pack Of 10)
- Use with one slot fixing single support stud
- Reduces risk of slippage or movement

Code	D	)epth	Finish
H0776	6551 4	mm	Black



• One slot fixing single support stud • (Pack Of 10)

Finish

Zinc Plated

Brass Plated

Bronzed

### Shelf Brackets

Code	Width	Finish	
H0770501	200x200mm	White	
H0770511	250x250mm	White	
H0770521	300x300mm	White	
H0770531	350x350mm	White	



### "London" Pattern Shelf Bracket

Code	Width	Finish
H0773501	100x75mm	Grey
H0773511	125x100mm	Grey
H0773521	150x125mm	Grey
H0773531	200x150mm	Grey
H0773541	225x175mm	Grey
H0773551	255x205mm	Grey
H0773561	305x255mm	Grey
H0773571	355x305mm	Grey

### Shelf Supports

Code

Banjo "Plug In" Shelf Support

Width

Single Support Stud

H0776503 19mm

Width

19mm

19mm

Code

H0776501

H0776502

# H0775501 19mm Brass Plated

Shelf Sockets Shalf Sackata

•	Danju	Flug	 Shell	SUCKEIS

Code	Finish
H0775511	Brass Plated

Finish

# **Cubicle Fittings**


N&C offer a broad range of hardware for cubicle doors and panels in a durable, corrosion resistant standard grade 304 stainless steel.





### Adjustable Foot Assemblies (Leg Support)

- Adjustable 150mm 180mm in height 32mm Dia
- Wood screws & plastic plugs







### Adjustable Foot Assemblies (Leg Support)

- Base Packing Pieces Supplied For Uneven Floors
- Wood Screws & Plastic Plugs

Code	Dia	Finish		
H2240012	32mm	Satin Stainless Steel		



### L Bracket

- Countersunk Bolt Through Fixing
- Wood Screws & Plastic Plugs
- Suitable For 20mm Board Thickness

Code	Size	Finish
H2240020	50x40mm	Satin Stainless Steel



# U Bracket Countersunk Bolt Through Fixing Wood Screws & Plastic Plugs

Suitable For 1	3mm Board <sup>-</sup>	Thickness
Code	Size	Finish
H2240021	50x40mm	Satin Stainless Steel

Suitable For 20mm Board Thickness H2240022 50x40mm Satin Stainless Steel



### **Gravity Hinges**

Adjustable On Site To Hold Open Or Hold Closed
Suitable For 13mm & 20mm Board Thickness

Code	Width	Hand	Finish
H0444801	80x75mm	Left	Satin Stainless Steel
H0444811	80x75mm	Right	Satin Stainless Steel

-

Indicator Bolt

- Indicator Bolt Surface Mounted
- External Red/White Indicator With Emergency Release
- Concealed Bolt Through Fixings
- Suitable For 13mm & 20mm Board Thickness

Code	Size	Finish
H2240031	76x42mm	Satin Stainless Steel

### Bolt Keep Inwards Opening Doors • Angle Keep For H2240031 • Woodscrews Supplied

Suitable For 1	3mm Board 1	"hickness
Code	Size	Finish
H2240041	40x42mm	Satin Stainless Steel

Ś

Suitable For 20mm Board Thickness H2240042 40x42mm Satin Stainless Steel



### Fixing Packs

Woodscrew Fixing Pack For Gravity Hinges				
Code	Finish			
H0444815	Satin Stainless Steel			
Bolt Through Fixing Pack For Gravity Hinges				
Code	Finish			

H0444816 Satin Stainless Steel

Spare Countersunk Bolt Through Fixings
Code Finish
Satin Stainless Steel

We recommend marine grade 316 stainless steel as having better corrosion resistance for polluted, coastal or Chloride environments such as swimming pools. Please contact the sales office for further advice.

# **Window Fittings**

Over the years, traditional windows have been been replaced with more energy efficient, modern windows . At N&C, we offer a range of traditional style windows fittings for modern windows. These include side hung timber casement windows, top hung timber fanlights and vertical sliding sash and pivot windows.

### TRADITIONAL WINDOW FITTINGS

A wide range of window fittings such as casement stays, fastners, pulleys and catches with an authentic traditional style, created for modern windows.

### WINDOW WINDING GEAR

We offer manual or electric window operation which offer direct opening and closing of single or banks of windows in awkward or out of reach positions.

### WINDOW VENTS

A complete range of quality glass mounted ventilators with a patented diffusing rotor system for the prevention of severe draughts.







### Bulb End Casement Stay 2 Pins

Victorian Casement Stay 2 Pins

	Code	Size	Finish	Code	Size	Finish
	H8000125	200mm	Polished Brass	H8000302	200mm	Chrome
	H8000126	250mm	Polished Brass	H8002027	250mm	Chrome
	H8000127	300mm	Polished Brass	H8002028	300mm	Chrome
	H8000300	200mm	Polished Chrome			
	H8001034	250mm	Polished Chrome			
	H8001035	300mm	Polished Chrome			

Code	Size	Finish	Code	Size	Finish
H8000310	200mm	Polished Brass	H8000315	200mm	Chrome
H8000123	250mm	Polished Brass	H8000316	250mm	Chrome
H8000124	300mm	Polished Brass	H8000317	300mm	Chrome
H8000312	200mm	Polished Chrome			
H8000313	250mm	Polished Chrome			
H8000314	300mm	Polished Chrome			



Monkey Tail Pattern Casement 2 Pins

Code	Size	Finish
H8070044	200mm	Antique Black
H8070046	250mm	Antique Black
H8070047	300mm	Antique Black



Contemporary Square Non Lockable Casement Stay 2 Pins

Supplied With Both Flat & EJMA Fittings

Code	Size	Finish
H8200203	250mm	Brass
H8200201	250mm	Chrome
H8200202	250mm	White



# 6 7, 0

# Contemporary Square Lockable Casement Stay 2 Pins With Key Supplied With Both Flat & EJMA Fittings

Code	Size	Finish	Code	Size	Finish
H8200303	250mm	Brass	H8200302	250mm	White
110000004	050	Observes	H6200302	250000	vvriite
H8200301	250mm	Chrome	H8200303	250mm	Polished Brass

### **Contemporary Round Casement Stay 2 Pins**

Code	Size	Finish	Code	Size	Finish
H8200601	250mm	Polished Brass	H8200603	250mm	Satin Chrome
H8200602	250mm	Polished Chrome		20011111	
			H8200604	250mm	Satin Nickel





Code	Size	Finish	
H0500001	200mm	Grey	
H0500015	255mm	Grey	
H0500021	305mm	Grey	



Aluminium Casement Stay 2 Pins						
Code	Size	Finish				
H0500501	200mm	Satin Anodised Aluminum				

Satin Anodised Aluminum

H0500521 305mm Satin Anodised Aluminum

H0500511 255mm



### Double Arm Casement Stay

• "Screw Down" Knob

Code	Size	Finish
H0501501	200mm	Satin Anodised Aluminum
H0501511	255mm	Satin Anodised Aluminum
H0501521	305mm	Satin Anodised Aluminum

### Brass Sliding Casement Stay Outward Opening

Outward Opening Window"Screw Down" Knob

Code	Size	Finish	Code	Size	Finish
H0504001	255mm	Polished Brass	H0504003	255mm	Satin Chrome
H0504011	305mm	Polished Brass	H0504013	305mm	Satin Chrome



### Sliding Brass Sliding Casement Stay Inward Opening

Inward Opening Window
"Screw Down" Knob

Code	Size	Finish
H0504501	255mm	Polished Brass
H0504511	305mm	Polished Brass



### Straight Casement Stay Pin Only Pin Only

Code	Finish
H0513504	Grey Die Cast
H0513505	Polished Brass
H0513503	Satin Anodised Aluminum



### Victorian Casement Fastener

Hook & Mortice Pattern Reversible

Code	Size	Finish
H8000038	90mm	Polished Brass
H8000115	90mm	Polished Brass
H8001033		Polished Chrome
H8002050		Satin Chrome



### Offset Casement Stay Pin Only Pin Only

Code	Finish
H0514001	Grey Die Cast
H0514502	Polished Brass
H0514503	Satin Anodised Aluminum



### **Bulb End Casement Fastener**

Hook & Mortice Pattern Reversible

Code	Finish	
H8000117	Polished Brass	
H8000320	Polished Chrome	
H8002052	Satin Chrome	





**Cranked Casement Stay Pin Only** Pin Only

Code	Finish
H0514502	Polished Brass
H0514503	Satin Anodised Aluminum



Monkey Tail Pattern Casement Fastener Hook & Mortice Pattern Reversible

Code	Size	Finish
H8070045		Antique Black



All products are suitable for domestic use



# "

### Contemporary Square Non Lockable Casement Fastener

**Die Cast Casement Fastener MP** 

Finish

Grey

• Mortice pattern reversible

Code

H0510551

11 11 1

H0122503 200mm

H0122504 200mm

H0122505 200mm

Code

Jackloc Window Restrictor

Size

Jackloc cable key locking window restrictor

Finish

White

Brass

Chrome

• Both flat & EJMA fittings reversible

Code	Size	Finish
H8200403	120mm	Brass
H8200401	120mm	Chrome
H8200402	120mm	White



### Contemporary Square Lockable Casement Fastener

Both flat & EJMA fittings reversible

Code	Size	Finish
H8200503	120mm	Brass
H8200501	120mm	Chrome
H8200502	120mm	White



Die Cast Casement Fastener HP • Hook pattern reversible

Code Finish H0510561 Grey



Sliplock cable key locking window restrictor

Code	Size	Finish
H0122510		White



### Contemporary Round Casement Fastener

Hook & mortice pattern reversible

1

Code	Size	Finish
H8200620	115mm	Polished Brass
H8200621	115mm	Polished Chrome
H8200622	115mm	Satin Chrome
H8200623	115mm	Satin Nickel



Aluminium Casement Fastener • Mortice plate. Spacing backplate avoids over tightening

Code	Hand	Backplate	Finish
H0511501	Right	73x25mm	Satin Anodised Aluminium
H0511511	Left	73x25mm	Satin Anodised Aluminium



### Sash Axle Pulley Nylon Wheel

Steel square cornered face plate

Curved wheel for use with sash cord

Code	Wheel	Size Finish
H0550001	44mm	117x25mm Bright Zinc Plated
H0550002	44mm	117x25mm Galvanised
H0551001	44mm	110x25mm Galvanised
H0551002	44mm	110x25mm Brass



Code	Wheel	Size	Finish
H0551501	44mm	126x28mm	Galvanised
H0551502	44mm	126x28mm	Brass



### Sash Axle Pulley Brass Wheel

- Steel square cornered face plate
- Curved wheel for use with sash cord

Code	Wheel	Size	Finish
H0551511	51mm	126x28mm	Galvanised
H0551512	51mm	126x28mm	Brass



### Sash Axle Pulley Brass Wheel

- Steel square cornered face plate
- Curved wheel for use with sash cord

Code	Wheel	Size	Finish
H0551521	57mm	126x28mm	Galvanised
H0551522	57mm	126x28mm	Brass



Jute Sash Cord10 metre knot

-	

Code	Size	Finish
H0555001	Size 3	Natural
H0555011	Size 4	Natural
H0555021	Size 5	Natural



### Red Label Sash Cord

Everlasto waterproof red label "a" quality sash cord
10 metre knot

Code	Size	Finish
H0557501	Size 3	Waxed
H0557511	Size 4	Waxed
H0557521	Size 5	Waxed
H0557531	Size 6	Waxed





10 metre knot

Code	Size	Finish
H0556001	Size 3	White
H0556011	Size 4	White
H0556021	Size 5	White
H0556031	Size 6	White



### Red Spot Sash Cord

- Solid braided red spot sash cord
- 10 metre knot

Code	Size	Finish
H0556501	Size 6	Polished
H0556511	Size 7	Polished
H0556521	Size 8	Polished



## Blue Label Sash Cord

<ul> <li>Everlasto waterproof bl</li> </ul>	lue label sash cord
---	---------------------

10 metre knot				
	Code	Size	Finish	
	H0557001	Size 3	Waxed	
	H0557011	Size 4	Waxed	
	H0557021	Size 5	Waxed	
	H0557031	Size 6	Waxed	



Sash Chain

• Steel link sash chain with bronze rivets

Code	Weight Limit	Finish
H0552001	32kg	Bright Zinc Plated
H0552011	51kg	Bright Zinc Plated



Sash Chain Split Pin Connector

Washer & split pin connector

• (Set Of 4)





Sash Weight Bolt Connector • Sash weight bolt connector • (Set Of 4)

Code H0553001



Sash Weight Loop Connector • Loop weight connector • (Set Of 4)

Code H0553501 *ii* ••

Sash Plates & Bars

Sash plates & bars
(Set Of 4)

Code H0554001



# ii 11

### Sash Weights Makeweight

• Cast iron round makeweight

Code		
C3120001	1/2 lb	
C3120002	1 lb	
C3120003	2 lb	



# Sashweight Round

-

Cast iron sashweight

2 lb
3 lb
4 lb
5 lb
6 lb
7 lb

Code	
C3120508	8 lb
C3120509	9 lb
C3120510	10 lb
C3120511	11 lb
C3120512	12 lb
C3120513	13 lb



# Cast Iron Sashweight

Code	
C3120515	15 lb
C3120516	16 lb
C3120517	17 lb
C3120518	18 lb
C3120519	19 lb
C3120520	20 lb

C3120521	21 lb
C3120522	22 lb
C3120523	23 lb
C3120524	24 lb
C3120525	25 lb
C3120526	26 lb
C3120527	27 lb
C3120528	28 lb
C3120529	29 lb
C3120530	30 lb



Narrow Pattern Fitch Fastener Non Locking

Narrow pattern fitch fastener non locking

Code	Size	Finish
H8000132	65mm	Polished Brass
H8001039	65mm	Polished Chrome
H8002035	65mm	Satin Chrome



Narrow Pattern Fitch Fastener Locking

Narrow pattern fitch fastener non locking

Code	Size	Finish
H8000133	65mm	Polished Brass
H8001068	65mm	Polished Chrome
H8002038	65mm	Satin Chrome



# Brighton Sash Fastener

Brighton pattern sash fastener

H8000043 55mm Polished Brass
H8001038 55mm Polished Chrome
H8002034 55mm Satin Chrome
H0532001 55mm Bright Zinc Plated
H0532003 55mm Electro Brass Plated



Quadrant Arm Sash Fastener

Quadrant arm sash fastener

Code	Size	Finish
H8000041	70mm	Polished Brass
H8001036	70mm	Polished Chrome
H8002029	70mm	Satin Chrome



Acorn Sash Stop On Chain • Acorn sash stop on chain

Code	Size	Finish	
H0534001	32x13mm	Brass	



Weeks Sash Stop
• Weeks pattern weighted sash stop

11 11

Strong Sash Lift

Code

H0545001

H0545002

H0545003

Code	Finish	
H0534501	Brass	





Centre rail sash screw

Code	Size	Finish	
H0535001	64x6mm	Polished Brass	
H0535011	76x8mm	Polished Brass	
H0535021	89x8mm	Polished Brass	





### Sash Handle

Code	Size	Finish
H8001081	102mm	Polished Brass
H8001082	125mm	Polished Brass
H8001083	152mm	Polished Brass
H8001059	102mm	Polished Chrome
H8001060	125mm	Polished Chrome
H8001040	152mm	Polished Chrome
H0545010	102mm	Satin Chrome
H0545011	125mm	Satin Chrome
H0545012	152mm	Satin Chrome



Sash Lift

Code	Size	Finish
H8000042	50mm	Polished Brass
H8001037	50mm	Polished Chrome
H8002030	50mm	Satin Chrome



### Meakins Sash Window Operator

• Set Comprising: Fastener - 2 pullies - 2 cord plates - 4 handles - 8 yards of cord - fixings

Code	Finish
H0535501	Polished Brass



Meakins Sash Window Operator Individual Components

Size

64mm

64mm

64mm

Finish

Polished Brass

Polished Chrome

Satin Chrome

Code	Finish	
H0535521	Pullies	
H0535531	Cord Plates	
H0535541	Handles	
H0535551	Cord	



### Fanlight Catch

• Sprung fanlight catch with ring & staple

Code	Size	Finish
H8000046	56x38mm	Polished Brass
H8000400	56x38mm	Polished Chrome
H8000401	56x38mm	Satinn Chrome



Shadbolt Stays

Code	Size	Finish	
H0521001	203mm	Brass	
H0521011	255mm	Brass	





 Code
 Size
 Finish

 H0533001
 38x13mm
 Brass

 H0533011
 51x22mm
 Brass

 H0533511
 64x25mm
 Brass



# 15 00

"Bullet" Fanlight Catch

• "Bullet" Pattern Sprung Fanlight Catch With Ring & Staple

Code	Size	Finish
H8000045	36mm	Polished Brass
H8000410	36mm	Polished Chrome
H8000411	36mm	Satin Chrome



Sash Pole Hook

(Set of 4 Pieces)

Code	Finish
H0613003	Polished Brass
H0613004	Polished Chrome
H0613005	Satin Chrome



Sash Pole

Wooden Long Arm Pole

Code H0613501 1350x30mm H0613511 1850x30mm



# Quadrant Arm Stays

• (Sold In Pairs)

10 00

Code	Size	Finish
H8000450	152mm	Polished Brass
H8000451	152mm	Polished Chrome
H8000452	152mm	Satin Chrome



### Endless Cord 4mm

"B" Medium quality

Code	Drop	Finish	
H0528001	1200mm	Green	
H0528011	1500mm	Green	
H0528021	2000mm	Green	
H0528031	2500mm	Green	
H0528041	3000mm	Green	
H0528051	4000mm	Green	
H0528061	5000mm	Green	



## Roller Arm Stays

(Sold In Pairs)

Code	Size	Finish
H8000456	200mm	Polished Brass
H8000457	200mm	Polished Chrome
H8000458	200mm	Satin Chrome



Endless Cord 5mm"D" Medium quality


Code	Drop	Finish	
H0528501	3000mm	Green	
H0528511	4000mm	Green	
H0528521	5000mm	Green	
H0528531	6000mm	Green	
H0528541	7000mm	Green	

# **Spiral Sash Balances**

N&C offer a wide range of spiral sash balances for both commercial and domestic applications.

Sash balances are designed to counter balance a sash, holding it in any position. We offer a variety of tube, lengths, diameters, colours and fixings, usually determined by the size & weight of the sash, with the spring balances being pre-tensioned with minimal on site adjustment.

Whilst balances are not designed as a mechanical opening device they do provide a degree of assistance when operating the window.



# Manual Window Control



Manual window controls can be used on most styles of windows to operate individual or multiple sets from a single wall mounted operator connected by conduit with inner cable to the opener on the window. When the handle is turned the inner cable is driven forward or backwards, thus opening or closing the window.

This system is extremely flexible as the conduct can be bent around obstacles to achieve your required design.

### **Design Rules**

One chain opener per window up to 1000mm wide - over this size two openers are required. The sum of openers and bends must not exceed six.

The length of conduit and cable must not exceed 18 metres. Above this it is necessary to provide additional control units.

Five Saddle Brackets are recommended for each metre of conduit.




All manual window winding products are suitable for commercial, domestic, educational environments and people with different levels of abilities



### T100 Opener

Chain Opener For Top, Side Or Bottom Hung Sashes
 Max Window Width 1000mm
 Window Opens to 250mm

Code	Size	Finish
H3400501	225x64mm	White



### T250 Operator

Code

H3400001

- Handle Geared Operator For Up To 4 Chain Openers
- Spent Travel Of Drive Cable Is Housed In Casing

385x45mm

Size


T740 Fixing Pla	te
-----------------	----

Narrow Flat Fixing PlateFor aluminium Frames Outward Opening

Code	Size	Finish
H3400002	115v20mm	White

Finish

White



# **Electric Window Control**

Electrically operated chain window actuators can be activated manually, either by a wall mounted switch or a hand held remote control. Automatic chain window acuators are activated by various sensors which are available to order.



All electric window winding products are suitable for commercial, domestic, educational environments and people with different levels of abilities





### ACK4 230 Actuator

- Chain Actuator For Top, Side Or Bottom Hung Sashes
  Max Window Width 1000mm
  Window Opens to 250mm
- 230VAC IP55 Rated

Code	Size	Finish
H3405014	289x83x97mm	White



### ACK4 24 Actuator

- Chain Actuator For Top, Side Or Bottom Hung Sashes Max Window Width 1000mm
   Window Opens to 250mm
- 24VDC IP55 Rated

Code	Size	Finish	
H3405015	289x83x97mm	White	



If the window where the actuator is to be

fitted is in a location where running water

is present, then a 24VDC actuator

should be used with a transformer

### ACK4 Pin

Please note:

 Small Adjustment Pin For Gap Between Actuator & Window • 0-10mm Supplied As Standard With Actuator

Code	Gap	
H3405023	10-20mm	
H3405024	20-30mm	
H3405025	30-40mm	



### ACK4/SB Bracket

- Standard Window Bracket (Pair)
- For aluminium Windows Frame Mounted

Code	Finish
H3405016	White



### S5-1 Rocker Switch

- Single Gang Reactive Rocker Wall Switch
- For Operation Of 230VAC Actuators Or 24VDC Actuators

Code	Finish	
H3405012	White	



ACK4/SPB Bracket

- Small Pivot Bracket (Pair) For Timber Windows
- Cill Mounted

Code Finish H3405017 White



### ACK4/LPB Large Pivot Bracket (Pair) • For Upvc Windows • Frame Mounted

Code Finish H3405018 White



### ACK4/BHB

- Adaptor Kit (Bracket)
- For Bottom Hung Inward Opening Window

Code	Finish	
H3405019	White	



### **PS24 Transformer**

• Transformer 24VDC Power Supply For H3405015 24VDC Chain Actuator

Code	Finish	
H3405022	White	

www.nichollsandclarke.com

Remote Control Unit For Handheld Operation Of 230VAC

Actuators Or 24VDC Actuators • Built In Radio Receiver To

**RRT230 Remote Control Unit** 

Control Single Or Groups Of Actuators 2 Single Channel Remote Controls

Code H3405021 Finish

White

# Window Ventilators

A range of window ventilators that assist our clients meeting compliance with Ventilation Regulations in England & Wales within commercial and domestic properties.





### Vent-a-matic Window Ventilators

Vent-A-Matic controllable ventilators are available in various model sizes. Each model is equipped with a diffusing rotor which helps to prevent severe draught and improve fresh air distribution within the room. The rotor also continues to operate whilst under its own inertia, even when air pressure oneach side has been equalised.

Controls: Each model is provided with radial shutter control operated by a pull cord



## MODEL 102 106 SXI

C102S

C106S

### **APPLICATION**

Toilets, boats, caravans, sheds Kitchens, bathrooms, bedrooms larger rooms, offices, hospitals commercial As for 102 but with Stormguard as standard As for 106 but with Stormguard as standard

### Ventamatic Window Ventilators Model 106

Rotary Window Vent For Single Glazing up To 6mm thickness

- Cord Operated Shutter
- For 162mm Diameter Aperture

Code	Dia Aperture	Finish
H0746502	162mm	Clear

#### Ventamatic Window Ventilators Model SXL

- Rotary Window Vent For Single Glazing up To 6mm thickness
- Cord Operated Shutter • For 219mm Diameter Aperture

Code	Dia Aperture	Finish
H0746503	219mm	Clear

### Ventamatic Window Ventilators Model C102S

- Rotary Window Vent For Single Glazing up To 6mm thickness
- Cord Operated Shutter

• For 121mm Diameter Aperture • External Stormguard

Code	Dia Aperture	Finish	Code	Dia Aperture	Finish	
H0746511	121mm	Clear	H0746521	162mm	Clear	



### Framevent/Slot Window/Trickle Vent

Framevent/Slot Window/Trickle Vent is a small opening in a window to allow small amounts of ventilation in spaces intended to be naturally ventilated when the major elements of the window are otherwised closed

- Frame Venilator Integral Flyscreen In External Hood
- 2500mm2 Air Space

Code	Size	Finish	
H0535616	300mm	White	
H0535617	400mm	White	

### Ventamatic Window Ventilators Model C106S

- Rotary Window Vent For Single Glazing up To 6mm thickness Cord Operated Shutter
- For 162mm Diameter Aperture
   External Stormquard

Code	Dia Aperture	Finish	
H0746512	162mm	Clear	

### Ventamatic Window Ventilators Model 101

- Rotary Window Vent For Single Glazing up To 6mm thickness • For 121mm Diameter Aperture
- Permenant Airflow

Code	Dia Aperture	Finish
H0746521	121mm	Clear

### Ventamatic Window Ventilators Model 105

- Rotary Window Vent For Single Glazing up To 6mm thickness
  - For 162mm Diameter Aperture
- Permenant Airflow

#### Ventamatic Window Ventilators Model 102

Rotary Window Vent For Single Glazing up To 6mm thickness

Clear

 Cord Operated Shutter For 121mm Diameter Aperture

H0746501

Code	Dia Aperture	Finish	

121mm

# **Bathroom Ventilation**

### Why do you need bathroom ventilation?

To prevent build up of condensation which can lead to mould production, stale smells and poor air quality.

### What is air extraction rate & what ventilation shall I get?

The extraction rate is the speed at which a fan can move air. A larger number means a faster rate of extraction. Measured in 'Metres Cubed per Hour' (m3/hr), the air extraction rate of a fan is one of the most important considerations. The Building Regulations stipulate that a bathroom extractor fan must extract at least 54m3/hr in a standard domestic bathroom.

The rate of extraction you require depends on the size of the room and the amount of condensation produced. The bigger the room or if large amounts of condensation are produced, then the more the air will need to replaced in the room, thus you need a higher rate of extraction.

### What is an inline fan?

An inline fan is where the fan motor is remotely sited within the loft space and is connected to the fascia and external wall grill by the supplied flexible ducting.

### What is a wall mounted fan?

A wall mounted fan is where the fascia has an integrated fan and the ducting passes through the wall to an external grill.







Turbo Inline For Bathrooms, En Suite and Cloakrooms



### Inline Fans - Illuminated White

- Bathroom/En Suite/Cloakroom/Wet Room
- MR16 3Watt LED Size: Ø14.5 x D1.5cm

Turbo Extraction Rate Code Gap H0746554 137m3/hr Decibels 37dB

Cyclone Extraction Rate Code Gap H0746550 210m3/hr Decibels 32dB



### Inline Fans - Illuminated Chrome

- Bathroom/En Suite/Cloakroom/Wet Room
- MR16 3Watt LED Size: Ø14.5 x D1.5cm

Turbo Extraction R	late
Code	Gap
H0746555	137m3/hr Decibels 37dB
Cyclone Extraction	n Rate
Code	Gap
H0746551	210m3/hr Decibels 32dB



Cyclone Inline For Large Bathrooms and Wet Rooms



Inline Fans - White • Bathroom/En Suite/Cloakroom/Wet Room • Size: Ø14.5 x D1.5cm

Turbo Extraction Rate Code Gap H0746556 137m3/hr Decibels 37dB

Cyclone Extraction Rate Code Gap H0746552 210m3/hr Decibels 32dB



Inline Fans - Chrome

- Bathroom/En Suite/Cloakroom/Wet Room
- Size: Ø14.5 x D1.5cm

Turbo Extraction Rate		
Code	Gap	
H0746554	137m3/hr Decibels 37dB	

,	Cyclone Extraction Rate		
	Code	Gap	
	H0746550	210m3/hr Decibels 32dB	



### Air-Star Illuminated Ceiling Fans

- Flush mounted with built-in low energy LED illumination
  Compatible with Ø10cm ducting
  IPX4 Electrically safe for use in the bathroom

•	MR16 2Watt	LED	Decibels	33dB	•	Extraction	Rate	89m³/hr

Code	Size	Finish
H0746570	155x155x43mm	White
H0746571	155x155x43mm	Matt Silver



### Breeze Wall Mounted Fan

- Slimline, low profile discreet fan 

  Decibels 33dB
  Compatible with Ø10cm ducting
  Complete with timer
- Extraction Rate 88m<sup>3</sup>/hr

Code	Size	Finish
H0746558	152x152x33mm	White
H0746560	152x152x33mm	Matt Silver
H0746559	152x152x33mm	Chrome



### Breeze Wall Mounted Fan

- Slimline, low profile discreet fan Decibels 33dB
- Compatible with Ø10cm ducting
- Complete with timer and humidity sensor
  Extraction Rate 88m<sup>3</sup>/hr

Code	Size	Finish
H0746561	152x152x33mm	White
H0746563	152x152x33mm	Matt Silver
H0746562	152x152x33mm	Chrome



### Hush Wall Mounted Fan

- Ultra quiet, low profile plain fan 

  Complete with timer
  Compatible with Ø10cm ducting
- Extraction Rate 97m3/hr Decibels 25dB

Code	Size	Finish
H0746564	158x158x30mm	White
H0746566	158x158x30mm	Matt Silver
H0746565	158x158x30mm	Chrome



### Hush Wall Mounted Fan

- Ultra quiet, low profile plain fan
- Complete with timer and humidity sensor
- Compatible with Ø10cm ducting
- Extraction Rate 97m<sup>3</sup>/hr Decibels 25dB

Code	Size	Finish
H0746567	158x158x30mm	White
H0746569	158x158x30mm	Matt Silver
H0746568	158x158x30mm	Chrome



### Accessory Kits

- 3m flexible ducting external grill & steel hose clamps
- Compatible with Ø10cm ducting

Code	Finish
H0746572	White Grille
H0746573	Brown Grille

# **Bolts, Stops & Accessories**

A full range of quality door and window bolts, coat hooks, door stops and other accesories suitable for commercial and domestic applications. Available in a range of finishes such as polished brass, polished chrome, silver anodised aluminium, stainless steel. The range also includes traditional black japanned and galvanised bolts, hooks and handrail brackets suitable for a variety of applications.





All products with in this section are suitable for commercial, domestic and education environments





Necked Barrel Bolt

Size

75x25mm

100x25mm

150x25mm

Code

H0482001

H0482011

H0482021

Code	Size	Finish
H0480001	50x25mm	Silver Anodised Aluminium
H0480011	75x25mm	Silver Anodised Aluminium
H0480021	100x25mm	Silver Anodised Aluminium
H0480031	150x25mm	Silver Anodised Aluminium
H0480041	150x32mm	Silver Anodised Aluminium
H0480051	200x32mm	Silver Anodised Aluminium



### Straight Barrel Bolt

Code	Size	Finish
H0480501	50x25mm	Polished Brass
H0480511	75x25mm	Polished Brass
H0480521	100x25mm	Polished Brass
H0480531	150x25mm	Polished Brass
H0480541	150x32mm	Polished Brass
H0480551	200x32mm	Polished Brass
H0480561	255x38mm	Polished Brass
H0480571	300x38mm	Polished Brass

### Straight Barrel Bolt

Code	Size	Finish
H0481501	75x25mm	Polished Chrome
H0481511	100x25mm	Polished Chrome
H0481521	150x25mm	Polished Chrome
H0481531	150x32mm	Polished Chrome
H0481541	200x32mm	Polished Chrome
H0481551	255x38mm	Polished Chrome
H0481561	255x38mm	Polished Chrome
H0480571	300x38mm	Polished Chrome



Finish

Silver Anodised Aluminium

Silver Anodised Aluminium

Silver Anodised Aluminium



### Necked Barrel Bolt

Code	Size	Finish
H0482501	75x25mm	Polished Brass
H0482511	100x25mm	Polished Brass
H0482521	150x25mm	Polished Brass



### Necked Barrel Bolt

Code	Size	Finish
H0483501	75x25mm	Polished Chrome
H0483511	100x25mm	Polished Chrome
H0483521	150x25mm	Polished Chrome



### N&C Lever Action Flush Bolt

Code	Size	Finish
H0642530	152x19mm	Silver Anodised Aluminium
H0642531	203x19mm	Silver Anodised Aluminium
H0488001	150x25mm	Silver Anodised Aluminium
H0488011	200x25mm	Silver Anodised Aluminium





### N&C Lever Action Flush Bolt

C	ode	Size	Finish
H	3907002	152x19mm	Polished Brass
H;	3907102	200x19mm	Polished Brass
- Hi	3907202	305x25mm	Polished Brass



### N&C Lever Action Flush Bolt

Code	Size	Finish
H0489101	152x19mm	Polished Chrome
H0489102	200x19mm	Polished Chrome
H0489103	305x25mm	Polished Chrome





### N&C Lever Action Flush Bolt

Code	Size	Finish
H0489201	152x19mm	Satin Stainless Steel
H0489202	200x19mm	Satin Stainless Steel
H0489202	305x25mm	Satin Stainless Steel
H0489301	152x19mm	Polished Stainless Steel
H0489302	200x19mm	Polished Stainless Steel

### N&C Sunk Slide Flush Bolt

Code	Size	Finish
H0486001	100x15mm	Satin Stainless Steel
H0486011	150x15mm	Satin Stainless Steel

### N&C Sunk Slide Flush Bolt

Code	Size	Finish	
H0486501	100x15mm	Polished Brass	
H0486511	150x15mm	Polished Brass	
H0486521	229x25mm	Polished Brass	



Easy Clean Socket

• Easy clean socket for concrete floor

Code	Size	Finish	
H0485061	13mm	Satin Chrome	



Easy Clean SocketEasy clean socket for wooden floor

Code	Size	Finish
H0485011	13mm	Satin Anodised Aluminium



### **Dust Excluding Spring Socket**

<ul> <li>Dust excluding spring socket for concrete floor</li> </ul>				
Code	Size	Finish		
H0485551	10mm	Satin Chrome		
H0485561	13mm	Satin Chrome		

1	<ul> <li>Dust Excluding Spring Socket For Wooden Floor</li> </ul>				
	H0485501	10mm	Satin Chrome		
	H0485511	13mm	Satin Chrome		



Straight Tower Bolt

C/W Staple (Bright Shoots)

Code	Size	Finish	
H0491001	100mm	Black Japanned	
H0491011	150mm	Black Japanned	
H0491021	200mm	Black Japanned	
H0491031	255mm	Black Japanned	
H0491041	305mm	Black Japanned	



### Straight Tower Bolt

C/W Staple

H0491012         150mm         Bright Zinc Plated           H0491022         200mm         Bright Zinc Plated           H0491042         305mm         Bright Zinc Plated	Code	Size	Finish
	H0491012	150mm	Bright Zinc Plated
H0491042 305mm Bright Zinc Plated	H0491022	200mm	Bright Zinc Plated
	H0491042	305mm	Bright Zinc Plated



### Necked Tower Bolt

**Oval Padlock Bolt** 

Size

115mm

Finish

Bright Zinc Plated

C/W Staple

H0496001

Code

• C/W Plate (Bright Shoots)

Code	Size	Finish	
H0491501	150mm	Black Japanned	
H0491511	200mm	Black Japanned	



### Brenton Padlock Bolt

Code	Size	Finish	
H0495501	200x16mm	Bright Zinc Plated	
H0495511	255x16mm	Bright Zinc Plated	
H0495521	305x16mm	Bright Zinc Plated	



### N&C Garage Door Drop Bolt

• Surface mounted drop bolt with receiver plate

Code	Size	Finish	
H0495001	305x16mm	Galvanised	
H0495011	455x16mm	Galvanised	
H0495021	610x16mm	Galvanised	



Tapered side bolt receiver for setting in concrete

Code	Size	Finish	
H0494021	28x28mm	Galvanised	
Receiver Staple	e Screw Fix		
H0494031	50x32mm	Galvanised	
Receiver Plate	Screw Fix		
H0494041	52x52mm	Galvanised	
Square Bolt Soc	oket		
H0493501	16mm	Self Colour	
Tubular Bolt So	cket		
H0494011	16mm	Self Colour	



### N&C Garage Door Foot Bolt

• Surface mounted foot bolt with receiver plate

Code	Size	Finish
H0497001	210mm	Black Japanned
H0497002	210mm	Galvanised



### N&C Monkey Tail Bolt

• Surface mounted monkey tail bolt (receivers not included)

Code	Size	Finish
H0494501	380x16mm	Black Japanned
H0494511	455x16mm	Black Japanned
H0494521	610x16mm	Black Japanned
H0494531	760x16mm	Black Japanned
H0494541	915x16mm	Black Japanned





### Surface Mounted Indicator Bolt

• Vacant/engaged indicators • External emergency release • Large turn/lever to bolt • C/W Staple

Code	Size	Bolt	Finish
H0572501	64x38mm	62x41mm	Electro Brass
H0572502	64x38mm	62x41mm	Polished Chrome
H0572503	64x38mm	62x41mm	Satin Chrome



### Slide Pattern Surface Mounted Indicator Bolt

- Red/Green Indicators
   Rotary internal knob
- C/W Staple

Code	Size	Finish
H0573001	65x28mm	Silver Anodised Aluminium



### **Facility Indicator Bolt**

6

- For sliding & hinged doors Red/Green indicators
- External emergency release
   Large spatula internal lever
   External pull knob can be fixed in 4 positions
- Touchclean anti bacterial coatingl

Code	Size	Finish
H0575503	Universal	Satin Anodised Aluminium



### **Rubber Door Stop**

Pierced for screw fixing

Code	Size	Finish	
H0563001	29mm	Black	
H0563002	29mm	White	
H0563011	35mm	Black	
H0563012	35mm	White	
H0563021	50mm	Black	



### N&C Contractor Wall Door Stop

• Wall mounted buffered door stop

**N&C Projection Door Stop** 

Size

75mm

Projection door stop on round rose with rubber buffer

Finish

Polished Chrome

Code	Finish
H0642533	Silver Anodised Aluminium



### N&C Contractor Floor Door Stop

• Floor mounted oval door stop for timber floor

Code	Finish
H0642532	Satin Anodised Aluminium





### N&C Floor Door Stop

Oval floor door stop with shield & rubber buffer

Code	Finish	Code
H8001049	Polished Chrome	H8001048





### N&C Floor Door Stop

• Circular floor door stop with shield & rubber buffer

Code	Size	Finish	
H8001063	40x30mm	Polished Chrome	

### N&C Spring Door Stop

"Spring" projection door stop with rubber buffer

Co	ode	Size	Finish
H	3001069	75mm	Polished Chrome
H	3000059	75mm	Polished Brass

### N&C Specifier Wall Door Stop

• Concealed fix wall mounted door stop with rubber buffer

Code	Size	Finish
H3711904	75x16mm	Satin Stainless Steel
H3711903	75x16mm	Polished Stainless Steel



### N&C Specifier Wall Door Stop

 Concealed fix wall mounted door stop on round rose with rubber buffer

Code	Size	Finish
H3711004	75x16mm	Satin Stainless Steel
H3711003	75x16mm	Polished Stainless Steel



### N&C Specifier Floor Door Stop

• Concealed fix floor mounted door stop on round rose with rubber buffer

Code	Size	Finish
H3712104	30mm	Satin Stainless Steel
H3712103	30mm	Polished Stainless Steel



### Floor Mounted Door Holder

• Floor mounted door holder • Not for use with fire door

Code	Size	Finish
H0564501	165x44mm	Polished Brass



### **Door Mounted Door Holder**

• Foot operated sprung plunger • Not for use with fire door





### **Bayonet Door Holder**

Door mounted bayonet door holder
 Not for use with fire door
 Strong malleable iron

Code	Size	Finish
H0565501	89mm	Polished Brass
H0565502	89mm	Satin Chrome Plated



### Cabin Hook & Eye

Code	Size	Finish	
H0570001	152mm	Black	
H0570011	203mm	Black	
H0570021	305mm	Black	



### Cabin Hook & Eye

۰	Steel	

Code	Size	Finish	
H0570511	102mm	Galvanised	
H0570521	152mm	Galvanised	
H0570531	203mm	Galvanised	



# Cabin Hook & Eye

Size

76mm

102mm

152mm

Hot pressed brass

Code

H0570001

H0571011

H0571021



Finish

Polished Brass

Polished Brass

Polished Brass



# Cabin Hook & Eye

Hot pressed brass

H0571003 76mm Polished Chrome	
H0571013 102mm Polished Chrome	
H0571023 152mm Polished Chrome	





### Silent Pattern Cabin Hook & Eye

• Hot pressed brass

Code	Size	Finish
H0571501	76mm	Polished Brass
H0571511	102mm	Polished Brass
H0571521	152mm	Polished Brass
H0571531	203mm	Polished Brass
H0571541	305mm	Polished Brass



### Silent Pattern Cabin Hook & Eye

Hot pressed brass

Code	Size	Finish	
H0571503	76mm	Satin Chrome	
H0571513	102mm	Satin Chrome	
H0571523	152mm	Satin Chrome	
H0571533	203mm	Satin Chrome	



### Hat & Coat Hook

• Screw fix • Strong extruded aluminium

Code	Size	Finish
H058100	01 115mm	Silver Anodised Aluminium



### Robe Hook

Screw Fix 
 Strong Extruded Aluminium

Code	Size	Finish
H0581501	38mmn	Silver Anodised Aluminium



### Hat & Coat Hook

Screw Fix 
 Strong Extruded Aluminium

Code	Size	Finish
H0582001	128mm	Silver Anodised Aluminium



### Robe Hook

Screw Fix • Strong Extruded Aluminium

Code	Size	Finish
H0582501	43mm	Silver Anodised Aluminium



N&C Contractor Hat & Coat Hook

<ul> <li>Strip</li> </ul>	Pattern	Hat &	Coat Hook	

Code	Finish
H0580001	Silver Anodised Aluminium



N&C Contractor Robe HookStrip Pattern Robe Hook

Code	Finish
H0580502	Silver Anodised Aluminium



N&C Specifier Hat & Coat Hook

Strip Pattern Hat & Coat Hook

Code	Finish
H3714004	Satin Stainless Steel



N&C Specifier Hat & Coat Hook

Strip Pattern Hat & Coat Hook

Code	Finish
H3714003	Polished Stainless Steel



N&C Specifier Robe Hook • Strip Pattern Buffered Robe Hook

Strip Pattern Buffered Robe Hook

CodeFinishH3714104Satin Stainless Steel



N&C Specifier Robe Hook

Strip Pattern Buffered Robe Hook

Code	Finish
H3714103	Polished Stainless Steel



N&C Hat & Coat HookTraditional Straight Pattern Hat & Coat Hook

Code	Size	Finish	
H8070052	125mm	Antique Black	



N&C Single Robe HookTraditional Single Robe Hook

Code	Size	Finish	Code	Size	Finish	
H8070054	55mm	Antique Black	H8070055	55mm	Antique Black	



### N&C Hat & Coat Hook

• Traditional straight pattern hat & coat hook

Code	Size	Finish
H8000033	125mm	Polished Brass



N&C Single Robe Hook

Traditional single robe hook

Code	Size	Finish
H8000034	40mm	Polished Brass



### N&C Double Robe Hook

N&C Double Robe Hook

• Traditional Double Robe Hook

• Traditional double robe hook

Code	Size	Finish	
H8000099	45mm	Polished Brass	





Traditional straight pattern hat & coat hook

Code	Size	Finish
H8001029	125mm	Polished Chrome



### N&C Hat & Coat Hook

• Traditional straight pattern hat & coat hook

Code	Size	Finish
H8002023	125mm	Satin Chrome



• Traditional single robe hook

Code	Size	Finish	
H8001030	40mm	Polished Chrome	



N&C Single Robe Hook

Traditional single robe hook

Code	Size	Finish
H8002024	40mm	Satin Chrome



### N&C Double Robe Hook

Traditional double robe hook

Code	Size	Finish	
H8001061	45mm	Polished Chrome	



### N&C Double Robe Hook

• Traditional double robe hook

(	Code	Size	Finish
ł	H8002010	45mm	Satin Chrome



Hat & Coat Hook On Plate

Screw Fix

Code	Size	Finish
H0583001	88mm	Bronze
H0583002	88mm	Polished Chrome



### Wardrobe Hook On Plate Screw Fix

Code Size Finish H0583501 51mm Bronze H0583502 51mm Polished Chrome



### **Child Saftey Hook**

Screw Fix 
 Unbreakable Polycarbonate

Code	Finish
H0585002	Clear



### • Screw Fix • Super Tough Nylon



Code	Size	Finish
H0585005	93mm	Ocean Bl
H0585006	93mm	Black
H0585007	93mm	Baby Blu
H0585008	93mm	Bright Yel
H0585009	93mm	Fresh Ora
H0585010	93mm	Fresh Gre
H0585011	93mm	Deep Red
H0585012	93mm	Claret
H0585013	93mm	Dove Gre

Timber Hat & Coat Rail • Ash timber 70mm x 32mm thick

Size	Hooks
900mm	
1200mm	
1500mm	10
1800mm	12
2100mm	14
2400mm	16
2700mm	18
3000mm	20
	900mm 1200mm 1500mm 1800mm 2100mm 2400mm 2700mm



### Multirack Hat & Coat System

• Single hook unit • 150mm centres

Code	Unit Hooks	Size	Finish	
H0587501	Single	50mm	SAA/Black	
H0587511	Two	200mm	SAA/Black	
H0587521	Three	350mm	SAA/Black	
H0587531	Four	500mm	SAA/Black	
H0587541	Five	650mm	SAA/Black	
H0587551	Six	800mm	SAA/Black	
Connector Unit				
H0587561		100mm	SAA/Black	



### Wire Pattern Hat & Coat Hook

Screw	Fix	•	Powder	coated	steel

Code	Size	Finish	
H0585001	152mm	White	



### Brass Handrail Bracket

Brass handrail bracket

Code	Size	Finish
H8000112	65mm	Polished Brass



### Aluminium Handrail Bracket

• Aluminium handrail bracket

nge

	Code	Size	Finish
1	H0604511	76mm	SAA



Heavy Pattern Brass Handrail Bracket • Heavy pattern brass handrail bracket

Code	Size	Finish
H8000113	64mm	Polished Brass
H8000114	76mm	Polished Brass



### Steel Handrail Bracket

• Strong steel handrail bracket

Code	Size	Finish	
H0603511	64mm	Zinc Plated	
H0603521	76mm	Zinc Plated	
H0605001	51mm	White	
H0605011	64mm	White	
H0605012	76mm	White	



Iron Handrail Bracket • Malleable iron handrail bracket

Code	Size	Finish
H0604011	76mm	Black

### Ventilators

A range of straight slotted, louvre and 'hit and miss' ventilators.

Hit and miss ventilators and ventilators with a flyscreen should not be used for venting heat producing appliances i.e. boilers.

Air vent covers available in a range of materials colours and finishes. Suitable for use in bathrooms and kitchens.

Substantial enough to use walls and doors, yet stylish enough to be used in luxury offices, furniture and many other environments



### Straight Slotted Ventilator

Screw Fix

Code	Size	Finish
H8300001	152x76mm	Brass
H8300002	225x76mm	Brass
H8300004	225x225mm	Brass
H8300005	305x76mm	Brass
H8300006	305x150mm	Brass
H8300007	305x305mm	Brass



### Straight Slotted Ventilator

Screw Fix

Code	Size	Finish
H8300101	152x76mm	Silver Anodised Aluminium
H8300104	225x225mm	Silver Anodised Aluminium
H8300105	305x76mm	Silver Anodised Aluminium
H8300106	305x150mm	Silver Anodised Aluminium
H8300107	305x305mm	Silver Anodised Aluminium



#### Hit & Miss Ventilator

Screw fix

0	0'	Fisher
Code	Size	Finish
H8300401	150x76mm	Brass
H8300402	225x76mm	Brass
H8300403	225x150mm	Brass
H8300501	152x76mm	Silver Anodised Aluminium
H8300502	225x76mm	Silver Anodised Aluminium
H8300503	225x150mm	Silver Anodised Aluminium
H8300504	225x225mm	Silver Anodised Aluminium
H8300505	305x76mm	Silver Anodised Aluminium
H8300507	305x305mm	Silver Anodised Aluminium



### Louvre Ventilator

Screw fix		
Code	Size	Finish
H8300201	152x76mm	Brass
H8300202	225x76mm	Brass
H8300203	225x150mm	Brass
H8300304	225x225mm	Silver Anodised Aluminium
H8300305	305x76mm	Silver Anodised Aluminium
H8300306	305x150mm	Silver Anodised Aluminium
H8300307	305x305mm	Silver Anodised Aluminium



### Hit & Miss Ventilator Nylon

Nylon With Flyscreen 
 Screw Fix

Code	Size	Finish
H0743501	152x76mm	White
H0743511	229x76mm	White
H0743521	229x152mm	White
H0743531	229x229mm	White



#### Louvre Ventilator

• Nylon with flyscreen • Screw fix

Code	Size	Finish
H0744001	229x76mm	White
H0744011	229x152mm	White



### Circular Ventilator

• With flyscreen • Screw fix

Code	Dia	Finish	
H0743001	75mm	Bronze	
H0743002	75mm	Polished Chrome	
H0743012	102mm	Polished Chrome	



#### Access Panel

• High impact polystyrene (Plastic) • Removeable panel

Code	Dia	Finish
H0746526	150x200mm	White
H0746527	300x300mm	White
H0746530	464x464mm	White

# **ANTI LIGATURE PRODUCTS**

A range of door furniture, window fittings and washroom fittings designed for the less physically abled and the Mental Health Care Markets for use in applications where there is a risk of harm to themselves or others.

Our anti-ligature products are ideal for use in psychiatric wards, hospitals, mental institutions, care homes and prisons. With a large choice of anti-ligature products to choose from, ranging from door handles to pull handles, bathroom turns to hinges you are able to protect all ligature points which might put a person at risk.

We fully recognise that staff safety issues will vary widely between establishments. Our products are manufactured to be fit for purpose, robust and provide members of staff with all the necessary safety features required to address the challenges that can arise. Our products have been tested in accordance with DHF (Door and Hardware Federation) technical specifications for 'door mounted anti ligature devices for safety and security purposes' (TF001).



All products within this section are suitable for commercial use



### Anti Ligature Hinge

Code H043

- Anti ligature double ball bearing butt hinge
- Champered tips greatly reduce ligature points



### Accessible Euro Profile Mortice Sashlock Case Suitable for unsprung furniture Reversible latchbolt Cylinder positioned above the lever



### Accessible Mortice Latch Case

 Suitable For Unsprung Furniture • Radius Forend Reversible Latchbolt

le	Size	Finish	Code	Case	Backset	Finish	Code	Case	Backset	Finish
34201	100X75mm	Satin Stainless Steel	H0434203	94mm	70mm	Satin Stainless Steel	H0434208	94mm	70mm	Satin Stainless Steel



#### Accessible Euro Profile Mortice Deadlock Case Badius Forend

Code	Case	Backset	Finish
H0434211	94mm	70mm	Satin Stainless Steel

۲	-
	] ((
ł.	
	. 0

### Accessible Mortice Bathroom Lock Case

Turn positioned above the lever
Radius forend
Suitable for unsprung furniture
8mm follower to turn Reversible latchbolt

Code	Case	Backset	Finish

H0434214	94mm	70mm	Satin Stainless Steel



#### Accessible Mortice Emergency Nightlatch Case

- Cylinder positioned above the lever 
   Radius forend
   Suitable for unsprung furniture
   Reversible latchbolt
- Anti thrust function

Code	Case	Backset	Finish
H0434215	94mm	70mm	Satin Stainless Steel



### Anti Ligature Clutch Knob

- Suitable for anti ligature lock cases • Anti ligature clutch knob can be fitted to standard euro profile cylinders or to client's free issue cylinders that may
- be part of a new or existing master key system
  Converts cylinder to anti barricade solution
  Can also be
- fitted to bathroom turn c/w chamfered edge escutcheons Concealed fixings to client side of door

	9				

Code S	SIZE	Finish
H0434218 6	33x10mm	Satin Stainless Steel



### Anti Ligature Lever Set

- 50mm round rose The lever is set at 45 degree angle
- Concealed fixings Chamfered edges
   When pressure is applied lever falls to 90 degree vertical angle causing the ligature to slip off
   Concealed fixings to client side of door



#### Anti Ligature Lever/Knob Set

Anti ligature lever handle on round rose with chamfered edge
Anti ligature door knob with chamfered edge to client side of door 

Knob is chamfered to allow maximum grip &
ligature resistance When pressure is applied lever falls to 90 degree vertical angle causing the ligature to slip off • Concealed fixings to client side of door

C	ode	Size	Finish	Code	Size	Hand	Finish
H	10444903	64x103mm	Satin Stainless Steel	H0434224	64x103mm	Satin Stair	nless Steel



### Anti Ligature Euro Profile Cylinder Escutcheon

Chamfered edges 
 Back to back fixings

H0434227 63x10mm Satin Stainless Steel	Code	Size	Finish
	H0434227	63x10mm	Satin Stainless Steel



### Anti Ligature Infill Pull Handle On Plate

	<ul> <li>Infill prevents ligatures</li> <li>Face fix</li> </ul>					
	Large diame	eter pull handle pr	ovides grip			
	Code	Size	Finish			
I	H0434330	200v75mm	Satin Stainloss Stool			



### Anti Ligature Clutched Bathroom Turn

Carriage key release prevents barricading
Chamfered edges
Concealed fixings to client side of door

Code	Size	Finish
H0434230	63x10mm	Satin Stainless Steel
Sporo Corrigo	e Koy for Corrigo	Kay Palanan

opaio oamago noj n	n oamago noj noloaco
Code	Finish
H0434233	Self Colour



### Anti Ligature Pad Pull Handle

Angled top & bottom to deter the attachment of ligatures
Bolt through fixed

Code	Size	Finish
H0434242	300x65m	Satin Stainless Steel



### Anti Ligature Floor Door Stop

Supplied with tamperproof screw

door is closed

Code	Finish
H0434248	Satin Stainless Steel



Anti ligature double action door pivot set
 Set comprising: top centre, bottom pivot, & bottom strap
 80kg mam door Weight 
 No hinge knuckle ligature point

Finish

Satin Stainless Steel

#### N&C Emergency Release Door Stop N&C Anti Ligature Double Action Door Pivot Set

- For use with double action door pivot set
- Set comprising: top centre, bottom pivot & bottom strap
  80kg max door weight 

  No hinge knuckle ligature point when Door can be opened outward & inward

Anti Ligature Pivot Set

when door is closed

Code

H0434081

• If door is barricaded to the inside the door can be opened in outward direction



### Anti Ligature Flush Pull Handle

- Can be fitted vertically or horizontally
  Supplied with face fix tamper proof fittings
  Inside of grip is curved to prevent the insertion of a part to attach a ligature Can be fitted vertically or horizontally Supplied with face fix tamper proof fittings
- Code Size Finish H0434236 150x105mm Satin Stainless Steel



### Anti Ligature Norton Pull Handle

 Smooth lines discourage attachment of ligatures whilst Having A "Non Institutional" appearance

Code	Size	Finish
H0434245	250x105mm	Satin Stainless Steel



### Emergency Release Door Stop

- For use with double action door pivot set
  Door can be opened outward & inward
- If door is barricaded to the inside the door can be opened in outward direction

Code	Finish
H0434091	Satin Stainless Steel



### **Pivot Point Protector**

- Pivot point protector protects double action doors from damage caused by them being forced over the door stop
- An economical way of repairing damaged doors & extending the door life

Code	Finish	Code	Finish	Code	Door Thickness	Finish
H0434085	Satin Stainless Steel	H0434095	Satin Stainless Steel	H0434251	44mm	Satin Stainless Steel



### Anti Ligature Handle to operate Window Espagnolette

Handle is removable for staff use
Ideal for top hung fanlights
Chamfered sides prevent ligature attachment



### Anti Ligature Cockspur Window Fastener

Designed to prevent unauthorised opening of windows
Torx pin key release

• Cockspur can be locked back out of sight when window is open • Chamfered sides prevent ligature attachment



### Anti Ligature Window Pull Handle

Chamfered sides prevent ligature attachment

Code	Finish	Code	Finish	Code	Size	Finish
H0434257	Satin Stainless Steel	H0434260	Aluminium	H0434254	150x34mm	Aluminium



### Anti Ligature Coat Hook

• Hook is fixed in a ball joint held in place by a sprung ball bearing • Supplied with tamperproof fixings • Will carry the weight of a "normal coat" but additional weight will cause it to collapse releasing any ligature Can be adjusted for differing weight requirements prior to installation. Supplied with tamper proof fixings

1	
2	

### Anti Ligature Hinged Support Arm

• The arm can be safely locked down to discourage the attachment of ligatures



Anti Ligature Vertical Grab Rail Infill prevents ligatures
Face fix 

Large diameter pull handle provides grip

Code	Size	Finish	Code	Size	Finish	Code	Size	Finish
H0434263	63mm	Satin Stainless Steel	H0434266	750mm	White	H0434272	700x100mm	White
			H0434269	750mm	Blue	H0434275	700x100mm	Blue





### Anti Ligature Horizontal Grab Rail

Large diameter pull handle provides grip
Infill prevents ligatures
Face fix

• Infil plate is angled to facilitate drainage of shower water

Cod	le	Size	Finish
H04	34278	700x100mm	White
H04	34281	700x100mm	Blue



Anti Ligature Wardrobe Rail

Designed to discourage the attachment of ligatures or stan-dard coat hangers
 Soffit fixed

Code	Size	Finish
H0434284	500mm	White
H0434287	1000mm	White




### Anti Ligature Coat Hanger

For use with anti ligature wardrobe rail
Designed to fail if excessive weight is exerted & also to discourage the combining of a number of hangers to form a ligature point


Code	Finish
H0434290	White

## **General Hardware**

A selection of miscellaneous products to help solve everyday solutions in both domestic and commercial environments.



### Interclamp



Our Interclamp range is made of galvanised cast iron to BS EN ISO 1461 and is a versatile hand railing system typically used as safety guardrails, fencing, playground equipment, sports practice nets, pedestrian barriers and wheelchair access ramps.

The galvanized, malleable, iron slip-on pipe and tube fittings allow fast construction of varied structures made possible by means of a simple, easy to use hexagon key.



Speak to us about our N&C Interclamp DDA Assist range, which is specially designed to aid compliance with the Equality Act.



#### Handrail Steel Tube

Plain End Steel Tube 3250mm Length

Code	Size		Finish
Z4019951	48.3mm	D	Galvanised
H6700033	42.4mm	С	Galvanised



### Simple Tee

 Simple Tee 101 Lengths of tube cannot be joined within this fitting Size Code Finish H6700000 48.3mm D Galvanised H6700100 42.4mm C Galvanised



3 Way Elbow

• 3 Way Corner Elbow 128 Used where top rail meets corner on level sites Size Code Finish H6700003 48.3mm D Galvanised H6700103 42.4mm С Galvanised



4 Way Centre Cross					
4 Way Cent	re Cross 15	58			
Lengths of tube cannot be joined within this fitting					
Code	Size		Finish		
H6700007	48.3mm	D	Galvanised		
H6700107	42.4mm	С	Galvanised		



Straight Connector Straight Connector 149

Connector for joining tubes of the same diameter Finish Code Size H6700001 48.3mm D Galvanised H6700101 42.4mm C Galvanised

• Corner With Through Centre Tube 116

Size

H6700004 48.3mm D

H6700104 42.4mm C

Crossover Joint

Crossover Joint 161

Code

Reduce the need for cutting on horizontal rails

Size

H6700008 48.3mm D

H6700108 42.4mm C

Code

Lengths of tube cannot be joined within this fitting

Finish

Finish

Galvanised

Galvanised

Galvanised

Galvanised



### Elbow

Elbow 125 Used where top rail meets end upright on level sites Size Finish Code H6700002 48.3mm D Galvanised H6700102 42.4mm C Galvanised

### Mid Rail Pivot

 Mid Rail Pivot 153 Adjustable from 0 degrees to 11 degrees Size Finish Code H6700015 48.3mm D Galvanised H6700115 42.4mm С Galvanised

0



Long Tee Long Tee 104 Lengths of tube can be joined within this fitting Code Size Finish H6700005 48.3mm D Galvanised H6700105 42.4mm C Galvanised





 Wall Plate 131 Not recommended as a baseplate Size Finish Code H6700009 48.3mm D Galvanised H6700109 42.4mm C Galvanised

0		0	
2 Way Cross			
<ul> <li>2 Way Cross 119</li> </ul>			
Longthe of through tu	ibo can bo	ioined	

engths of through tube can be joine Code Size Finish H6700006 48.3mm D Galvanised H6700106 42.4mm C Galvanised



Base Plate

<ul> <li>Base Plate 132</li> <li>Used for uprights on level site</li> </ul>					
	Code	Size		Finish	
	H6700010	48.3mm	D	Galvanised	
	H6700110	42.4mm	С	Galvanised	



Side Support

<ul> <li>Side Support 144</li> </ul>					
Used to attach guardrail to walls, staircases & ramps					
C	Code	Size		Finish	
H	16700011	48.3mm	D	Galvanised	
H	16700111	42.4mm	С	Galvanised	



Slope Base Flange Slope Base Flange 152

Code	Size		Finish
H6700012	48.3mm	D	Galvanised
H6700112	42.4mm	С	Galvanised



Handrail Wall Bracket Handrail Wall Bracket 143

Used to attach handrail to walls				
Code Size Finish			Finish	
H6700013	48.3mm	D	Galvanised	
H6700113	42.4mm	С	Galvanised	



### Plastic End Plug

<ul> <li>Plastic End Plug 133</li> </ul>				
Grey plastic stop end for tube				
Code Size				
H6700014	48.3mm	D		
H6700114	42.4mm	С		

Finish Galvanised Galvanised



**Top Rail Pivot** • Top Rail Pivot 154 Adjustable from 0 degrees to 11 degrees Size Finish Code H6700016 48.3mm D Galvanised H6700116 42.4mm C Galvanised



Wall Plate Pivot • Wall Plate Pivot 169 Us

Used for fixing	angled tube:	s to w	alls etc	
Code	Size		Finish	
H6700023	48.3mm	D	Galvanised	
H6700123	42.4mm	С	Galvanised	



End Joining Pivot End Joining Pivot 155 Adjustable from 0 degrees to 11 degrees Size Finish Code H6700017 48.3mm D Galvanised



**Double Through Tee Pivot** • Double Through Tee Pivot 167 Adjustable angle, used for awkward applications Size Code Finish H6700020 48.3mm D Galvanised H6700120 42.4mm C Galvanised



**Pivot - Centre Vertical Through** • Pivot - Centre Vertical Through Tube 156 Lengths of tube cannot be joined Code Size Finish H6700018 48.3mm D Galvanised H6700118 42.4mm C Galvanised



 3 Way Elbow Pivot 168 Adjustable angle, used for awkward applications Size Code Finish H6700021 48.3mm D H6700121 42.4mm C Galvanised



Eliptical Allen Key For Grub Screw Allen Key

Code	Size
H6700040	C - D Fittings



Spare Grub/Set Screw • Spare Grub/Set Screw 300

Code	Size
H6700037	C - D Fittings

Allen Key Allen Kev

Size Code H4019971 C - D Fittings



### Eliptical Security Grub Screw

Eliptical Occu		
<ul> <li>Requires special allen key to prevent unauthorised removal</li> </ul>		• A
Code	Size	С
H6700038	C-D Fittings	H

3 Way Elbow Pivot

Galvanised



Single Through Tee Pivot

Adjustable angle, used for awkward applications

Finish

Galvanised

Galvanised

• Single Through Tee Pivot 173

Size

H6700019 48.3mm D


H6700119 42.4mm C

Code

Adjustable Elbow Pivot

<ul> <li>Adjustable Elbow Pivot 166</li> <li>Adjustable angle, used for awkward applications</li> </ul>				
Size		Finish		
48.3mm	D	Galvanised		
42.4mm	С	Galvanised		
	le, used for a Size 48.3mm	e, used for awkwa	e, used for awkward applications Size Finish 48.3mm D Galvanised	

### **Kee Klamp**



Kee Klamp components offer a flexible solution for the construction of safety barrier systems and custom systems for railings, roof edge protection and fall prevention. The KEE KLAMP system securely joins standard sizes of structural steel tube into almost any configuration imaginable, utilising the widest range of fittings available on the market today.

Kee Klamp is made of galvanised cast iron to BS EN ISO 1461 and is fitted with KEE KOAT corrosion, protected grub screws and Thread Koat® recess protection

Kee Klamp is TUV certified for strength, manufacturing quality and consistency. Meets specified loadings up to 1500 N/m.





#### Handrail Steel Tube


Plain End Steel Tube 3250mm Length

Code	Size		Finish
Z4019951	48.3mm	8	Galvanised
74019950	33 7mm	6	Galvanised



### Simple Tee

 Simple Tee 10 Lengths of tube cannot be joined within this fitting Size Finish Code Z4019701 48.3mm 8 Galvanised Z4019700 33.7mm 6 Galvanised



### 3 Way Elbow

• 3 Way Corner Elbow 20 Used where top rail meets corner on level sites Size Code Finish Z4019731 48.3mm 8 Galvanised



4 Way Centre Cross				
4 Way Cent	4 Way Centre Cross 40			
Lengths of tube	e cannot be j	oined	I within this fitting	
Code	Size		Finish	
Z4019781	48.3mm	8	Galvanised	
Z4019780	33.7mm	6	Galvanised	



Straight Connector

 Straight Connector 14 Connector for joining tubes of the same diameter Finish Code Size Z4019711 48.3mm 8 Galvanised Z4019710 33.7mm 6 Galvanised

Corner With Through Centre Tube 21

Size

Z4019741 48.3mm 8

Z4019740 33.7mm 6

Crossover Joint

• Crossover Joint 45

Code

Reduce the need for cutting on horizontal rails

Size

Z4019791 48.3mm 8

Z4019790 33.7mm 6

Code

Lengths of tube cannot be joined within this fitting

Finish

Finish

Galvanised

Galvanised

Galvanised

Galvanised



Elbow

 Elbow 15 Used where top rail meets end upright on level sites Size Finish Code Z4019721 48.3mm 8 Galvanised Z4019720 33.7mm 6 Galvanised

# Mid Rail Pivot

 Mid Rail Pivot 86 Adjustable from 0 degrees to 11 degrees Size Finish Code Z4019861 48.3mm 8 Galvanised

0



Long Tee Long Tee 25 Lengths of tube can be joined within this fitting Code Size Finish Z4019751 48.3mm 8 Galvanised Z4019750 33.7mm 6 Galvanised





 Wall Plate 61 Not recommended as a baseplate Code Size Finish Z4019801 48.3mm 8 Galvanised Z4019800 33.7mm 6 Galvanised

0	0	0	
Way Cross			

#### 2 Way Cross 2 Way Cross 26

2 Way 01055 20				
engths of through tube can be joined				
Code	Size		Finish	
Z4019761	48.3mm	8	Galvanised	
Z4019760	33.7mm	6	Galvanised	



Base Plate Bas

<ul> <li>Base Plate 62</li> </ul>				
Used for uprights on level site				
Code	Size		Finish	
Z4019811	48.3mm	8	Galvanised	
Z4019810	33.7mm	6	Galvanised	

www.nichollsandclarke.com



Side Support

	<ul> <li>Side Support 64</li> <li>Used to attach guardrail to walls, staircases &amp; ramps</li> </ul>			
(	Code	Size		Finish
	Z4019821	48.3mm	8	Galvanised
2	Z4019820	33.7mm	6	Galvanised



Slope Base Flange Slope Base Flange 67

Coc	le	Size		Finish
Z40	19831	48.3mm	8	Galvanised
Z40	19830	33.7mm	6	Galvanised



Handrail Wall Bracket Handrail Wall Bracket 70

Jsed to attach handrail to walls				
Code	Size		Finish	
H4019840	48.3mm	D	Galvanised	
H4019841	33.7mm	С	Galvanised	



### **Plastic End Plug**

	<ul> <li>Plastic End Plug 77</li> </ul>		
Grey plastic stop end for tube			
	Code	Size	
	Z4019851	48.3mm	D
	Z4019850	33.7mm	С

Finish Galvanised Galvanised



Top Rail Pivot • Top Rail Pivot 87 Adjustable from 0 degrees to 11 degrees Code Size Finish Z4019871 48.3mm 8 Galvanised



End Joining Pivot End Joining Pivot 88 Adjustable from 0 degrees to 11 degrees Code Size Finish Z4019881 48.3mm 8 Galvanised



**Pivot - Centre Vertical Through**  Pivot - Centre Vertical Through Tube 89 Lengths of tube cannot be joined Code Size Finish Z4019891 48.3mm 8 Galvanised







0

Single Through Tee Pivot

Adjustable angle, used for awkward applications

Z4019911 48.3mm 8 Galvanised

Finish

Single Through Tee Pivot 89

Size

Code

### Allen Key 99

Code	Size
Z4019971	8
Z4019970	6





#### Double Through Tee Pivot • Double Through Tee Pivot C51 Adjustable angle, used for awkward applications Code Size Finish Z4019921 48.3mm 8 Galvanised Z4019920 33.7mm 6 Galvanised

		Constant.
-	lbow Piv	
,	bow Pivot C5	
-	-	awkward applications
Code	Size	Finish

• A Z4019931 48.3mm 8 Galvanised Z4019930 33.7mm 6 Galvanised

Wall Plat	e Pivot	
<ul> <li>Wall Plate</li> </ul>	Pivot C58	
Used for fixin	g angled tub	es to walls etc
Code	Size	Finis

seu ior nxing a	angleu tubes	s to wa	13 610
Code	Size		Finish
Z4019961	48.3mm	8	Galvanised
Z4019960	33.7mm	6	Galvanised

### Fencing

A range of fencing for multi purpose usage in domestic and commercial applications. From perimater fencing and creating barriers for premises/assets/livestock to using as a deterrent and the safeguarding of people, assets and buildings.





Line Wire For Chain Link Fencing

Galvanised spare line wires for chain link fencing
3.00mm O/D

Code	High	Finish	С
Z4011510	50 Metres	Galvanised	Z
Z4011521	50 Metres	Galvanised Green	



Galvanised Chain Link Fencing

2.5mm diameter O/A 
50mm mesh 
25 Metre roll
Includes line wires

Code	High	Finish
Z4011501	900mm	Galvanised
Z4011502	1200mm	Galvanised
Z4011504	1800mm	Galvanised



Ratchet WinderGalvanised ratchet winder

Code	Finish
Z4012505	Galvanised



Green PVC Coated Galvanised Chain Link Fencing • 2.5mm diameter O/A • 50mm mesh • 25 Metre roll

Includes line wires

Code	High	Finish
Z4012001	900mm	Green
Z4012002	1200mm	Green
Z4012004	1800mm	Green



### Straining Eye Bolts

• BZP Straining eye bolt, nut & washer

Code	Size	Finish
Z4012531	M6x150	Bright Zinc Plated
Z4012534	M8x200	Bright Zinc Plated
Z4102535	M10x250	Bright Zinc Plated
Z4012536	M10x300	Bright Zinc Plated



### Barrel Strainer

### BZP barrel strainer

Code Hi	igh	Finish
Z4012541 95	5mm	Bright Zinc Plated
Z4012542 10	00mm	Bright Zinc Plated
Z4012543 11	10mm	Bright Zinc Plated



Wire Netting Fasteners

Galvanised Wire Netting Fasteners(Box 200)

Code	High	Finish
Z4012511	16x10mm	Galvanised



Barbed WireGalvanised barbed wire 4 point

Code	Size	Finish
Z4013502	15 Metres	Galvanised



### Galvanised Wire Netting

• 22 Guage wire • 13mm mesh

Code	Size	Boll	Finish
Code	SIZE	NUII	FILISI
Z4008503	600mm	50M	Galvanised
Z4008503	900mm	50M	Galvanised
Z4010002	600mm	25M	Galvanised
Z4010003	1200mm	25M	Galvanised
Z4010004	1800mm	25M	Galvanised

Angle Iron Netting Stakes • Self Colour Angle Iron Netting Stakes • 40x40x3.0m For 600mm Fence Height			
Code	Size	Finish	
Z4012521	1200mm	Self Colour	
For 900mm Fo	ence Height Size	Finish	
Z4012522	1500mm	Self Colour	
For 1200mm l	Fence Height		
Code	Size	Finish	
Z4012523	1800mm	Self Colour	

### **Clothes Airers**

Our outdoor airer and accessory range includes a range of robust outdoor airers and accessories to match. This high quality range will help you make the most of your outside space.

We offer a selection of 3 and 4 arm rotary airers perfect for domestic or commercial usage. Line tensioners allow you to adjust the line according to the weight of your clothes, so your laundry does not sag towards the ground whilst drying.





### **Clothes Line Posts**

 Clothes line post
 Tubular steel With fixed base pegs for concrete fixing

Code	High	Finish
Z4018501	2.44 Metre	Green
Z4018502	2.70 Metre	Green
Z4018503	2.44 Metre	Galvanised
Z4018504	2.70 Metre	Galvanised



### **Clothes Line Pulleys**

Single screw pulley
 Nylon wheel

Code	Size	Finish
H0616501	44mm	Epoxy Black



#### **Rotary Clothes Airers**

- Domestic galvanised rotary clothes airer
- 3 folding arms 2.70 metre turning circle
- 2 positional twist grip to adjust line tension
- Complete with ground socket for concrete

Code	Size	Finish
Z4018521	30M	Galvanised
Z4018522	35M	Galvanised

Tubular Soilspear Socket Code Dia

Z4018523 32mm



### **Clothes Line Posts**

Clothes line post 
 Tubular steel

With loose ground socket

Code	High	Finish
Z4018511	2.44 Metre	Green
Z4018512	2.70 Metre	Green
Z4018513	2.44 Metre	Galvanised
Z4018514	2.70 Metre	Galvanised



### **Commercial Rotary Clothes Airers**

- Commercial galvanised rotary clothes airer
- 4 non folding arms 3.30 metre turning circle
- Heavy duty for permanent installation

Code	Size	Finish
Z4018601	30M	Galvanised
Z4018602	35M	Galvanised



- 4 non folding arms with rotary handle
- 3.30 metre turning circleHeavy duty for permanent installation

Code	Size	Finish
Z4018602	35M	Galvanised
Ground Sock	et	

Code	Finish
Z4018603	Galvanised
Spare Line	
Code	
Z4018604	



Single Wheel Line Pulley Single wheel line pulley
 Nylon wheel

Code	Size	Finish
H0617501	32mm	Galvanised
H0617501	38mm	Galvanised

Finish

Epoxy Black

Single Wheel Upright Pulley

Code

H0617011

• Single wheel upright pulley • Nylon wheel

### **Gutter Protection**

Solutions for the protection of gutter systems against the natural forces of nature, such as snow, leaves and other destructive forces.

Our snow guards are designed to prevent mass quantities of snow and ice from avalanching off roofs, causing extensive damage to the gutter system, property and pedestrians below.

Our range of 'Hedgehog' products prevent the build up of leaves and other debris to help prevent clutter.



### Snowguard

2 metre lengths • Retains fallen snow on pitched roofs

Code	High	Finish
Z4008001	152mm	Galvanised
Z4008002	229mm	Galvanised

### **Snowguard Bracket**

<ul> <li>For half round gutter</li> </ul>	•	For	half	round	gutter
---	---	-----	------	-------	--------

Code	High	Finish
Z4008003	152mm	Galvanised
Z4008004	229mm	Galvanised

### Snowguard Bracket For Ogee Gutter

Code Finish Z4008005 Galvanised	Suits both 152mm & 229mm	high snowguard
Z4008005 Galvanised	Code	Finish
	Z4008005	Galvanised



Hedgehog products solve blocked gutter and drain problems immediately.

- Fitted in minutes and lasts for years
- Easy to fit and does not require special installation expertise
- Fits most types of gutters
- No more overflowing gutters and drains
- Avoids ladder climbing for maintenance
- Also fits traditional iron and asbestos gutters
- Adapts automatically to the shape of any gutter
- Avoids the need to call in costly professionals to unblock gutters
- Fits around corners and over down pipe outlets





### Hedgehog

"Hedgehog" Gutterbrush Protector
 Prevents build up of leaves/debris etc in gutters

Black

White

 Code
 High

 Z4008031
 4 Metre

 Z4008032
 4 Metre





It is recommended to use at least 4 brackets per 2 metre length of snowguard



### Hedgehog Fixings

Fixings For "Hedgehog" Gutterbrush Protector
 Pack of 20

Code	
Z4008033	

### Finish Clear

### Gutterscoop Gutter Cleaner

• For cleaning gutters prior to installing hedghog

Code	Finish
Z4008033	Clear

### Protection

A range of protective solutions that the protection of people and assets through intruder spikes, as well as deterents for pests such as insects and pigeons.



### Anti Intruder Spikes

- "Prikka-strip" anti intruder spikes
- Suitable for tops of fences, gates, pipes, walls & sills
  Strong polypropylene construction with 15mm sharp spikes
- Silicone Adhesive Or Screw Fixed
- 500mm lengths easily cut/formed on site
- Warning notice included in pack

Code	Pack	Finish
H0123001	4 Metre	Grey





### **Pigeon Spikes**

- "birdban" anti perching pigeon spikes
- Suitable for perching/roosting sites
- Strong uv stabalised clear polycarbonate
- Silicone adhesive or screw fixed
- 327mm lengths easily cut on site

Code	Pack Size	Finish
H0619001	2 Metre	Clear
H0619002	6 Metre	Clear
H0619003	20 Metre	Clear
H0619005	100 Metre	Clear



### Insect Screening Fibreglass Flymesh

- PVC Coated fibreglass
   Mesh count 16x18 per inch
- Will not sag or ripple in use
  1200mm wide
  Cut to size in 1000mm increments



### Insect Screening Aluminium Flymesh

- Acrylic coated aluminium Mesh count 16x18 Per Inch
- Use where steam cleaning may be required
- 610mm wide Cut to size in 1000mm increments

Code	Finish	Code	Finish
Z9000018	Grey	Z9000015	Bright



**N&C Fingershield** • Heavy duty flexible finger protection

Code	Size	Finish
H0855744	Hinge knukle side of door	1960mm White
H0855745	Both sides of door	1960mm White

### **Bicycle and Scooter Racks**

The easiest and most cost effective solution for parking bicycles is through the provision of cycle holders and or cycle stands.

Our bike holders and stands come in a wide range of configurations. Select from wall mounted or those that are fixed to the surface (flanged). We also have multi-rack individual cycle rack holders which can be purchased as single units but then can be built up as required to form larger rack units. This option allows you to scale your cycle parking solution to your own specific requirements and grow if demand for cycle parking increases.

All of our cycle holders and stands are manufactured from tough, durable galvanised steel and are therefore built to last.





### Sheffield Style Bicycle Stand

Flanged ends for bolting to a solid floor6 fixing bolts per stand required (not Included)

Code	High	Wide	Finish	
Z4019507	750mm	800mm	Galvanised	



### Floor Mounted Scooter Rack

- Floor mounted galvanised scooter rackHoops welded to crossbar allows scooter to be secured
- with a cycle lock

H0184831 1800mm

- Flanged end for bolting to a solid floor
- 6 fixing bolts per stand required-not included

Single Sided-	Holds 4 Sc	cooters		
Code	High	Wide	Finish	
Z4019580	770mm	880mm	Galvanised	
Double Sideo	l-Holds 8 S	Scooters (4 E	ach Side)	
Code	High	Wide	Finish	
Z4019582	770mm	880mm	Galvanised	
Double Sideo	l-Holds 10	Scooters (5	Each Side)	
Code	High	Wide	Et al se la	
0000	пığıı	wide	Finish	
	0		Galvanised	
	0			
	770mm	880mm	Galvanised	
Z4019584	770mm	880mm	Galvanised	
Z4019584 Double Sideo Code	770mm I-Holds 20 High	880mm Scooters (10 Wide	Galvanised	
Z4019584 Double Sideo Code	770mm I-Holds 20 High	880mm Scooters (10 Wide	Galvanised DEach Side) Finish	
Z4019584 Double Sideo Code	770mm I-Holds 20 High 770mm	880mm Scooters (10 Wide 880mm	Galvanised DEach Side) Finish	

Black



Floor Mounted Bicycle Holder

• Floor Mounted Galvanised Individual Bicycle Holder

- Flanged End For Bolting To A Solid Floor
- 3 Fixing Bolts Required-Not Included

Code	High	Finish
Z4019506	687mm	Galvanised



### Wall Mounted R45 Bicycle Holder

- Wall mounted galvanised individual bicycle holder
- Bicycle held at 45 degree angle from wall
- Suitable for bolting to wall, post or rail
- Centre of holder recommended fixed at 345mm
- from floor level
- 2 fixing bolts required-not included

CodeHighFinishZ4019505296mmGalvanised



#### Wall Mounted R90 Bicycle Holder

- Wall mounted galvanised individual bicycle holder
- Bicycle held at 90 degree angle from wall
- Suitable for bolting to wall, post or rail
- Recommended fixed at 345mm
- 2 fixing bolts required-not included

Code	High	Finish
Z4019504	296mm	Galvanised



### Hinged Parking Post

Code

- Floor Mounted Galvanised Individual Bicycle Holder
- Lockable In The Up & Down Positions 2 Keys

Dia

Finish

Galvanised

- Integral Lock Randomly Keyed
   Black Weather Cap
- 2 Fixing Bolts Required-Not Included

High

Z4019511 743mm 64mm

### Hinged Toplok Parking Post

- Hinged Galvanised Lockable Parking Post
- Lockable In The Up & Down Positions
- Lockable By Padlock-Not Included
- Black Weather Cap 2 Fixing Bolts Required-Not Included

Code	High	Dia	Finish
Z4019512	743mm	64mm	Galvanised



### **Stealth Parking Post**

- Hinged Galvanised Lockable Parking Post
- Lies Flat In Integral Ground Socket In Down Position
- Lockable In The Up & Down Positions
- Integral Lock Randomly Keyed
   2 Keys Black Weather Cap 
   2 Fixing Bolts Required-Not Included
- Ground Socket 865x220x95mm

Code	High	Dia	Finish
Z4019512	743mm	64mm	Galvanised





#### Flanged Boundary Post

- Floor Mounted Galvanised Fixed Boundary Post
- Flanged End For Bolting To A Solid Floor Black Weather Cap • 3 Fixing Bolts Required-Not Included
- Code High Dia Finish Z4019511 743mm 64mm Galvanised



- Floor Mounted Galvanised Fixed Boundary Post Ragged End For Casting Into A Solid Floor
- Black Weather Cap

Code	High	Dia	Finish
Z4019514	750mm	43mm	Galvanised



#### Security Mirrors

- Polycarbonate Circular Security Mirror
- Post Or Wall Fixing

Code		Dia	Finish
Z4019421	Circular	620mm	Mirror
Z4019422	Circular	450mm	Mirror
Z4019431	Rectangular	600x450mm	Mirror



### **Rubber Speed Ramps**

- Rubber speed ramp system 
   50mm high
- cats eyes fitted as standard sold in pairs
- each pair has one yellow & one black section
- each pair supplied with sufficient fixings
- quickly installed & re-locatable centre sections

Code	Size	Wide	Finish
Z4019411	500mm	470mm	Black/Yellow



**Rubber Speed Ramps End Sections** 

2 end sections can also make a circular speed bump

Code	Size	Wide	Finish
Z4019401	200mm	470mm	Black/Yellow



### **N&C Steel Tee Hinges Medium Weight** Medium Weight Steel Tee Hinges

Code	Size	Finish	
H0460001	230mm	Japanned	
H0460011	300mm	Japanned	
H0460021	375mm	Japanned	
H0460031	450mm	Japanned	



### N&C Steel Tee Hinges Heavy Weight Heavy Weight Steel Tee Hinges

Code	Size	Finish
H0460551	300mm	Galvanised
H0460561	450mm	Galvanised
H0460571	600mm	Galvanised

### **N&C Steel Strap Hinges**

• Straight Steel Strap Hinges - (Closed Sizes Shown)

Code	Size	Finish
H0461001	152mm	Self Colour Steel
H0461011	203mm	Self Colour Steel
H0461021	305mm	Self Colour Steel



### **N&C Steel Reversible Hinges**

• Light pattern steel reversible hinges

Code	Size	Finish
H0461501	254mm	Self Colour Steel
H0461511	305mm	Self Colour Steel
H0461521	406mm	Self Colour Steel
H0461531	457mm	Self Colour Steel
H0461541	610mm	Self Colour Steel



### **N&C Steel Reversible Hinges**

• Heavy pattern steel reversible hinges

Code	Size	Finish
H0462001	457mm	Self Colour Steel
H0462011	610mm	Self Colour Steel
H0462021	760mm	Self Colour Steel
H0462031	914mm	Self Colour Steel



### N&C Hook & Ride Hinges

- Wrought iron hook & ride hingesHook on screw fix plates

Code	Size	Finish
H0462001	305mm	Self Colour Steel
H0463011	405mm	Self Colour Steel
H0463021	457mm	Self Colour Steel
H0463031	610mm	Self Colour Steel



### N&C Double Strap Field Gate Hinges


- Heavy pattern steel with long top band
- To bolt & short bottom band to drive
  Suits 75mm thickness timber gate

Code	Size	Finish
H0465001	610mm	Self Colour Steel



**N&C Gate Catch** • Balance Gate Catch With Lugs For Stone

Code	Size	Finish
H0498001	305mm	Galvanised



**N&C Field Gate Latch** • Spring field gate latch set with catch & keep

Code	Size	Finish
H0465501	610mm	Self Colour Steel



### **N&C Gate Latch**

• Gate Latch With Ring Handles

Code	Size	Finish
H0786001	178mm	Black Iron
H0786002	178mm	Zinc Plated



### **N&C Coil Gate Spring**

Coil gate spring

Code	Size	Finish	
H0436061	255mm	Black Japanned	



### **N&C Suffolk Latch**

1	<ul> <li>Suffolk Latch</li> </ul>				
	Code	Size	Finish		
	H0436061	255mm	Black Japanned		
	H0786521	216mm	Black Japanned		
	H0786522	216mm	Galvanised		



### N&C Automatic Gate Catch • Automatic Gate Catch With Peg

Code	Size	Finish
H0787501	51x51mm	Galvanised
H0787511	60x57mm	Galvanised



### N&C Gate Closer

- Heavy Duty Gate Closer For Timber & Metal Gates
- Two Speed Closing With 90 Degree 
   Hold Open Facility

Code	Size	Finish
Z4020558	300mm	Black



### N&C Garage Door

- Overhead Garage Door Holder With Cord Release
- Screws, Bolts

Code	Size	Finish
H0497501	381mm (Wide Lintels)	Black
H0497511	610mm (Narrow Lintels)	Black
H0497521	610mm (Single narrow Lintels)	Black



### N&C Garage Door Drop Bolt

 Garage Door Surface Mounted Drop Bolt With Receiver Plate 
 Galvanised Shoot Bolt

Code	Size	Finish	
H0495001	305x16mm	Black	
H0495011	610x16mm	Black	



### N&C Garage Door Foot Bolt

 Garage Door Surface Mounted Foot Bolt With Receiver Plate 
 Galvanised Shoot Bolt

Code	Size	Finish
H0497001	210mm	Black
H0497002	210mm	Galvanised



### **N&C Monkey Tail Bolt**

- Surface Mounted Monkey Tail Bolt
- Galvanised Shoot Bolt

Code	Size	Finish	
H0494501	380x16mm	Black	
H0494511	455x16mm	Black	
H0494521	610x16mm	Black	
H0494531	760x16mm	Black	
H0494541	915x16mm	Black	



### **N&C Bolt Receivers**

Size

Code

Tapered Side Bolt Receiver For Setting In Concrete

Finish H0494550 28x28mm Galvanised Cast Iron



### **N&C Bolt Receivers**

• Receiver Staple Screw Fix

Code	Size	Finish	
H494551	50x32mm	Galvanised	



### **N&C Bolt Receivers**

Receiver Plate Screw Fix

Code	Size	Finish
H0494552	52x32mm	Galvanised



All products with in this section are sutable for commercial and domestic enviroments

### INDEX

A		D		1	R	
Access Panels	146	Dead Locks	44,47,52,58	Indicator Bolts 8,10-12,14,16-21,26,27,31,141	Radar Cover Plates	54
Accessible Mortice Bathroom Lock	148	Digital Locks	55	Industrial Sliding Door Gear 111,112	Radar Hasp & Staple	54
Accessible Mortice Deadlock	148	Din Standard Locks & Latches	52	Insect Screening 159	Radar Keys	54
Accessible Mortice Emergency Nightlatch	148	Door Bells	37 57	Interclamp Railing System 152,153 Internal Door Sliding Door Gear 106-110	Radar Locks Radar Padlock	54 54
Accessible Mortice Latch Accessible Mortice Sashlock	148 148	Door Bolts Door Chains	37	Intumescent Fire Blocks & Grilles 80	Rebate Conversion Sets	47
Acorn Sash Stop	130	Door Closers	70-77	Intumescent Foam 81	Redlam Bolt	85
Adjustable Twin Slot Shelving	122	Door Controls	71,73	Intumescent Glazing Tape 81	Reversible Hinges	64,162
Anti Intruder Spikes	159	Dorgards	71	Intumescent Hinge Pads 81	Rim Cylinders	49,51
Anti Ligature Clutch Knob	148	Door Guards	37	Intumescent Letter Plates 81	Rim Deadlock	53
Anti Ligature Clutched Bathroom Turn	149 150	Door Holders	27,71,73,142	Intumescent Mastic 81 Intumescent Paper 81	Rim Latch Rim Lock	49 49
Anti Ligature Coat Hanger Anti Ligature Coat Hook	150	Door Knockers Door Numbers	36 35	Intumescent Paper 81 Intumescent seals 80	Rim Lock Rim Nightlatches	49,50,51
Anti Ligature Cockspur Handle	150	Door Letter	35		Rising Butt Hinges	61
Anti Ligature Cylinder Escutcheon	149	Door Packs	32,33	К	Roller Arm Stays	131
Anti Ligature Espagnolette Handle	150	Door Pivots	149	Kee Klamp Rail System 154,155	Roller Catches	58,116
Anti Ligature Floor Door Stop	149	Door Stops	9,12,15,27,141,142	Kicking Plates 9-11,15	Rotary Clothes Airers	157
Anti Ligature Flush Pull Handle	149	Door Thresholds & Seals	40	Knob Furniture 26,29	0	
Anti Ligature Grab Rail	150	Door Viewers	36,37	L	S Sash Chain & Fittings	129
Anti Ligature Hinge Anti Ligature Hinged Support Arm	148 150	Dorguard Dorma Door Controls	71 74-77	Latch Furniture 32,33	Sash Chains	129
Anti Ligature Lever Set	148	Draught Excluders	40	Letter Plates 15,34,38	Sash Cord	129
Anti Ligature Norton Pull Hnadle	149	Drawer Locks	114,115	Letter Tidy 34	Sash Fasteners	130
Anti Ligature Pivot Set	149	Durahooks	145	Lever Furniture On Plate 7,13,23,24,28-33,38	Sash Handles	130
Anti Ligature Wardrobe Rail	150			Lever Furniture On Rose 7,10,11,13,16-24,28,29	Sash Lifts	130
Anti Ligature Window Handle	150	E		Line Posts 157	Sash Lock Cases	52
Anti Ligauture Lever/Knob Set	148	Easyclean Hinges	66	Line Pullies 157	Sash Locks	44-47,52,58
Anti Pigeon Spikes Axle Pullies	159 128	Electrically Operated Window C Emergency Release Door Stop	)peners 134 149	Lockable Fateners 128 Locking Bars 56	Sash Screw Sash Stops	130 130
Axie i ulles	120	Endlless Cords	149	London Bar 57	Sash Weights	129
В		Escape Locks	85	Long Lipped Strikeplates 51	Scooter Racks	160
Back Flap Hinges	62	Escape Route Signs	88-91	Loose Pin Hinges 61	Secondary Security Fittings	57
Bales Catch	116	Escutcheons	8,10,11,14,16-21		Security Bolts	57
0 0	60,61	Euro Profile Cylinders	48	M	Security Mirrors	161
Ball Catch	116	Euro Profile Locks	44,45,47,52	Magnetic Catches 116	Shelf Brackets	122,123
Banjo Shelf Supports Barrel Bolts 12,3	123 26,31	Extractor Fans	136,137	Manually Operated Window Winding Gear 132,133 Meakins Sash Openers 130	Shelf Strips & Fittings Shelf Systems	123 123
	6,137	F		Mechanical Digital Locks 55	Site Instruction Signs	97-101
Bathroom Indicator Bolts 8,10-12,14,16,21,26,	·	Facility Indicator Bolt	141	Monkey Tail Bolts 163	Sliding Door Gear	106-112
	33,58	Fanlight Catch	131	Mortice Bathroom Locks 32,33,45,47,52,58	Sliding Door Locks	106
Becode Keyless Locks	117	Fencing & Fittings	156	Mortice Deadlocks 44-47,58	Sliding Door Track	106
Bell Push	37	Field Gate Hinge	64,162	Mortice Latches 32,33,58	Smoke Alarm	82
Bicycle Racks	160	Field Gate Latch	162	Mortice Nightlatches 52	Snowguard	158
Bifold Door Gear	110	Finger Shield	159	Mortice Sashlocks 32,33,44-47,52,58	Soss Hinges	63,121
Bird Ban Birmingham Bar	159 57	Finger Plates Finger Pull	9,10,11,15 120	Multipoint Locks 39	Speed Ramps Spiral Sash Balances	161 131
Black Antique Door Furniture	30	Fire Action Signs	93	Ν	Spring Hinges	65
	6,127	Fire Blanket	82	N&C Cupboard Locks 114		120
Bolt Sockets	163	Fire Brigade Keys	53	N&C Door Selector 71	Steel Reversible Hinges	64,162
Bookcase Strip	123	Fire Brigade Locks	53	N&C Electro Magnetic Door Closers 70	Stormproof Hinges	66
-	61,62	Fire Brigade Padlocks	53	N&C Electro Magnetic Floor Spring 71	Strap Hinges	64,162
Break Glass Key Boxes	82	Fire Door Signs	94	N&C Fire Exit Hardware 83	Ŧ	
Break Glass Mortice Locks Brenton Bolt	85 140	Fire Escape Locks Fire Extinguisher Signs	85 92	N&C Floor Springs 70,71 N&C Jamb Mounted Door Closer 70	T Tactile & Braille Nameplates	104
	45,46	Fire Extinguishers	82	N&C Overhead Door Closers 70	Tactile & Braille Pictograms	102-103
	72,73	Floor Springs	70,71,76,77	N&C Transom Mounted Door Closers 70	Tactile & Braille Pushplates	104
Briton Fire Exlt Hardware	84	Flush Bolts	139	Nameplates 96	Tee Hinges	64,162
	32,33	Flush Cabinet Handles	120	Narrow Stile Nightlatches 51	Thresholds	40
Budget Locks	115	Flush Hinges	62	Numerals 35	Transom Mounted Door Controls	70,76
Butt Hinges	60,61	Flymesh Friction Hinges	159 66	0	Tubular Latches Touch Latch	32,33,58 116
С		Fliction minges	00	Oval Profile Cylinders 48	Tower Bolts	140
Cabin Hooks 12,26,142	2,143	G		Oval Profile Mortice Lockcases 44,45,47,52,		110
	8,119	Garage Door Bolts	140,163		U	
Cabinet Hinges 120	0,121	Garage Door Holder	140,163	Р	Union Strongbolt Locks	46,47
	8,119	Gate Catches	162,163	Padbolts 140	Upvc Door Furniture	38
Cabinet Locks 106,114,115		Gate Closer	163	Padlock Bars 56	V	
Cabinet Sliding Door Gear Cam Locks	106 117	Gate Fittings Gate Spring	162,163 162	Padlocks 56 Panic Bolts & Latches 83,84	v Vent-A-Matics	135
Carbon Monoxide Alarm	82	Gutter Protection	158	Parking Posts 161	Ventilators Bathroom	135
Card Frames	119	Gutter Scoop	158	Parliament Hinges 62	Ventilators Hit & Miss	146
	7,128			Patlock 39	Ventilators Louvre	146
	6,127	Н		Perko Door Closer 78	Ventilators Trickle	135
Cellar Flap Hinge	64	Handrail Brackets	145	Perkomatic Door Closers 78	Vertical Locking Bar	56
Centre Door Knobs	36 156	Hanging Rail & Fittings	121	Pictograms 95,102,103 Pip Tumbler Culindere	W	
Chain Link Fencing Clothes Airers	156 157	Hasp & Staples Hat & Coat Hooks	56 9,15,31,143-145	Pin Tumbler Cylinders 48 Pivot Point Protector 149	W Wardrobe Rail & Fittings	121
Clothes Line Posts	157	Hazard Signs	100,101	Pocket Door System 109	Wardrobe Sliding Door Gear	107-110
Concealed Hinges	63	Hedgehog Gutter Protection	158	Pole Hooks 131	WC Cubicle Fittings	124
Continuous Hinge	63	Hi-Load Hinges	60	Postal Knockers 36	Window Fittings	38,126-128
Counterflap Catch	63	Hinge Bolts	57	Powermatic Door Closers 78	Window Hinges	66
Counterflap Hinge	63	Hinges	32,33,60-66,162	Prohibition Signs 97-99	Window Pivots	131
	8,119	Hush Latch	116	Projection Hinges 62 Pull Handlog 8 10 11 14 16 25	Window Restrictors	128
Cupboard Locks 114,115 Cubicle Fittings	5,117 124	Hook & Ride Hinges Horizontal Locking Bar	64 56	Pull Handles 8,10,11,14,16,25	Window Winding Gear Wire Netting	132-134 156
	15,37	Doning Dai	50		Wrought Iron Hook & Ride Hinges	64,162
	49-51			Q	J	,
	48,49			Quadrant Stays 131	Υ	
					Yale Cylinder Rim Nightlatches	50,51

# Total Solution provider



WETROOMS As manufacturers of the complete system, N&C offer every component required to create a stylish, level access showering environment.



### BATHS

From contemporary and classic, we have a broad collection of baths in a range of shapes and styles perfect for hotels.



WALL & FLOOR TILES N&C are leading suppliers of award winning ceramic, porcelain and natural stone wall and floor tiles.



### IRONMONGERY

As ironmongers since 1875, and as part of the Guild of Architectural Ironmongers, we specialise in everything for a commercial & domestic environment



### FLOORING

As leading manufacturers, we provide quality materials for required safety flooring, such as altro, vinyl tiles and screeds.



### ADHESIVES

We manufacture innovative, high performance adhesives, grouts and tiling systems through our Nicobond brand, within our UK based factory.



INDEPENDENT LIVING

Through our Phlexicare brand, N&C are leading manufacturers and distributors of independent living solutions designed for people with all levels of abilities, covering accessible showering, multi user kitchens and more.



**DECORATING** Our builders merchant division offers all the popular trade brands for decorators and building professionals.



**GLASS & GLAZING** As the UK's leading independent supplier of commercial and domestic glass and glazing products, we can offer unrivalled solutions at competitive prices.



N&C Building Products Ltd. Registration Number: 140 Registered in England www.nichollsandclarke.com

# Nicholls & Clarke

- Est 1875 -

N&C Building Materials 41 - 51 Freshwater Road, Chadwell Heath Romford, Essex RM8 1SP Tel: 020 8586 4600 Fax: 020 8586 4646 www.nichollsandclarke.com





